



764-664

7-30-2003

1-4

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95

	United States	<input type="checkbox"/> Registration	OPP Identifier Number
	Environmental Protection Agency	<input type="checkbox"/> Amendment	
	Washington, DC 20460	<input checked="" type="checkbox"/> Other	

Application for Pesticide - Section I

1. Company/Product Number 769-664	2. EPA Product Manager Jim Tompkins	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) X-Cel Veg Kill	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Value Garden Supply, LLC. P. O. Box 585 St. Joseph, MO 64502 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION JUL 30 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt. _____ No. per container _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Carrie Crawford	Title Regulatory Affairs Manager	Telephone No. (Include Area Code) 540-864-8490
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Affairs Manager	
4. Typed Name Carrie Crawford	5. Date July 14, 2003	

X-CEL VEG KILL

2-4

NOTIFICATION

JUL 30 2003

ACTIVE INGREDIENT:	
Sodium Cacodylate.....	5.80%
Dimethylarsinic Acid.....	1.00%
OTHER INGREDIENTS.....	93.20%
TOTAL.....	100.00%

Total arsenic content as elemental, all in-water soluble form.....3.25%
Contains the equivalent of 0.65 lbs. Dimethylarsinic Acid per gallon.

EPA Reg. No. 769-664
EPA Est. No. 44616-mo-3

Distributed by: Value Garden Supply, LLC.
P. O. Box 585
St. Joseph, MO 64502
(952) 884-6477
www.valuegardens.com

KEEP OUT OF REACH OF CHILDREN CAUTION

See side/back panel for Precautionary Statements and First Aid

NET CONTENTS: 32 FL. OZ. [1 Qt.]

FIRST AID

- If swallowed:**
- Call poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- If on skin or clothing:**
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- If inhaled:**
- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 - Call a poison control center or doctor for further treatment advice.
- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
 - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For information of this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling. Avoid contact with eyes, skin, or clothing. Keep children and pets off treated areas until this material has been washed into the soil.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwater, or rinsate.

DIRECTIONS FOR USE

3-4

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

When X-Cel Veg Kill is applied it kills most weeds and grasses on contact. X-Cel Veg Kill may be used around bushes, trees, or shrubs. Excellent for use around patios, sidewalks, driveways, fences, decks, retaining walls, foundations, and curbsides.

SPOT TREATMENT

To kill unwanted vegetation along side walks, patios, driveways, fences, retaining walls, around shrubs, trees, and bushes. Use a hand operated sprayer only. Mix at a rate of 32 oz. per 3 gallons of water. Covers 800 sq. ft. For tall weeds or grasses, cover foliage thoroughly and repeat in five days if necessary. To kill the leaves on Poison Ivy, Brambles, Briars, and Stump Sprouts wet all foliage thoroughly and repeat if new growth develops. For most rapid kill, apply during warm, sunny weather. Do not apply during windy conditions that will carry spray to desired vegetation. Product will cause brown or yellowing dead spots in lawn.

TRIM AND EDGING TREATMENT

For use along driveways, sidewalks, fence lines, patios, and parking lots. Apply anytime during the growing season. Apply using a hand sprayer only. Mix at a rate of 32 oz. per 3 gallons of water. Thoroughly wet foliage of unwanted vegetation. Maximum control will be achieved during warm, sunny weather when unwanted vegetation is actively growing. Wilting will occur in 1 to 3 days and complete browning in about 5 to 7 days. Avoid drift to desirable foliage. Heavy lawn grasses and difficult weeds such as Bermudagrass and Dallisgrass will require more than one application to give complete control of top growth.

LAWN RENOVATION

Mow grass to about 1 in. height. Mix at a rate of 32 oz. per 3 gallons of water. Apply X-Cel Veg Kill at any time during the growing season, preferably on a bright, sunny day. Cover foliage thoroughly. X-Cel Veg Kill works only thoroughly foliage not the root system. Average turf should be brown and dead within 5 days. Certain weeds and grasses may require a second application. When all vegetation is dead, treated area should be raked. Water area heavily prior to seeding. Seeding, sodding, or sprigging may be done within five days after application. Keep area moist. On sunny days water if possible at mid-day until plants are established.

USE PRECAUTIONS

Care should be taken when treating weeds in flower beds or around shrubs and ornamental plantings. Do not allow spray to come into contact with foliage, green bark, grafted unions, or damaged bark when spraying around desirable plants. **Do not use for spot treatments for weeds in lawns.** Do not water within 24 hours of application. Do not apply if rainfall is expected within 24 hours after application.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from heat or open flame. Keep in original container and preferably in a locked storage area inaccessible to children and pets.

Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with label directions.

OPTIONAL MARKETING CLAIMS

4-4

Kills listed unwanted vegetation
Kills listed weeds and grasses
Kills listed weeds and grass
Controls listed unwanted vegetation
Controls listed weeds and grasses
Controls listed weeds and grass
Removes listed unwanted vegetation
Stops listed unwanted vegetation
Easy to use
Easy to apply
Proven effective
For patios, walks, driveways, and fences
Great for patios, walks, driveways, and fences
Effective on patios, walks, driveways, and around fences
No residual herbicidal effects
No residual herbicide effects in soil
Tough on hard-to-kill grasses and weeds
Will not travel through the soil
No odor
Non-staining
Non-damaging to blacktop
Water based formula
Around buildings
Along sidewalks
Along driveways
Under trees
Around ornamental plantings
Reseed new lawn in five days