

AUG 25 1994

Ms. Stacy Schmidt
Sureco, Inc.
P. O. Box 938
Fort Valley, GA 31030

Subject: Revised labeling
SMCP Industrial Roach and Ant Spray
EPA Registration Number 769-674
Your Submission Dated July 27, 1994

Dear Ms. Schmidt:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Change the first paragraph on page 3 to read as follows:

"Do not use in edible....."

A stamped copy of the label is enclosed for your record.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (7505C)

2 9 5

SMCP INDUSTRIAL ROACH & ANT SPRAY

Active Ingredient:

*O-Isopropoxyphenyl methylcarbamate..... 1.0%
Inert Ingredients:..... 99.0%

CAUTION
KEEP OUT OF REACH OF CHILDREN

See side panels for additional cautions and other information

EPA Reg. No. 769-674

EPA Est. No. 769-GA-1

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or poison control center immediately. Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger. Repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious or convulsing person.

If Inhaled: Remove victim to fresh air.

If On Skin: Remove contaminated clothing and wash skin with soap and water. Get medical attention if irritation persists.

If In Eyes: Flush with plenty of water. Get medical attention.


MANUFACTURED BY:
SureCo, Inc.
Fort Valley, GA 31030

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 25 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

769-674



Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Use In and Around Homes, Restaurants and Institutions

General: Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborages. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

DO NOT apply to carpeting, draperies, wallpaper or similar materials that they may be stained. Avoid excessive wetting of plastics, rubber and asphalt materials such as tiles and floor coverings.

Cockroaches: Thoroughly treat the infested area. Spray baseboards, cracks and crevices, around window and door frames, under surfaces of shelves, drawers and work tables, behind and beneath sinks, refrigerators, stoves and cabinets, in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest.

Ants: Apply to trails and places where ants enter premises such as window and door frames. Spray hills and runways outdoors.


Exposed stages of Caddisflies, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Saw-Toothed Grain Beetles and Granary Weevils: Treat thoroughly floors and walls of the infested areas with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are primary importance. Fumigate or destroy infested products.

Silverfish, Firebrats and Paperlice: Apply to localized areas infested by these insects.

Brown Dog Ticks: Spray sleeping quarters of pets, around baseboards, window frames and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

Clover Mites, Crickets, Earwigs, Millipedes, Sowbugs, Scorpions and Spiders: Thoroughly spray the interior and exterior perimeter of infested premises. For Clover Mites give special attention to window frames.

Fleas, Flies, Gnats, Mosquitoes, Punkies and Sandflies (outdoor only, limited to structural perimeters): Spray infested areas thoroughly, including outside surfaces of screens, doors, window



BEST AVAILABLE COPY

frames, foundations, patios and other areas where insects may enter. Do not spray vegetation.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

For Use in Meat Packing and Food Processing Plants: Do not use in edible products areas of meat packing and food packing plants or in commercial food preparation areas. Any exposed food products, equipment or packaging materials must be removed or covered before spraying. Rinse all equipment with water before canning or other processing begins. Repeat applications, if necessary, when plant is not in operation. Spraying unloading docks and outside areas where insects congregate will aid in preventing reinfestation. Good sanitation and proper disposal of wastes are essential in effective insect control.

Insect Control In Research Facilities: The use of this spray in and around research animal quarters for insect control will not induce changes in liver microsomal enzyme activity in these animals.

RESTRICTIONS

Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Avoid contamination of feed, food, food processing equipment and food handling surfaces. Do not apply to animals. Remove pets and cover fishbowls before spraying. Do not Apply to plants.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

May be harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or clothing. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not allow children to contact treated surfaces until they are thoroughly dry.

Should illness occur, get prompt medical attention.

BEST AVAILABLE COPY

Note To Physician: Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife and birds. Do not contaminate water by cleaning of equipment, or disposal of equipment washwaters. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original labeled container in cool dry place. Keep out of reach of children.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. **DISCLAIMER:** SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.

