

PM-13

Reg # 769-687

1/31/97

197

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
237128

Application for Pesticide - Section I

1. Company/Product Number 769-687	2. EPA Product Manager George LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SMCP Diazinon 4E Insecticide	PM# PM-13	
5. Name and Address of Applicant (Include ZIP Code) SureCo, Inc. 10012 N. Dale Mabry, Ste, 221 Tampa, FL 33618 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION
JAN 31 1997

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Addition of statement approving use in meat and poultry plants. See USDA letter that is attached.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 1 Gal; 2.5 Gal; 55 GAL		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Stacy A. Schmidt	Title Registration Specialist	Telephone No. (include Area Code) (913) 960-8333
2. Signature 		6. Date Application Received (Stamped)
3. Title Registration Specialist		
4. Typed Name Stacy A. Schmidt	5. Date 1/13/97	

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.



December 13, 1996

Ms. Stacy A. Schmidt
SureCo, Inc.
10012 N. Dale Mabry, Suite 221
Tampa, FL 33618

Dear Ms. Schmidt:

This is in reply to your request for compound authorization received on November 04, 1996 for your product AllPro Diazinon 4E Insecticide.

This product is acceptable as a residual pesticide for use in the inedible product areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs. It may be used in edible product areas for crack and crevice treatment provided applicable directions appear on the EPA registered label. Plant management must inform the Inspector-In-Charge (IIC) of the treatment schedule. Such use is acceptable provided the pesticide is applied after processing operations have ended, exposed food products and packaging materials are removed or protected, the treated area is ventilated and cleaned thoroughly before processing operations are resumed, and the treated cracks and crevices are sealed within a period of time agreed to by the IIC.

This product must be used in a manner that precludes entry into edible product areas through open windows, ventilating systems, etc.

Acceptance of compounds by this Department is in no way to be construed as an endorsement of the compounds or of any claims made for them.

If any change is made in the labeling information or formulation, the authorization for use in official plants becomes void immediately.

Sincerely,

John M. Damaré, Chief
Compounds Review Branch
Facilities, Equipment, Labeling, and Compounds Review Div.

397
8

CONTAINER LABEL

SMCP DIAZINON 4E INSECTICIDE

Recommended for commercial/industrial use only.

For pest control indoors including food and feed handling establishments.
Outdoors use only on home lawns and landscaped areas around the home.

This product must not be used on golf courses and sod farms.

Active Ingredient:

Diazinon: 0,0-Dimethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	47.5%
Inert Ingredients:*	52.5%
Total:	100.0%

*Contains xylene range aromatic solvent
Contains 4 lbs. diazinon per gallon

EPA Reg. No. 769-687

EPA Est. No. 769-GA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
Hazards To Humans and Domestic Animals**

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye injury. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of food and feed. Food utensils such as tablespoons in measuring cups must not be used for food purposes after use in measuring pesticides. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto treated areas until spray has dried. Do not contaminate ornamental fish ponds.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or poison control center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. Do not give anything by mouth if person is unconscious or convulsing.

If Inhaled: Remove victim to fresh air, if not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If On Skin: Wash promptly with plenty of soap and water. Rinse thoroughly. Get medical attention.

If In Eyes: Rinse with plenty of water. Call a physician if irritation persists.

Note To Physician: Solvent may present aspiration hazard. Gastric lavage may be indicated if product was taken internally. Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Apply this product only as specified on this label. Because of the migratory behavior of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20th. Do not exceed maximum permitted label rates. Rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. For lawns, if waterfowl, i.e. ducks or geese, can be expected in the treated area after treatment (except spot treatment) water lawn at with at least 1/4 inch of water immediately after spraying with this product, however, stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and run-off may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. This product is highly toxic to bees exposed to direct treatment or residues on blooming plants if bees are visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use this product through any type of irrigation system. Authorized by USDA for use in non-food areas of Federally inspected meat & poultry plants.

COPY A ←

597
8

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE: Pesticide wastes are toxic. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

CONTAINER: Triple rinse or equivalent. Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

GENERAL INFORMATION

This product is an emulsifiable concentrate and is intended for use by pest control operators. Apply the product after dilution with water according to the directions for use for the control of those pests specified on this label. This product is not intended for use in preparing oil base sprays. This product may be used indoors in households, apartments and other structures including schools (except classrooms in use), hospitals (except in patient rooms while occupied), office buildings, museums, libraries, sports facilities, stores, warehouses, and food and feed handling establishments. Read and follow the precautions listed below when applying this product in any of these indoor areas. This product is approved for use in food and feed areas of food/feed handling establishments. It may be applied only as a crack and crevice treatment or limited spot treatment. See the specific directions for use for treatment of these areas. This product may also be used outdoors only on home lawns and ornamentals around the home. See the specific directions for use for treatment of these areas.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. **DISCLAIMER:** SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.

Manufactured by:
SureCo, Inc.
Fort Valley, GA 31030

Please Refer to Attached Booklet for Complete Directions For Use

SUPPLEMENTAL LABELING
DIAZINON 4-E INSECTICIDE

For Pest Control indoors including Food and Feed Handling Establishments. Outdoor Use Only on Home Lawns and Landscaped Areas Aground the Home
THIS PRODUCT MUST NOT BE USED ON GOLF COURSES AND SOO FARMS

ACTIVE INGREDIENT:
DIAZINON: (0, 0-diethyl, O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 47.50%
52.50%
INERT INGREDIENTS: 100.00%
TOTAL

*Contains Xylene Range Aromatic Petroleum Distillate - Contains 4 lbs Diazinon per gallon

Precautions: (1) Do not use this product indoors as an overall surface or as a space spray; take care not to introduce this product into the air during application. (2) Use only in well ventilated areas. (3) Do not apply where children are likely to frequently contact treated surfaces. (4) Remove or cover fish bowls and remove pets before application. (5) Do not treat pets with this product. (6) Do not allow children or pets in treated areas until spray has dried. (7) Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. (8) Do not apply to classrooms when in use. (9) In institutions (including, but not limited to office buildings, museums, libraries, and sports facilities), do not apply this product when occupants are present in the immediate area. (10) The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. (11) Avoid excessive wetting of carpets, floor coverings or unfinished materials because damage may occur. (12) Care should be taken to avoid spotting of walls, wall coverings, and fabrics. (13) Do not apply directly to conduits, motor housings or electrical switch boxes. (14) Do not apply to areas, surfaces, or utensils which will contact food or feed. (15) Exposed food should be covered or removed during application. (16) All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water before use. (17) If clothing is sprayed during application, remove clothing immediately after spraying, wash affected body areas with soap and water, and launder clothing before wearing again.

KEEP OUT OF REACH OF CHILDREN
CAUTION

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente."

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. Do not give anything by mouth if person is unconscious or convulsing. **IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. **IF ON SKIN:** Wash promptly with soap and water. Rinse thoroughly. Get medical attention. **IF IN EYES:** Rinse eyes with plenty of water. Call a physician if irritation persists. **NOTE TO PHYSICIAN:** Solvent may present aspiration hazard. Gastric lavage may be indicated if product was taken internally. Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

MIXING INSTRUCTIONS

Dilute All Pro Diazinon 4E with water to make a 1/4% or 1% spray and apply as indicated below

Gals. of finished spray	Amount All Pro Diazinon 4E to use for	
	1/4% spray	1% spray
1	1 1/4 fl. oz.*	2 1/2 fl. oz.
2	2 1/2 fl. oz.	5 fl. oz.
3	3 3/4 fl. oz.	7 1/2 fl. oz.
10	12 1/2 fl. oz.	25 fl. oz. (1-3/5 pts.)
25	32 fl. oz. (2 pts.)	64 fl. oz. (4 pts.)

*2 1/2 tablespoons = 1 1/4 fl. oz.

INDOOR USE Except Food & Feed Handling Establishments, Households, Apartments, and Non-Food areas of Offices, Schools (except classrooms in use), Libraries, Hospitals (except patient rooms while occupied), Museums, and Sports Facilities (See Food and Feed Handling Establishments for special directions when applying this product in food handling or serving areas in non-residential buildings.)

COCKROACHES (WATERBUGS), ANTS AND SILVERFISH: Make spot applications of 1/4% coarse spray or apply with a paint brush to baseboards, areas around water pipes, crack and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where insects hide. For heavy cockroach infestations make the first application at a strength of 1% followed by monthly applications of 1/4% spray.

BROWN DOG TICKS: Make thorough application of a 1/4% spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Do not use as an overall surface spray. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this product.

CARPET BEETLES: Apply 1/4% spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving and wherever these insects are seen or are suspected.

SPIDERS AND SCORPIONS: Apply a 1/4% spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS: Exposed stages of SAWTOOTHED GRAIN BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN MEAL MOTH: Apply a 1/4% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until the spray has dried. Cover shelves with fresh shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

FOOD AND FEED HANDLING ESTABLISHMENTS

Places other than private residences in which food or feed is field, processed, prepared or served, includes restaurants, canneries, bakeries, food processing plants, mills and dairies.) This product may be used in the food/feed areas and the non-food/feed areas of these establishments. Apply either as a limited spot or crack and crevice treatment as directed below.

FOOD/FEE AREAS OF FOOD/FEE HANDLING ESTABLISHMENTS

Includes areas for receiving, storage, (dry, cold, frozen or raw), preparing (cleaning, slicing, cooking, grinding), serving (when food is exposed and facility is in operation), packaging (canning, bottling, wrapping, boxing), edible waste storage, and enclosed processing systems (mills, dairies and systems for processing edible oils and syrups).

APPLICATION OF THIS PRODUCT IN THE FOOD/FEE AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT OR LIMITED SPOT TREATMENT IS NOT PERMITTED.

LIMITED SPOT TREATMENT

Apply this product diluted to 1/4% - 1% as a coarse, low pressure, fan spray around water pipes and door frames, to surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas and similar floor areas. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit the sum of individual spot treatments to an area no larger than 20% of the floor surface area. Any individual spot treatment must not exceed 2 square feet.

CRACK AND CREVICE TREATMENT

Apply this product diluted to 1/4% - 1% with equipment capable of delivering a pin stream of insecticide. Apply in small amounts directly into cracks and crevices in such areas as expansion joints, spaces between equipment and the floor, openings leading to voids and hollow spaces in walls and equipment legs and bases.

NON-FOOD/NON-FEE AREAS OF FEED/FOOD HANDLING ESTABLISHMENTS

Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage areas (after canning or bottling).

SPOT TREATMENT

Apply this product diluted to a 1/4% - 1% spray. Apply as a coarse, low pressure, fan spray as a spot treatment along baseboards, to areas around water pipes, beneath cabinets, to surfaces behind and beneath sinks, lockers and pallets; and to storage areas where cockroaches, ants, silverfish and spiders live.

OUTDOOR USE

Control of pests on lawns and on ornamentals around the home only.

Precautions: (1) Do not use this product on ornamentals or on turf areas other than around the home. (2) Do not apply this product through any type of irrigation system. (3) This product is highly toxic to bees exposed to direct treatment or to residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area. (4) Birds, especially waterfowl, feeding or drinking on treated area may be killed. (5) Because of the migratory habits of certain Atlantic coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20. (6) Do not exceed maximum permitted label rates since rates above those recommended significantly increase potential hazards to birds and waterfowl. (7) Avoid overlapping of sprays. (8) If waterfowl, i.e. ducks, geese, can be expected in the treated lawn after treatment (except spot treatment) water lawn with at least 1/4 inch of water immediately after spraying this product, however, stop watering before puddling occurs. (9) Wear a long-sleeved shirt and long-legged pants when spraying. Spray with the wind to your back. Do not spray on windy days. If clothing becomes wet from spray during use, remove clothing after spraying. Wash affected body areas thoroughly with soap and water, and launder clothing before wearing again.

PESTS OF ORNAMENTAL PLANTS

To control certain pests on Arborvitae, Azalea, Birch, Boxwood, Camellia, Camazoon, Chrysanthemum, Douglas Fir, Elm, Gladiolus, Hawthorn, Holly, Juniper, Lilac, Locust, Magnolia, Oak, Pine, Ornamental Plum, Poplar, Rhododendron, Rose, Spruce, and Willow apply the recommended rates indicated in the following chart. Try to spray undersides of leaves and penetrate dense foliage. Precautions: Do not use on Ferns, Poinsettia, Huscus, Papaya, Plea and Gardenia, since injury to the plants may occur.

Pests	All Pro Diazinon 4E	Water
Aphids, Bagworms, Camazoon Bud Mites, Camazoon Shoot Mites, Clover Mites, Cyclamen Mites, Diterous Leafminers, European Pine Shoot Moth, European Red Mites, Flea Beetles, Holly Bud Moth, Leafhoppers, Obscure Root Weevil, Omnivorous Leafbeetles, Privet Mites, Scale Crawlers (Cottony-cushion), Lecanium, Pine Needle, San Jose Scale, Thrips, Two-Spotted Spider Mite, Juniper Webworms, Whiteflies	1/2 fl. oz. 1 pt.	3 gals. 100 gals.
Apple and Thorn Skeletonizers, Cottoncater webworms, Fall webworms, Hemlockworms, Oak Looper, Oblique Banded Leafroller, Pear Slugs, Tent Caterpillar	1 1/2 fl. oz. 3 pts.	3 gals. 10 1/2 gals.

Milnesa Webworms: Mix 1 tsp in 3 gals. of water (1 pint in 100 gals. water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4 to 5 week intervals.

Continued on Reverse Side

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of food and feed. Food utensils such as tablespoons or measuring cups must not be used for food purposes after use in measuring pesticides. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto treated areas until spray has dried. Do not contaminate ornamental fish ponds.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Apply this product only as specified on this label. Because of the migratory habits of certain Atlantic coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20th. Do not exceed maximum permitted rates since rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. For lawns, if waterfowl, i.e. ducks or geese, can be expected in the treated area after treatment (except spot treatment) water lawn with at least 1/4 inch of water immediately after spraying with this product, however, stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this pesticide or allow it to drift to blooming plants if bees are visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. PESTICIDE: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance. CONTAINER: Triple rinse or equivalent. Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

GENERAL INFORMATION

This product is an emulsifiable concentrate and is intended for use by pest control operators. Apply the product after dilution with water according to the directions for use for the control of those pests specified on this label. This product is not intended for use in preparing oil base sprays. This product may be used indoors in households, apartments and other structures including schools (except classrooms in use), hospitals (except in patient rooms while occupied) office buildings, museums, libraries, sports facilities, stores, warehouses, and food and feed handling establishments. Read and follow the precautions listed below when applying this product in any of these indoor areas. This product is approved for use in food and feed areas of food/feed handling establishments. It may be applied only as a crack and crevice treatment or limited spot treatment. See the specific directions for use for treatment of these areas. This product may also be used outdoors only on home lawns and ornamentals around the home. See the specific directions for use for treatment of these areas.

INDOOR USE

For control of Ants, Brown Dog Ticks, Carpet Beetles, Cockroaches (Waterbugs), Scorpions and Spiders in households, and in food and feed areas of food/feed handling establishments. This product also aids in the control of the following exposed stages of pantry pests which come into contact with treated surfaces: Drugstore Beetle, Cigarette Beetle, Flour Beetle, Indian Meal Moth, Rice Weevil and Sawtoothed Grain Beetle.

COPY A

697

Continued from Reverse Side

HOME LAWN PESTS

In control pests listed below, apply recommended rates

Pests	Rate per 1,000 sq. ft.		Remarks
	Alt Pro Diazinon 4E	Water	
Lawn Chinch Bugs	2-3 fl. oz.	3 gals.	Use the higher rate for longer residual control and in lawns of dense growth such as St. Augustine lawns.
Ants, Armyworms, Bermudagrass Mites, Clover Mites, Springtails (Collembola), Crickets, Cutworms, Digger Wasps, Earwigs, Fruit Flies, Lawn Billbugs, Leafhoppers, Sod Webworms (Lawn Moth), Sowbugs (Pillbugs)	2-3 fl. oz.	3 gals.	Spot spray anthills and wasp ground nest openings. For Digger Wasps apply at dusk when wasps are not active. For Fruit Flies, mow grass and water well before treatment but delay application until grass is dry.
Brown Dog Ticks, Chiggers, Fleas	3 fl. oz.	3 gals.	Do not apply to animals. For Brown Dog Ticks, spray grass and under shrubbery particularly near house.
Hyperodes Weevil	3 fl. oz.	3 gals.	Treat problem areas in mid-April and again in mid-May.
Millipedes	3 fl. oz.	3 gals.	
Rhodesgrass scales	3 fl. oz.	3 gals.	Apply when crawlers first emerge.
White Grubs (such as larvae of Japanese Beetle Larvae, European Chafer, Southern Chafer)	3 fl. oz.	3 gals.	Apply any time between late July and early October.

Nuisance Pests Outside the Home

Ants, Boxelder Bugs, Brown Dog Ticks, Chiggers, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Sowbugs (Pillbugs), Spiders and Springtails (Collembola).

Mix 3 fl. oz. in 3 gals. water.

Thoroughly spray window and door screens and sills, foundations, porch and patio walls, entranceways, walks, garbage cans, tree trunks, and into cracks and other places where insects can hide. Repeat application as necessary.

To prevent entry of insects into the house, spray a five-foot band of soil around the house next to the foundation and spray the foundation of the house to a height of 2-3 feet. Repeat application as necessary.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product.

DISCLAIMER: SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions for Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use or handling of this product.