

PM03

769-694

9/9/98

1/4

SMCP XTRABAN ROACH CONCENTRATE

FOR SALE TO, USE AND STORAGE BY LICENSED PEST CONTROL OPERATORS ONLY

Active Ingredients:

Chlorpyrifos [0,0-diethylO-(3,5,6-trichloro-2-pyridyl) phosphorothioate	16.00%
Dichlorvos [2,2-dichlorovinyl dimethyl phosphate]	7.45%
Related Compounds	0.56%
Inert Ingredients:	75.99%
Total :	100.00%

Contains 1.3 pounds of chlorpyrifos and 0.6 pounds dichlorvos per gallon

**KEEP OUT OF REACH OF CHILDREN
DANGER/POISON/PELIGRO**

Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Side Panel For Additional Precautionary Statements

EPA Reg. No. 769-694

EPA Est. No. 769-GA-1

STATEMENT OF PRACTICAL TREATMENT


If Swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes: Flush eyes with plenty of water. Call a physician immediately.

Note To Physician: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.



NET CONTENTS: _____

Manufactured By:
SureCo, Inc.
Fort Valley, GA 31030

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Poisonous if swallowed, inhaled, or absorbed through the skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin.

NOTE TO PHYSICIAN: Active ingredients are cholinesterase inhibitors. Treat symptomatically. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Morphine is contraindicated. Clear chest by postural drainage. Repeated exposures to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test. Keep patient prone and quiet.

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical resistant to this product are listed below. If you want more options follow the instructions of category "C" on an EPA chemical resistance category selection chart in the Worker Protection Standard.

Applicators and Other Handlers Must Wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves such as Barrier Laminate, Butyl Rubber, Nitrile Rubber, Neoprene Rubber, Polyvinyl Chloride or Viton
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron required for mixing/loading and cleaning equipment
- Respirator with either an organic vapor removing O/V cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this products concentrate. Do not reuse them. Follow manufacture's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not contaminate water by disposal of equipment washwaters. Keep children and pets out of treated areas until surfaces are dry.

PHYSICAL AND CHEMICAL HAZARDS

Combustible - Do not Use, pour, spill or store near heat or open flame.

24

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not For Use in Federally Inspected Meat and Poultry Plants.

INDOOR USE IS LIMITED TO SPOT TREATMENT AND/OR CRACK AND CREVICE TREATMENT ONLY.

Do not use to treat non-perishable packaged or bagged and/or bulk stored raw or processed agricultural commodities. An individual pest control applicator must not treat more than 5 application sites per day nor make more than one application per week using products containing dichlorovos.

GENERAL INFORMATION: Use SMCP Xtraban Insecticide as a crack and crevice treatment only to control Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders and Brown Dog Ticks in and around residential buildings (such as houses, apartments, condominiums) and non-food/feed processing areas of institutional and commercial buildings (such as hospitals, stores, warehouses, schools, restaurants). Non-food/feed processing areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage rooms (after canning or bottling). Dilute the required amount in water or in a base oil such as deodorized kerosene. Apply according to directions given for pests listed. Repeat the treatment as needed.

Do not use in hospitals or clinical rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, or the sick or aged are, or will be present for any extended period of confinement. Do not treat pets with this product.

SPRAY DILUTION RATES

LOW RATE: For Insecticide Spray containing 0.25% Chlorpyrifos and 0.125% DDVP mix 2 oz. SMCP Xtraban Insecticide per gallon of water or base oil.

For Control Of Cockroaches (including strains resistant to certain other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders: Apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For Ants: Apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

NOTE: A period of 4 - 7 days after treatment is normally required for maximum effect on cockroaches.

HIGH RATE: For Insecticide Spray containing 0.5% Chlorpyrifos and 0.25% DDVP mix 4 oz. SMCP Xtraban Insecticide per gallon of water or base oil. Use this higher concentrate to quickly reduce heavy infestations of Cockroaches, Ants, Crickets, Firebrats, Silverfish and Spiders. Apply to same areas as listed under "LOW RATE".

DIRECTIONS FOR APPLICATION WITHIN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas

when food is exposed or facility is in operation. Use as a spot treatment by applying as a coarse spray or with a paint brush to areas where cockroaches normally are found. Apply to baseboards, areas around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Apply in a manner to avoid spray or mist contacting food, feedstuff and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they have become contaminated by the application of this product. Repeat treatment as needed.

Use "HIGH RATE" and apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide directly into cracks and crevices, in points between different elements of construction, between equipment legs and bases where cockroaches hide. DO NOT use this product in conduits, motor housings, and electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.

WARNING - Pests Indoors: In the home all food processing surfaces and utensils should be covered or thoroughly cleaned before use. For spot application only. DO NOT use in poultry houses or other animal buildings. DO NOT allow children or pets to contact treated surfaces until spray has dried. Remove or cover fish bowls (tanks) before spraying.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Storage: Avoid storage at high temperatures. Protect from moisture. Avoid contamination with water, acids or alkalis. Do not store near heat or open flame. Keep container closed. Store in original containers only. Separate pesticides to avoid cross-contamination of other pesticides, fertilizers, food and feed. Keep container in locked storage areas.

If spilled, absorb with dry material such as sand or sawdust and sweep up for disposal.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or disposal in sanitary landfill, or by incineration if permitted by state and local authorities.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product. **DISCLAIMER:** SureCo warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.

Per fax 5/19/98 EPA Thomas C. Harris