U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	E PA Reg. Number: 769-725	Date of Issuance: DEC 3 2005
NOTICE OF PESTICIDE:	Term of Issuance: Unconditional Name of Pesticide Product: Temexx 2G Larvicide	
(under FIFRA, as amended		
Name and Address of Registrant (include ZIP Code): Frank E. Sobotka, Ph.D. Value Garden Supply 222 Sylvanie St. Joseph, MO 64501		
Note: Changes in labeling differing in substance from that accepted in connection with this registrati Division prior to use of the label in commerce. In any correspondence on this product always refer to		
On the basis of information furnished by the registrant, the above named pesticide is hereby registere Rodenticide Act.	ed/reregistered under the Federa	al Insecticide, Fungicide and
Registration is in no way to be construed as an endorsement or recommendation of this product by the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in acc connection with the registration of a product under this Act is not to be construed as giving the regist been covered by others.	cordance with the Act. The acc	eptance of any name in
Based on your response to the Reregistration Eligibility Docu product listed above. The following revision must be incorp product is released for shipment:		-
Remove the statement "Wear long-sleeved shirt and chemical resistant gloves (such as or made out of any Hazards to Humans and Domestic Animals Section, s appropriately in the Personal Protective Equipment S	<i>water-proof mate</i> since it is addressed	rial)" from the
Enclosed is a copy of your label stamped "Accepted with Con- the authority of section $4(g)(2)(C)$ of the Federal Insecticide, amended. Reregistration under this section does not eliminat of pesticides. EPA may require submission of data at any tin product.	Fungicide and Root te the need for cont	denticide Act, as tinual reassessment
	Continued on P	age 2
Signature of Approving Official:	Date:	
$() \cdot 1 - 9$		
Dal C. D		
Meredith F. Law, Branch Chief Insecticide-Rodenticide Branch Registration Division (7505C)		

٠

. . . .

Notice of Reregistration (continued) EPA Re-registration No. 769-725

If you have any questions or comments about this letter, please contact Ms. Stephanie Nguyen at 703-605-0702.

Sincerely,

FOR

9

7

 Meredith F. Law, Branch Chief Insecticide Rodenticide Branch Registration Division (7505C)

Enclosure

.

Temexx 2G Larvicide For Control of Mosquito Larvae Active Ingredient: Temephos (CAS No. 3383-96-8) Other Ingredients: 98.0% Total:

Temexx 2G Larvicide contains 2.0 % 0,0,0',0' -tetramethyl 0,0-thiodi-p-phenylene phosphorothioate

· KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ACCEPTED With COMMENTS IT DEC - Leiter Dated DEC - 13 2005 Under the Federal Insecticide. Sum dise and Rodenticide Act. The part of the the part of the part of the The part of the part of the part of the part of the The part of the part o

EPA Reg. No 769-725 EPA Est. No. 44616-MO-1

(

Ċ

Net Contents: 50 lbs., Bulk U.S. Standard Measure [VALUE GARDEN LOGO]

Value Garden Supply, LLC St. Joseph, MO 64502

First	Aid	
-		

(Organophosphate)

If inhaled	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 			
If in eyes				
	Hot line Number (Organophosphate) Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies Call: 1-800 858-7378			
	Note to Physician Temephos is a cholinesterase inhibitor. Treat symptomatically.			

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt and long pants, socks and shoes, and chemical resistant gloves (such as or made out of any water proof material). Wash hands before eating, drinking, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are butyl rubber. If you want more options, follow the instructions for category F, H, K, L on an EPA chemical-resistance category selection chart.

Loaders, and applicators involved in backpack blower application to sites other than tire piles must wear:

- Long-sleeved shirt and long pants,
- Shoes and socks,

C

• Chemical resistant gloves

Aerial applicators and flaggers must wear:

- Long-sleeved shirt and long pants,
- Shoes and socks,
- Chemical resistant headgear (flaggers only)

All other mixers, loaders, applicators and other handlers must wear:

- Cloth coveralls over long-sleeved shirt and long pants,
- Chemical-resistant gloves,
- Chemical-resistant footwear plus socks,
- Chemical-resistant headgear (if overhead exposure)

In addition loaders and cleaners of equipment must wear:

Chemical resistant apron.

(

In addition loaders supporting aerial applications and loader/applicators using a backpack power blower on tire pile sites must wear:

 A NIOSH-approved dust mist filtering respirator with NSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N,R,P, or HE filter.

57

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS

Pilots must use an enclosed cockpit and must wear chemical resistant gloves when entering or leaving an aircraft contaminated by pesticide residues. Used gloves must be stored in a closed chemical resistant container, such as a plastic bag, to prevent contamination of the inside of the cockpit.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms such as stoneflies, water fleas, and shrimp. Non-target aquatic organisms in waters treated with this product may be killed. Some populations reestablish rapidly, but diversity may be affected. Avoid use of maximum application rate in ecologically sensitive areas. Do not contaminate water by cleaning of equipment or disposing of wastes. For information on endangered species consult EPA's web site: www.epa.gov/espp/

DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may only be applied by public health officials, personnel of mosquito abatement districts and other similar government agencies or personnel under contract to these entities.

DO NOT use this product for any uses other than those specified on this label.

DO NOT apply to crops used for food, forage, or pasture.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited.

Storage: Store in original container in a secured dry storage area. Prevent crosscontamination with other pesticides and fertilizers. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not allow this product to drift.

Application of this product by Belly-Grinder is prohibited.

AERIAL SPRAY DRIFT MANAGEMENT

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

The following drift management requirements must be followed to avoid off-target drift movement from aerial applications. <u>These requirements do not apply to applications</u> using dry formulations.

1. The distance of the outer most nozzles on the boom must not exceed ³/₄ the length of the wingspan or rotor.

2. Nozzles must always point backward parallel with the air stream and never be pointed downwind more than 45 degrees:

Where states have more stringent regulations, they should be observed. The applicator should be familiar with and take into account the information covered in the <u>Aerial Drift Reduction Advisory Information</u>.

Aerial Drift Reduction Advisory: This section is advisory in nature and does not supercede the mandatory label requirements.

Swath Adjustment

When applications are made with a crosswind, the swath will be displaced downward. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (higher wind, smaller drops, etc.).

Wind

(

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

Sensitive Areas

The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g. residential areas, non-target bodies of water, known habitat for threatened or endangered species, non-target crops) is minimal (e.g. when wind is blowing away from the sensitive areas).

BROADCAST GROUND OR AERIAL APPLICATIONS

This product may be applied for control of mosquito and midge larvae, to areas such as but not limited to: standing water, moist areas, woodland pools, shallow ponds, edges of lakes, swamps, marshes, tidal waters, intertidal zones of sandy beaches, water high in organic content, catch basins, drainage pipes in urban areas, and tire piles. <u>Do not</u> apply to lakes, reservoirs or bodies of water used as a source of potable water.

Use minimum or lower rates (see chart below) in areas with open water containing low organic matter and little or no emergent vegetation. Use maximum rate in areas with high organic matter and dense vegetative cover, such as: swamps, marshes, or tidal waters.

Repeat applications not more than two times in a 24-hour period.

SPOT APPLICATIONS

This product may be applied as a spot treatment prehatch to catch basins and similar areas which breed mosquitoes. Follow Use Directions for Broadcast Applications.

8 7

CONTAINER BREEDING SITES (Applications to tire piles and other container breeding sites to control <u>Aedes albopictus</u> or other container breeding mosquito species.)

Broadcast Application: Apply to sides and tops of tire piles using hand held granular application equipment, vehicle-mounted blower applicators or other suitable equipment for application of granular larvicides. Apply at a rate of two and one half $(2\frac{1}{2})$ pounds of product per 100 sq. ft. of tire pile surface area. Repeat applications every thirty (30) days or when monitoring indicates that larval populations have reestablished or weather conditions have rendered the initial treatments ineffective.

<u>Spot Applications to Container Sites:</u> For individual tires and other small container mosquito breeding sites, apply one-quarter (½) teaspoon of product per container.

Pests Controlled	Area to be treated	Lb./acre	Lb. a.i./acre	Application Instructions	
Mosquito and Midge larvae	Standing water, Shallow ponds, Edge of Lakes, woodland Pools.	2.5 - 5.0	0.05 – 0.1	Apply uniformly by ground or air equipment. Use lower rates of application in open water with low organic matter,	
	Tidal water, marshes, swamps and waters high in organic matter content.	10	0.2	and little or no emergent vegetation. Use higher rates of application in areas with high organic matter and dense vegetative cover. The rate recommended for standing water may be applied as a spot	
	Highly polluted waters.	25	.0.5		
Gnat, punkie and sandfly larvae	Marsh lands, margins of streams, inter- tidal zones of sandy beaches.	5 - 10	0.1 – 0.2	treatment to catch basins and similar breeding areas for mosquitoes.	

APPLICATION RATES

NOTICE OF WARRANTY: Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Registered: October 6, 1975 Revised: October 01, 2005 (Reregistration)

٩.