

AFC ESBIOL 35

Active Ingredients:

*d-trans-chrysanthemum monocarboxylic acid ester of d-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one.....	0.326%
**Technical Piperonyl Butoxide.....	0.700%
N-octyl bicycloheptene dicarboximide.....	1.170%
Inert Ingredients.....	97.804%
Total.....	100.000%

*S-bioallethrin from Esbiol Roussel-Uclaf
 **Equiv. to 0.56% (butylcarbityl)(6-propylpiperonyl) ether and
 0.14% related compounds
 This product contains petroleum distillates

EPA Reg. No. 769-780

EPA Est. No. 769-GA-1

Keep Out of Reach of Children
CAUTION

Statement of Practical Treatment

If Swallowed: Call a physician immediately. Do not induce vomiting because of aspiration hazard. Do not give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If On Skin: Wash affected areas with soap and water.

If In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

See Side Panel for Additional Precautionary Statements

Manufactured By:
SureCo, Inc.
Fort Valley, GA 31030

ACCEPTED
28 NOV 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 769-780

BEST AVAILABLE COPY

Precautionary Statements
Hazards To Humans & Domestic Animals
CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In cases of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

In food areas, cover or remove exposed food during treatment. Cover all food contact surfaces, food handling equipment and utensils during treatment, or wash with an effective cleaning compound followed by a potable water rinse after treatment. When using this product as a space spray in food areas, apply only when the facility is not in operation.

Keep Out of Reach of Domestic Animals

Do not contaminate feed. Do not use on household pets or livestock. Remove pets, birds and cover fish aquaria before spraying.

Environmental Hazards

This product is toxic to fish. Keep out of any body of water. Do not contaminate water when disposing of equipment wash water.

Physical and Chemical Hazards

Combustible: Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or burned in a safe place away from water supplies.

Container Disposal: a) Reseal container and offer for reconditioning, or b) triple rinse or equivalent and offer for recycling, reconditioning or disposal in an approved landfill or bury in a safe place.

General Disposal: Consult federal, state or local disposal authorities for approved alternate procedures.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Reentry Statement: When used in hospitals, patients should be



removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

The product may be used to control the following pests: Cockroaches, Waterbugs, Flies, Gnats, Mosquitoes, Small Flying Moths, Clothes, Bed Bugs, Ants, Crickets, Psocids, Fleas, Carpet Beetles, Centipedes, Millipedes, Sowbugs and exposed stages of stored pests such as Rice Weevils, Confused Flour Beetles, Sawtoothed Grain Beetles, Lesser Grain Borers, Indian Meal Moths, Anguimoid Grain Moths, Mediterranean Flour Moths, Meal Worms, and Cadellles.

This product may be used to control pests in houses, apartments, schools, and other educational facilities, hospitals, nursing homes and other health care facilities, warehouses, food manufacturers, food processors, food service establishments, penal institutions, transportation facilities, garages, trucks, buses, boats, airplanes, all types of industrial and commercial buildings.

When using this product as a space spray, apply using either the Challenger Tri-Jet, Root-Lowell Atomist, Micro-Gen ULV foggers or other atomizing equipment that produces spray particles 0-50 microns in size. Be sure to close all windows and doors, turn off all ventilating equipment.

For the control of flying insects apply one ounce per 1000 cubic feet and keep the area closed for 10 minutes.

For the control of exposed crawling insects as well as flying insects, apply two ounces per 1000 cubic feet and keep the area closed for one hour.

To ventilate the area after treatment turn on ventilating equipment and open the doors and windows and allow to aerate for 30 minutes.

As a surface spray to control crawling insects apply the product using the B&G 124-S sprayer or a similar sprayer that will produce either a fine flat fan spray or pin stream spray pattern. Apply the product at the rate of one gallon per 1000 square feet or apply enough product so that the surface is coated with a dew-like mist.

Treat all cracks and crevices where insects hide and breed. Treat all surfaces contacted by the pests, or spray directly on the pest. This product may be applied as a crack and crevice spray, a spot spray or as a general spray. This product may be applied in food areas and non-food areas.