

769-844

05/08/2003

1/3

PRATT MALATHION 50 SPRAY

For Outdoor Use Around the Home Only

Control Ants, Fleas, and Mosquitoes, Also: Japanese Beetles, Cankerworms, Aphids and Many Other Insects on Flowers, Ornamentals, Cabbage and Tomatoes

Active Ingredients:

Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate).....	50.00%
Inert Ingredients*.....	50.00%
TOTAL	100.00%

\*Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN  
CAUTION

EPA Reg. No. 769-844

EPA Est. No. 44616-MO-1

FIRST AID

If swallowed:

- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 – 20 minutes.
- Call a poison control center or doctor for treatment advice.


If in eyes:

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Manufactured By:  
Value Garden Supply, LLC.  
P. O. Box 585  
St. Joseph, MO 64502



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Caution: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Do not contaminate feed or food. Food utensils such as teaspoons or tablespoons should not be used for food purposes after use in measuring this product.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates and aquatic life stages of amphibians. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply through any type of irrigation system.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**STORAGE:** Store product in tightly closed original container in a locked area away from children and domestic animals.

**DISPOSAL:** If Empty: Do not reuse empty container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**ANT MOUNDS**

Spray hills thoroughly using 1 ½ teaspoonful per gallon of water. Mix moist earth in the top of the hill. For other small ants in flower beds and lawns, spray lightly in the infested areas. Repeat in 10-15 days if necessary.

**MILLIPEDES, SPRINGTAILS & SOWBUGS**

For use around greenhouses and around the outside of homes: Mix 1 teaspoonful in a gallon of water and apply at the rate of 1 gallon per 150 sq. ft. of soil surface where insects congregate. Repeat in 7 to 10 days if necessary. Do not apply to soil where food crops are grown.

**WASPS & HORNETS**

Mix 4 fluid ounces in 1 gallon of water. Apply to nests in the late evening as a coarse spray.

## FLOWERS, ORNAMENTALS, CABBAGE & TOMATOES

Mix 1 ½ teaspoonfuls per gallon of water. Make thorough, full coverage application for control of Aphids, Leafhoppers, Thrips, Japanese Beetles, Mexican Bean Beetles, and Mites, such as European Red Mite, Two Spotted Mite and Clover Mite on Tomatoes, Cabbages and on flowers and ornamentals.

For control of Tent Caterpillars, Cankerworms certain Leafminers, and certain Scale Crawlers on ornamentals use 2 teaspoonfuls per gallon of water. Spray when insects appear and repeat when necessary. Do not apply on food crops later than 7 days before harvest. Injury may occur on certain ferns and some species of Crassula.

## FLEA CONTROL

For control of fleas in yards and lawns. Remove manure or debris. Dilute 5 ounces in one gallon of water and apply at the rate of one gallon of diluted spray per 1,000 sq. ft. Repeat as necessary. Do not apply to pets.

## MOSQUITO CONTROL

For control of adult mosquitoes, flies and small flying insects in outdoor areas. Dilute 1 to 28 with water (4 1.2 fl. oz. per gallon water per gallon of water). Apply as a fine mist or fog. Three fl. oz. of concentrate will treat 1 acre. Repeat application as necessary. May cause spotting on automobile finish. Cars should not be sprayed directly. If accidental exposure occurs the car should be washed immediately.

**IMPORTANT:** Read these entire Directions and Conditions of Sale before using this product. **DISCLAIMER:** Value Garden Supply warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions for Use, subject to the inherent risks referred to above. Value Garden Supply makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall Value Garden Supply be liable for consequential, special, or indirect damages resulting from the use, handling or application of this product.

