

**PATIO SPRAY:** To reduce the annoyance of Mosquitoes and Flies on PATIOS around the home grounds and in other recreational areas, apply a solution of six table-spoonfuls (3 fl. oz.) of RED ARROW INSECT SPRAY in each gallon of water. Use a fine mist to penetrate hiding and resting places such as grass, shrubs, and ornamentals. Treat as large an area as possible surrounding the patio or grounds to be kept mosquito and gnat free. Repeat application as necessary. Apply at the rate of two pints of RED ARROW INSECT SPRAY per acre.

**WARNING:** Poisonous if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. In case of contact, wash immediately with soap and water. Wash all contaminated clothing with soap and hot water before re-use. Do not use, pour or spill near heat or open flame. Keep out of reach of children.

Fish may be killed if exposed to this product. Do not contaminate public water or ponds which drain into public waters.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACTIVE INGREDIENTS:	By Weight
Pyrethrins	0.5%
Rotenone	1.5%
Other Cube Resins	3.0%
Technical Piperonyl Butoxide*	3.0%
Xylene	85.0%
<b>INERT INGREDIENTS:</b>	<b>7.0%</b>
<b>Total</b>	<b>100.0%</b>

\*Equivalent to 2.4% (Butylcarbityl) (6-propylpiperonyl) ether and 0.6% related compounds.

**AGITATE WHILE USING**  
EPA Reg. No. 904-184

**B. G. PRATT DIV., GABRIEL CHEMICALS LTD.**  
Paterson, N. J. 07609

©1968 B. G. P.

**PRATT**

SINCE 1904

**RED ARROW**  
INSECT SPRAY

**A BOTANICAL INSECTICIDE CONCENTRATE**

Contains

- Pyrethrum
- Rotenone

FOR

- FLOWERS
- ORNAMENTALS
- FRUITS
- VEGETABLES

**WARNING: KEEP OUT OF REACH OF CHILDREN**

See side panel for complete warning statement

**NET CONTENTS: 1 PINT**

**DIRECTIONS**

**FOLIAR SPRAY:** Mix 1 tablespoonful (½ fl. oz.) of Red Arrow Insect Spray in each gallon of water for a general insect spray on FLOWERS, FRUITS, VEGETABLES, SHADE TREES, and ORNAMENTALS around Homes, Estates, Parks and Institutions. When insects appear, direct spray to hit as many as possible and to thoroughly cover all plant surfaces, particularly the undersides of leaves. Repeat at weekly intervals or as necessary. Application may be made on FRUITS and VEGETABLES up to within one day of harvest.

**LIST OF INSECTS CONTROLLED**

Aphids, leafhoppers, swollen Thrips, adult Japanese Beetle, and Mites such as European Red Mite, Two-spotted Spider Mite, and Clover Mite on FRUITS, FLOWERS, VEGETABLES\*\*, SHADE TREES, and ORNAMENTALS.

Mealy Bug and Whitefly on potted and greenhouse plants. Rose Chafer, Midge, and Slug on Roses.

Mexican Bean Beetles and Bean Leaf Beetles on Beans. Pea Beetle on Tomatoes.

Cankerworm and Lace Bug on Ornamentals.

\*To be used on the following FRUITS:

<u>Apples</u>	<u>Blackberries</u>	<u>Currants</u>
<u>Cherries</u>	<u>Peaches</u>	<u>Pears</u>
<u>Grapes</u>		

\*\*To be used for pre-harvest spray on the following VEGETABLES:

<u>Asparagus</u>	<u>Cucumbers</u>	<u>Squash</u>
<u>Beans</u>	<u>Turnips</u>	<u>Calico</u>
<u>Tomatoes</u>	<u>Beets</u>	<u>Carrots</u>

Do not apply in excess of one gallon of RED ARROW INSECT SPRAY per acre on FRUITS and VEGETABLES.

769-857

6/24/74

PS182

