

PM 19

769-871

1/6

MAY 30 1996

Stacy A. Schmidt
SureCo, Inc.
10012 N. Dale Mabry, Suite 221
Tampa, FL 33618

Dear Ms. Schmidt:

Subject: Deleted Uses
Pratt 50W Methoxychlor
EPA Registration No. 769-871
Amendment application of October 13, 1995

The amendment referred to above, submitted in connection with registration under Federal Insecticide, Fungicide and Rodenticide Act, is acceptable provided that you:

Revise the ingredient statement to read:

*Methoxychlor: 1,1,1-trichloro-2,2-bis
(p-methoxychlor) ethane50.00%

Revise the Statement of Practical Treatment for If swallowed to read:

If swallowed: Call physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by administering Syrup of Ipecac or by touching to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6 (e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

2/6

A stamp copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (H-7505C)

Enclosure

3/6

50W METHOXYCHLOR
FOR FOREST & SHADE TREES and MOSQUITO CONTROL

ACTIVE INGREDIENT:

Methoxychlor Technical*	50%
INERT INGREDIENTS:	50%
TOTAL	100%

* Equivalent to 44% 2,2-bis. (p-methoxyphenyl) 1,1,1-trichloroethane, 6% other isomers and related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

E.P.A. Reg. No. 769-871

E.P.A. Est. No. 769-GA-1

See Side Panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water. Call a Physician or Poison Control Center and have stomach emptied immediately. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.

IF IN EYES: Flush with plenty of water. Call a Physician.

NOTE TO PHYSICIAN: This product contains a chlorinated hydrocarbon insecticide. Vomiting or careful gastric lavage is recommended. Epinephrin or other adrenergic amines can cause myocardial irritability.

NET WEIGHT 4 POUNDS

ACCEPTED
with COMMENTS
in EPA Letter Dated

MANUFACTURED BY:

SURECO, INC.
FORT VALLEY, GA 31030

MAY 30 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

769-871

4/6

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed. Avoid contact with skin. Avoid breathing dust or spray mist. Avoid contamination of feed, seed and foodstuffs.

Applicators and Other Handlers Must Wear: Long-sleeved shirt and long pants, waterproof gloves, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations:
Users Should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product toxic to fish. Keep out of lakes, streams and ponds. Rates recommended on this label are toxic to shrimp and crab. Do not apply where these species are an important resource. Do not apply to water drainage areas where runoff or flooding will contaminate ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift of spray from areas treated. Do not use in any manner not specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area being treated.

Do not reuse empty container. Destroy by burying with wastes or burning. Keep out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, waterproof gloves, shoes plus socks.

FOREST AND SHADE TREES: For control of the following insects use a 6% methoxychlor solution with a mist blower at rates recommended in the following table. Mix 57 lbs. 50W METHOXYCHLOR per 50 gallons of water for mist blower solution, or 1 to 2 lbs. of 50W METHOXYCHLOR per 100 gallons of water for conventional sprayer.

INSECTS	PINTS 6% SOLUTION PER TREE				GALLONS SOLUTION PER ACRE
	35-50'	50-65'	65-80'	80-120'	
Cankerworm	2	2	3	4	2
Eastern Tent Caterpillar	2	2	3	4	2
Elm Leaf Beetle	2	4	6	8	
Fall Webworm	.5	1	2	2	1
Forest Tent Caterpillar	1	1.5	2	3	2
Gypsy Moth	.5	1	2	2	2
Japanese Beetle	2	4	4	4	3
Lace Bug (Oaks & Sycamore)	1.5	2	3	4	2
May Beetle	1.5	2	3	4	2
Tussock Moth	2	2	3	4	2

Control of Elm Bark Beetle (Vectors of Dutch Elm Disease) - Apply first application before elm flowers or leaves sprout using a 12% spray solution of 50W METHOXYCHLOR with a mist blower, or 2% spray solution in a conventional sprayer. This application will usually be applied in March in the Southern States and in April in the Northern States. Use 2 to 3 gallons of spray solution, wetting all surfaces thoroughly. Second application should be made 2-1/2 to 3 months after the first

