173 ACCLYTED FEB 2 2 1995 Under the Federal Insecticide. Fungicide, and Rodenticlide Act as amended, for the pesticide EPA Reg. No. 769-886

• • • •

#### AGRISECT SUPERIOR OIL

PM 19 769-888

An emulsifiable oil spray for use on certain fruit and ornamental trees in the dormant or late dormant period. Minimum unsulfonated residue. Viscosity 70 seconds.

#### ACTIVE INGREDIENTS:

1

ſ

Petroleum Oil		98%
INERT INGREDIENTS:	· · · · · · · · · · · · · · · · · · ·	2%
	TOTAL:	100%

#### CAUTION KEEP OUT OF REACH OF CHILDREN KEEP TIGHTLY CLOSED WHEN NOT IN USE

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: DO NOT induce vomiting. Aspiration may be a hazard. Give vegetable oil demulcents. Call physician or your Poison Control Center if large volume has been swallowed.

IF IN EYES: Flush with plenty of water.

IF ON SKIN: Remove contaominated clothing. Wash affected area with soap and water. Launder clothing before reusing.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. DO NOT get in eyes or on skin or clothing. Food utensils such as teaspoons or tablespoons should not be used for food purposes after use in measuring pesticides.

OTHER PRECAUTIONS: Keep oil container tightly closed in storage to prevent entry of water. All horticultural oils interfere with or slow plant transpiration and respiration during the period of evappration. DO NOT apply during periods of drought or when plants exhibit moisture stress. DO NOT use in combination with or immediately before of after spraying with dinitro compounds, fungicides such as Captan. Folget, Dyrene, Karathane, Morestan or any other product containing sulfur. Also DO NOT use with Sevin or dimethoate. Oil might remove the glaucus (bluz): bloom from such evergreens as Colorado blue spruce and Koster spruce. Use with caution and reduced dosage for summer application on Japanese Ked. Maple, Amur Maple and Black Walnut. Use with caution and reduce dosage for dormant application on Sugar Maple and Redbud.

# BEST AVAILABLE COPY

Personal Frotective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and Other Handlers Must Wear: Long-sleeved shirt and long pants, Chemical-resistant gloves, such as Barrier Laminate or Nitrile Rubber or Neoprene Rubber or Viton, Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product onaly as specified on the label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls,

### BEST AVAILABLE COPY

Chemical-resistant gloves, such as Barrier Laminate or Nitrile Rubber or Neoprene Rubber or Viton, Shoes plus socks.

#### DIRECTIONS FOR USE

Partly fill tank with water before adding oil. Agitate while filling and continue to agitate while using. Spray thoroughly to cover all parts of the tree. To avoid overspraying, the entire tree should be sprayed in one operation. Apply when temperature is 40 or above. Harmful is swallowed.

APPLE, PEACH, PLUM, CHERRY, AND OTHER DECIDUOUS FRUIT TREES, INCLUDING GRAPE AND OTHER DECIDUOUS SMALL FRUITE: For San Jose Scale, Cottonly Maple Scale, European Redmite, Red Spider, Leaf Roller, Mealy Bug, Case Bearer: Use 2 gallons of this material to 98 gallons of water. Apply as a dormant or delayed dormant spray; cover thoroughly.

For Oyster Scale, Scurfy Scale, Tulip Scale: Use 3 gallons of this material and 97 gallons of water. Apply as a dormant spray; cover thoroughly.

SHADE TREES, SHRUBS, AND OTHER DECIDUOUS ORNAMENTALS: Use 2 gallons of this material and 98 gallons of water. Apply as Spring dormant spray. Cover all parts of tree or plant thoroughly.

CONIFERS, SPRUCES, PINES, AND EVERGREENS, INCLUDING BROAD-LEAVED EVERGREENS: For Spruce Gall, Scale, Mites, or Red Spider: Use 1 to 1-1/2 gallons of this material and water to make 100 gallons. Apply with a fine, misty spray just before new growth begins.

To avoid chance of injury to Blue Spruce and other Evergreens, spray lightly but completely. Avoid excessive drip or run-off. Do not use on plants known to be susceptible to oil.

Airblast sprayers using concentrated solutions, use the same amount per 50 gallons of water as would be used to 500 gallons. In hydraulic spray mixes.

Do not make sulphur treatments within 12-14 days of oil treatment.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

## BEST AVAILABLE COPY

E.P.A. Reg. No. 769-886

ć

E.P.A. Est. No. 769-GA-1

• • • • •

393

MANUFACTURED BY:

SURECO, INC. FORT VALLEY, GA 31030