769-889

P1114

}

)

M 5

FEB - 8 1995 5 4181330 38 5479645 -300

SureCo, Inc. P.O. Box 938 Fort Valley, GA 31030

Attention: Mr. Stacy A. Schmidt

Subject: Agrisect Rotenone Dust 1% EPA Registration No. 769-889

Your application of September 23, 1994

We appreciate your letter of January 10, 1995, which included copies of old correspondence that were unavailable to us. These documents were useful in recreating the administrative

history of this product.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Revise your Precautionary Statements as follows:

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION ... pesticides.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Personal Protective Equipment

Applicators ... the toilet.

2. Change "DIRECTIONS" TO "APPLICATION DIRECTIONS" on Page 2 before "Dosage will"

- 245
- 3. Delete "NOTE: AVOID PROLONGED BREATHING OF DUST" because the precautionary statement, "Avoid inhalation of dust." already appears in the "Precautionary Statements".
- 4. Revise your current Storage and Disposal section ("Do not ... or fumes.") as indicated below and place <u>after</u> the use directions:

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a dry place inaccessible to children and pets

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: [Use the appropriate statement on the attached, Appendix A on Page 7 of PR Notice 83-3.]

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Fobert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7504C)

Enclosures: 1. stamped label

2. A-79 Enclosure

Peacock WP#5:A:ROTENONE\769-889:305-5407,-6600:2/8/95

3-45

AGRISECT ROTENONE DUST 13

FEB 8
1995

Marian American Am

ACTIVE INGREDIENTS:

Rotenone	18
Other cube Resins	28
INERT INGREDIENTS:	971
TOTAL	100%

For Agricultural Insecticidal Purposes

CAUTION - KEEP OUT OF REACH OF CHILDREN

KEEP DUST AWAY FROM HOGS - Rotenone is specifically toxic to hogs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION -- Harmful if swallowed. May cause eye, skin, nose and throat irritation. Avoid contact with skin, eyes and clothing. Avoid inhalation of dust. Food utensils such as teaspoons and cups should not be used for food after use with pesticides. ENVIRONMENTAL HAZARD: This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply directly to water or wetlands.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Applicators and Other Handlers Must Wear: Long-sleeved shirt and long pants, Waterproof gloves, Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

NOTE: AVOID PROLONGED BREATHING OF DUST

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

BUYER ASSUMES ALL RISKS OR USE, STORAGE OR HANDLING OF "THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTION GIVEN HEREWITH.

47)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Waterproof gloves, Shoes plus socks.

DIRECTIONS

Dosage will depend on insects present and amount of vegetation at time of application. Apply dust to thoroughly cover the plants, including undersides of leaves. Make first application when insects first appear. Repeat application as necessary and when insects reappear. Do not apply within 1 day of harvest.

FLEA BEETLES: On beans, broccoli, brussel sprout, cabbage, cauliflower, eggplants, peppers, potatoes, strawberries, sweek potatoes, tomato and mint (grown for market or home use) apply 25#//acre. Minimum dosage is .25# actual Rotenone//acre.

VEGETABLES - ASPARAGUS BEETLE: On asparagus apply 20 to 30#/aura.

MEXICAN BEAN BEETLE AND BEAN LEAF BEETLE: On beans apply 25#/acre. Minimum dosage is .25# actual Rotenone/acre.

VEGETABLE WEEVIL: On cabbage & cauliflower apply 25#/acre. Minimal dosage is .25# actual Rotenone/acre.

APHIDS: On peas apply 30#/acre; on peppers and potatoes apply 25#/acre. Minimum dosage is .25 actual Rotenone/acre.

PEPPER MAGGOTS: On peppers apply 15 to 30#/acre.

FRUITS - BLUEBERRY MAGGOT: On blueberries apply 20#/acre 7 to 10 days after flies first appear (follow local practices for correct timing) and make 2 or 3 more applications at 10 day intervals. Minimum dosage is .2# actual Rotenone/acre.

IMPORTED CURRANTWORM: On currants and gooseberries apply 20 to 25#/acre when worms first appear.

RASPBERRY CAME BORER AND RED-NECKED BORER: On blackberries and raspberries apply 30#/acre on foliage just before plants bloom; repeat in about 2 weeks. Minimum dosage is .3# actual Rotenone/acre.

RASPBERRY FRUITWORM: On blackberries and raspberries apply 30#/acre on foliage 7 days after first blossoms appear; repeat in 10 to 20 days. Minimum dosage is .3# actual Rotenone/acre.

NET WEIGHT 50 POUNDS

E.P.A. Reg. No. 769-889

E.P.A. Est. No. 769-GA-1

SURECO, INC. FORT VALLEY, GA 31030