

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

AUG 5 2002

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Carrie B. Crawford Value Garden Supply, LLC P.O. Box 585 St. Joseph, MO 64502

Dear Ms. Crawford:

Subject:

Delete Drainage Ditch Banks

Pratt Triple X NA Weed Killer Non-Selective

EPA Registration No. 769-898

Your Submission Dated June 14, 2002

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable.

A stamped copy of the labeling is enclosed for your records.

The amended labeling supersedes all previously accepted ones. If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,

∫ Joanne I. Miller

Product Manager (23)

Herbicide Branch

Registration Division (7505C)

PRATT TRIPLE X NA WEED KILLER NON-SELECTIVE

Kills Most Vegetation Prevents Regrowth When Uses as Directed

ACTIVE INGREDIENTS:

Prometon: 2,4-bis (isopropylamino)

EPA Reg. No. 769-898

6-methoxy-s-trazine*......10.5%

Isooctyl Ester (2-ethylhexyl ester) of 2,4-dichloro-

EPA Est. 44616-MO-1

INERT INGREDIENTS......85.0%

TOTAL

KEEP OUT OF REACH OF CHILDREN DANGER **PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouthto-mouth, if possible.
- ·Call a poison control center or doctor for further treatment advice.

If on skin or clothing:

- ·Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- ·Call a poison control center or doctor for treatment advice.

If in eyes:

- ·Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- ·Call a poison control center or doctor for treatment advice.

If swallowed:

- Call poison control center or doctor immediately for treatment advice.
- ·Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- ·Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional Precautionary Statements

Value Garden Supply, LLC P. O. Box 585 St. Joseph. MO 64502 **NET CONTENTS:**

ACCEPTED with COMMENTS In EPA Letter Dated: AUG 5 2002

Under the Federal Insecticide.

^{**}Equivalent to 2.98% 2.4 isomer of 2.4 dichlorophenoxyacetic Acid. Not less than 0.225 pounds of isomer of 2,4-D per gallon. Isomer specific by AOAC Method No. 6 D01-1-6.D05.

^{*}Pramitol® Trademark of Ciba Geigy Corp. U.S. Patent 2,909,420.

Page 2

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals DANGER

Corrosive – causes eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling, before eating or smoking. Avoid contamination of food.

When using this product wear long-sleeved shirt, long pants, socks, shoes, chemical resistant gloves and eye protection. It is recommended that safety glasses included front, brow and temple protection.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label. Do not apply this product through any type of irrigation system. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals. Do not store near fertilizer, seeds or other pesticides. Open dumping is prohibited. PESTICIDE STORAGE: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazard9ous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

OTHER PRECAUTIONS: Use only in areas where complete control of all vegetation is desired. When applied to the soil, plant growth will be inhibited for a year or more. Do not use on lands to be used for crops or desirable trees. Apply as a coarse spray. Do not apply when weather conditions may cause drift or run off from the target area. Do not use sprayer used for weed control to apply other pesticides to desirable plants or crops. Do not use in greenhouses. Vapors from this product may injure susceptible plants in immediate vicinity.

GENERAL USE DIRECTIONS

For total weed control on noncrop areas, industrial site, fence row, tennis courts, driveways, parking lots, patios. This product kills most young weeds and grass on contact and deposits a chemical residue in the soil. This residue inhibits annual weed and grass seeds from germinating during the entire growing season. Contact activity will be apparent in a few days. Final kill by root penetration may take from 2 to 3 weeks. For best results on established weeds they must be actively growing with sufficient rainfall. Dry soil and insufficient rainfall will limit the translocation within the plant and prevent penetration into the soil.

Page 3

For best results, apply in the early Spring before weeds germinate. If weeds have germinated, apply before they are four inches tall. During seasons of unusually high rainfall, a second application may be necessary.

For general weed and grass control in walks, driveways, graveled areas, industrial yards, fire lanes, tank farms and along fence rows: Apply 12.75 gallons of Triple X NA Weed Killer in 50 to 100 gallons of water per acre or one gallon in 15 to 30 gallons of water to cover 3,380 square feet, or 1½ quarts in 5 to 10 gallons of water per 1,000 square feet.

For areas where heavy grass and weed growth is present and where vegetation is more than 24 inches high, mow or cut to 8 inch height before applying. Use sufficient volume of spray to thoroughly cover all foliage. To control deep rooted perennials such as Milkweed and Canada Thistle, a second application may be necessary in 2 to 3 months.

LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.