

PM 19 769-940

Page 1 of 6
file



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOV 18 1994

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

H.R. MCLANE
AGENT FOR: SURECO, INC.
7210 RED ROAD, SUITE 206
MIAMI, FL. 33143

Subject: Label Amendment Submission of 4/22/94 in Response to PR Notice 93-7
EPA Reg. No. 769-940
SMCP DURSBAN PLUS INSECTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Candia Ink on paper that
contains at least 50% recycled fiber

2 of 6


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

3 7 6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division

H.R. McLane
H.R. MCLANE, INC.
AGENT FOR: SURECO, INC.
7210 RED ROAD, SUITE 206
MIAMI FL 33143

Comment for: EPA Reg Nr.769-940
SMCP DURSBAN PLUS INSECTICIDE

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

The following statement on your proposed label is not required for this product: "Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas." Delete it from the Agricultural Use Requirements box.

You must retain from your original label any statements about entry restrictions that apply to the non-agricultural uses on your product. Create a Non-Agricultural Use Requirements box in the Directions For Use section of your labeling and add the statements: "The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses." Then add to the box the statements that are in brackets [] on your original label. Please refer to the instructions for creating a Non-Agricultural Use Requirements box starting on page 45 of Supplement Three to PR Notice 93-7 (Main Labeling Guidance). *Do Not allow*

Public use of treated areas during application or until spray has dried.
Delete the crossed-out statements on your proposed label. They are redundant statements or phrases.

Correct the typographical errors circled on your proposed label.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the Restricted-Entry Interval (REI) of 24 hours. **Personal Protective Equipment (PPE)** required for entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls over long sleeved shirt and long pants; Chemical-resistant gloves such as Barrier Laminates or Viton; Chemical resistant foot-veer plus socks; Protective eyewear; Chemical-resistant headgear for overhead exposure. **Notify the workers** of the application by warning them orally and by posting warning signs at entrance to treated areas.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift. Do not contaminate water when disposing of equipment washwaters. Use only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store product in its original container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your nearest State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional Office for guidance. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

IMPORTANT

Read these entire Directions and Conditions of Sale before using this product.

NOTICE: SureCo, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo, Inc. makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo, Inc. be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

PESTS OUT-OF-DOORS

General information - Use this product for control of certain pests on outside surfaces of buildings and on lawns and ornamentals plants, and for area control of Chiggers. Consult the following directions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product at the rate of 2.34 ounces per gallon of water to control Ants, Carpet Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Sowbugs, Spiders, and Ticks by application as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, porches, garages, refuse dumps, and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreen, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestations of buildings by Ants, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs) treat a band of soil 6 to 10 feet wide around and adjacent to buildings, also building foundations to a height of 2 to 3 feet, where pests are active and may find entrance. Use 16 ounces (1 Pint) in 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons of spray mixture per 1,000 sq. ft. to thoroughly and uniformly wet the band area.

PESTS OF LAWNS, OTHER ORNAMENTAL AND RECREATIONAL TURF AREAS AND PERENNIAL TURF GRASSES GROWN FOR SEED.

Use this product to control the following pests as listed by application at the recommended dosages and in accordance with the direction given below. Dilute in enough water to obtain complete and uniform coverage of pest infested areas and apply as a coarse, low pressure spray using suitable spray equipment. Thoroughly water after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at the time of treatment.

PEST OF ORNAMENTALS

Use this product to treat flowers, shrubs, vines, shade trees and flowering trees and evergreens found to be infested with the following pests as listed. Dilute with water according to directions given in the table and apply using suitable hand or power spray equipment in a manner to provide complete coverage. For best results, apply a wetting spray to both upper and lower leaf surfaces and infested vine and trunk area. Attempt to penetrate dense foliage but avoid overspraying. Treat when pests appear and repeat at 7 to 10 day intervals, if needed. **CAUTION:** Do not use on Azaleas, Camellias, Poinsettias, Rose Bushes, or Vines injured by because of possible injury to foliage.

DOSAGES AND DIRECTIONS FOR USE ON ORNAMENTAL PLANTS

For control of Aphids, Beetles, Caterpillars, Greenhouse Whitefly, Eastern Tent caterpillar, Scythian Fly, Fall Webworm, Whiteflies, Grubs, Hoppers, Yellow-necked Caterpillar, use 0.8 fl.oz./3 gal. - 1.6 fl.oz./10 gal. - 1 Pt./100 gal.
For control of Curculionids, Leafhoppers, Fleas, Beetles, Mosquitoes, Sowbugs, Red Throated Caterpillar, Thrips (Greenish Stage), use 1.0 fl.oz./3 gal. - 3.2 fl.oz./10 gal. - 1 Qt./100 gal.
For control of Ash Borers, Lace Borers, Diamond Borers, Bark Beetles, Oak Leafhopper, Pine Needle, Tea, and White Weevil - Same insects, use 2.0 fl.oz./3 gal. - 6.4 fl.oz./10 gal. - 2 Qt./100 gal.
Continued on right panel

DURSBAN® PLUS

INSECTICIDE - ORGANOPHOSPHATE

INDOOR / OUTDOOR PEST CONTROL FOR COMMERCIAL / INDUSTRIAL USE

Controls Ants, Chinch Bugs, Sod Webworms, White Grub Larvae, Chiggers, Fleas, Mosquitoes, Spiders, Ticks, Millipedes, Sowbugs, Aphids, Bagworms, Whiteflies, Leafhoppers, Mites, and Borers as Listed.
FOR INSECT CONTROL IN FOOD AND NON-FOOD AREAS
For Cockroaches-Ants-Crickets-Silverfish-Fleas-Brown Dog Ticks

ACTIVE INGREDIENTS:

| | |
|---|----------------------|
| CHLORPYRIFOS [O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] | 24.00% |
| 2,2-Dichlorovinyl dimethyl phosphate | 6.04% |
| Related Compounds | 0.46% |
| INERT INGREDIENTS: | 69.50% |
| | TOTAL 100.00% |

Contains 2 lb. Chlorpyrifos and 0.5 lbs of Dichlorvos(DOVP) per Gallon *Contains an Aromatic Petroleum Distillate. DURSBAN® Registered Trademark Dow/Elanco

KEEP OUT OF REACH OF CHILDREN

DANGER - POISON - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Have victim drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF INHALED:** Remove to fresh air. Apply artificial respiration if indicated. Call a physician and get medical attention immediately. **IF ON SKIN:** Wash with plenty of water. Get medical attention immediately. **IF ON EYES:** Remove contaminated contact lenses if affected area with soap and water. Get medical attention immediately.

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition (weakness, headache, chest tightness, salivation, sweating, nausea, vomiting or abdominal cramps) occur, atropine by injection is antidotal. 2-antidotal and may be administered in conjunction with atropine. *Solvent presents an aspiration hazard. GI is indicated if material was taken internally.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on clothes. Rapidly absorbed through the skin.

NOTE TO PHYSICIAN - POISONING SYMPTOMS

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization occurs. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with Atropine by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning cause susceptibility to very small amounts of cholinesterase inhibitors. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test. This product contains an aromatic petroleum solvent. Vomiting may cause aspiration pneumonia.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category (G) on an EPA chemical resistance category selection chart.

Handlers and other handlers must wear: Coveralls over long sleeved shirt and long pants; Chemical Resistant gloves such as Barrier Laminates or Viton; Chemical resistant footwear plus socks; Protective eyewear; Chemical headgear for overhead exposure; Chemical resistant apron when cleaning equipment; A respirator with an air-purifying OV cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number per label) or a canister approved for pesticides (MSHA/NIOSH approval number per label TC-14G).

Protective clothing and other absorbent materials that have been drenched or heavily contaminated with this product must be removed and laundered separately. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions, wash thoroughly with soap and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and shoes. Wash thoroughly with soap and water. Wash face, hands, and exposed skin after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and clean clothing.

(Precautionary statements follow on this panel of this label.)

EPA REG. NO. 769-648 NET CONTENTS 6 GALLON EPA EST. NO. 7

SURECO, INC.
P.O. BOX 938 - FORT VALLEY GA 31030

DURSBAN[®] PLUS

INSECTICIDE - ORGANOPHOSPHATE

INDOOR / OUTDOOR PEST CONTROL FOR COMMERCIAL / INDUSTRIAL USE

Controls Ants, Chinch Bugs, Sod Webworms, White Grub Larvae, Chiggers, Fleas, Mosquitoes, Spiders, Ticks, Millipedes, Sowbugs, Aphids, Bagworms, Whiteflies, Leafhoppers, Mites, and Borers as Listed

FOR INSECT CONTROL IN FOOD AND NON-FOOD AREAS
For Cockroaches-Ants-Crickets-Silverfish-Fleas-Brown Dog Ticks

ACTIVE INGREDIENTS:

| | |
|---|----------------|
| CHLORPYRIFOS [O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] | 24.00% |
| 2,2-Dichlorovinyl dimethyl phosphate | 6.04% |
| Related Compounds | 0.46% |
| INERT INGREDIENTS* | 69.50% |
| TOTAL | 100.00% |

Contains 2 lb. Chlorpyrifos and 0.5 lbs of Dichlorvos (DDVP) per Gallon *Contains an Aromatic Petroleum Distillate. DURSBAN[®] Registered Trademark Dow/Elanco

For control of **"Peach Tree Borer"** use 5.75 fl.oz./3 gals. - 19.2 fl.oz./10 gals. - 1.5 Gals./100 gals.
"Dorwood Borer" Mix 1/2 gallon in 100 gallons water (1 Quat in 80 gals.) & spray trunks and lower limbs of trees when adults begin to emerge. Consult your local Ag. Ext. Service for the proper timing.
"Peach Tree Borer" Dilute 5.34 fl. oz.'s. in 3 gallons of water. Apply to Flowering trees and shrubs of the Genus "Prunus". Thoroughly spray the trunk at ground level up to the first limbs. Apply as a coarse wet spray 3 times May 1st, June 1st, and July 1st. Do not treat the fruit or upper portions of the tree. This treatment is for ornamental peach trees only.

DOSAGES AND DIRECTIONS FOR USE ON TURF

For control of **Ants, Armyworms, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Ticks, and Sod Webworms.** Use 1.5 fl.oz./1,000 sq. ft. of Turf. Use in a minimum of 5 to 10 gals. of water /1,000 sq. ft. Spray when pests first appear, retreat when needed. It is not necessary to water-in the insecticide for control of surface insects. This rate is equivalent to 1/2 Gal. of Concentrate per acre.

For control of **Turkey Turkeys** Use 3 fl.oz./1,000 sq. ft. of Turf. Spray problem areas in Mid April and again in Mid-May or as recommended by Local Agricultural Extension Service Specialists.

For control of **White Grubs of European Chaffer and Japanese Beetle (Only)** Use 3 to 6 fl. oz.'s. /1,000 sq. ft. of turf. Spray when grubs are actively feeding near the soil surface in late July & August or as recommended by local Ag. Ext. Serv. Specialist. Water area after treatment with 1/2 to 1 inch water to wash insecticide into soil.

For **Bluegrass Billbug** use 3 to 6 fl. oz.'s. /1,000 sq. ft. of Turf. Spray early in the season when adults first appear. Repeat as needed. Irrigate treated area as for grubs.

NOTE: **Mosquitoes**, coming to rest on areas treated for control of Turf and Ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

Area Control of Ticks and Chiggers: Use for non-crop areas such as roadsides, footpaths, and trails, picnic and camping sites, parks and other recreational areas where these pests are present and create a nuisance or possible public health problem. Apply 1 pint per acre in sufficient water to moist all areas including low underbrush, grassy areas, weeds, and ground surfaces and debris using enough spray volume to obtain thorough coverage, usually 40 to 100 gallons of water per acre. ATTENTION: Do not allow public use of treated areas during application or until spray has dried. See ENVIRONMENTAL HAZARDS section

INDOOR PEST CONTROL DIRECTIONS FOR APPLICATION IN NON-FOOD AREAS

Non-food areas includes: Garage Rooms, Lavatories, Floor Drains (to sewer entries and vestibules) Offices, Locker Rooms, Machine Rooms, Boiler Rooms, Garages, Mop Closets and storage (after canning or bottling). Use the "Maintenance Spray" rate (See Dilution Chart below) as a Spot Treatment by applying as a coarse spray or with a paint brush to areas where Cockroaches are normally found. Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, Lockers, Tables, Pallets, and similar areas where insects hide or through which they may enter. Do not let spray or mist contact food, feedstuffs and water supplies. Dishes and food handling equipment should be thoroughly washed with soap and water if they have become contaminated with this product. Repeat treatment as needed for control. Do not use in serving areas while food is exposed.

USE ONLY IN NON-FOOD AREAS.

Use this product as a spot treatment for the control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders, Fleas, and Brown Dog Ticks in and around residential, institutional and commercial buildings, including homes, Apartment Buildings, Hospitals (Not to be used in the patient-occupied areas of hospitals), Stores, and Warehouses. It may be used with water or a deodorized base oil for a "Maintenance Spray" or "Major" in Strength Spray. Follow directions for control of pests listed and repeat as needed for control.

| To Make this amount of Spray (Water or DeoBase Oil) | | DILUTION CHART Use this Amount of | DURSBAN DDVP 2.50 For a Standard Strength Spray |
|--|--|---|--|
| 1 Gallon | | For a Maintenance Spray 1 1/3 Fluid Ounces | 2 2/3 Fluid Ounces |
| 3 Gallons | | 4 | 8 |
| 5 Gallons | | 6 2/3 | 13 1/3 |

The lower strength should be used as a maintenance spray while the maximum rate should be used to quickly reduce heavy infestations of Cockroaches, Ants, Crickets, Firebrats, Silverfish and Spiders.

HOW TO APPLY: Apply as a coarse spray or with a paint brush to local areas where the above mentioned pests are found or normally occur, including dark corners of rooms, and closets, cracks and crevices in walls, along and behind sinks, stoves, refrigerators, and cabinets, around plumbing and other utility metal work. For **ANTS** apply to ant trails, also around doors and windows, where these pests may find entry.

FOR BROWN DOG TICKS (DO NOT TREAT PETS WITH THIS PRODUCT): Apply as a spot treatment to infested areas such as pet's bedding and resting quarters, nearby cracks and crevices, along and behind baseboards, windows, and door frames and other localized areas where pests may hide. Old pet bedding should be removed and replaced with fresh clean bedding after treatment.

WARNING: Use as a SPOT TREATMENT ONLY FOR INDOOR PESTS. Do not use in poultry houses or other animal building. Do not allow children or pets to contact treated surfaces until spray has dried. Remove or cover fish bowls before spraying. Test for damage to carpets & sensitive floor first before applying to these surfaces.

FOR APPLICATION WITHIN FOOD AREAS.

FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), edible waste storage and enclosed processing systems (mills, driers, edible oils, syrups.) Service areas (when food is exposed and facility is in operation) also would be considered a food area.

USE **Standard Strength Spray** and apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide directly into cracks and crevices. Do not spray between different elements of construction, between equipment legs and bases where cockroaches hide. Do not use this product in conduits, motor housings and electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

fl.oz. = Fluid Ounces

© EPA/BC840-WPS PMS / 04-20-84

KEEP OUT OF REACH OF CHILDREN
DANGER - POISON - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail).

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Have victim drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. Call a physician and get medical attention immediately. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention immediately. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention immediately.

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition (weakness, headache, chest tightness, blurred vision, salivation, sweating, nausea, vomiting or abdominal cramps) occur, atropine by injection is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. *Solvent presents an aspiration hazard. Gastric lavage is indicated if material was taken internally.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through the skin.

NOTE TO PHYSICIAN - POISONING SYMPTOMS

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small amounts of cholinesterase inhibitors. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test. This product contains an aromatic petroleum solvent. Vomiting may cause aspiration pneumonia.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category (G) on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Coveralls over long sleeved shirt and long pants. Chemical Resistant gloves such as Barmer Laminite or Vlon. Chemical resistant footwear plus socks. Protective eyewear. Chemical-resistant headgear for overhead exposure. Chemical resistant apron when cleaning equipment. A respirator with either an organic vapor-removing OV cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

(Precautionary statements follow on side Panel of this label.)

EPA REG. NO. 769-840 NET CONTENTS 6 GALLON EPA EST. NO. 769-GA-1

SURECO, INC.
P.O. BOX 938 - FORT VALLEY GA 31030

BEST AVAILABLE COPY

5 of 6

NOV
Under the Pro-
gram, the
is intended to
registered under EPA
769-970

BEST

9 8 9