

OCT 31 1997

Ms. Stacy Schmitt
SureCo, Inc.
10012 N. Dale Mabry, Suite 221
Tampa, FL 33618

Dear Ms. Schmitt:

Subject: Label Amendments in Response to Basic Suppliers Deletion of Certain DDVP Uses
Dursban Plus Insecticide
Reg. No. 769-940
Your Submission Dated June 7, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling:

1. Following the statement "For Sale to Use and Storage ..." on the front panel add: "Do not treat more than 5 applications sites per day and do not make DDVP applications more than once per week."
2. The ingredient statement should declare the active ingredient as : "Dichlorvos [2,2-dichlorovinyl.....]"
3. Under Indoor Pest Control the third sentence should read "Do not use in the food/feed areas of food/feed handling establishments, restaurants....."
4. The statement should read "...non-food areas of stores and warehouses."
5. Expand the precaution under Indoor Pest Control to read, "Do not use in serving areas while food is exposed or facility is in operation."
6. Either delete Warning on side panel or change to Danger. The same signal word must appear throughout the label.
7. Under "Pest Out of Doors" add "Do not apply by air. Do not apply to rangelands."
8. Revise product name to indicate Dichlorvos i.e., "Dursban Plus Dichlorvos Insecticide."

Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 155. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the Restricted-entry Interval (REI) of 24 hours. Personal Protective Equipment (PPE) required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls over long sleeved shirt and long pants; Chemical-resistant gloves such as Barrier Laminate or Viton; Chemical resistant footwear plus socks; Protective eyewear; Chemical-resistant headgear for overhead exposure.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements of this box apply to uses of this product that are NOT within the scope of the WPS Standard for agricultural pesticides (40CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not allow public use of treated areas during application or until sprays have dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift. Do not contaminate water when disposing of equipment washwaters. Use only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store product in its original container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your nearest State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

IMPORTANT: Read these entire Directions and Conditions of Sale before using this product.

NOTICE: SureCo, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo, Inc. makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty in no case shall SureCo, Inc. be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

PESTS OUT-OF-DOORS

General information - Use this product for control of certain pests on outside surfaces of buildings and on lawns and ornamentals plants, and for area control of Chiggers. Consult the following directions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product at the rate of 2 3/4 ounces per gallon of water to control Ants, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Sowbugs, Spiders, and Ticks by application as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreen, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestations of buildings by Ants, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs) treat a band of soil 6 to 10 feet wide around and adjacent to buildings, also building foundations to a height of 2 to 3 feet, where pests are active and may find entrance. Use 16 ounces (1 Pint) in 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons of spray mixture per 1,000 sq. ft. to thoroughly and uniformly wet the band area.

PESTS OF LAWNS, OTHER ORNAMENTAL AND RECREATIONAL TURF AREAS AND PERENNIAL TURF GRASSES GROWN FOR SEED.

Use this product to control the following pests as listed by application at the recommended dosages and in accordance with the direction given below. Dilute in enough water to obtain complete and uniform coverage of pest infested areas and apply as a coarse, low pressure spray using suitable spray equipment. Thoroughly water after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at the time of treatment.

PEST OF ORNAMENTALS

Use this product to treat flowers, shrubs, vines, shade trees and flowering trees and evergreens found to be infested with the following pests as listed. Dilute with water according to directions given in the table and apply using suitable hand or power spray equipment in a manner to provide complete coverage. For best results, apply a wetting spray to both upper and lower leaf surfaces and infested limb and trunk area. Attempt to penetrate dense foliage but avoid overspraying. Treat when pests appear and repeat at 7 to 10 day intervals, if needed. CAUTION: Do not use on Azaleas, Camellias, Poinsettias, Rose Bushes, or Variegated Ivy because of possible injury to foliage.

DOSAGES AND DIRECTIONS FOR USE ON ORNAMENTAL PLANTS

For control of Aphids, Mites, Bagworms, Orange-striped Oakworm, Eastern Tent Caterpillar, Spittlebug, Fall Webworm, Whiteflies, Grasshoppers, Yellow-necked Caterpillar; use 0.5 fl. oz./3 gals. - 1.6 fl. oz./10 gals. - 1 Pt./100 gals.
For control of Curculionids, Leafhoppers, Mealybugs, Mimosa Webworms, Red Humped Caterpillar, Thrips (Exposed Stage); use 1.0 fl. oz./3 gals. - 3.2 fl. oz./10 gals. - 1 Qt./100 gals.
For control of Ash Borer, Lilac Borer, Dogwood Borer, Scale Crawlers, Oak Lecanium, Pine Needle, Tea, and White Peach; - Scale Insects; use 2.0 fl. oz./3 gals. - 6.4 fl. oz./10 gals. - 2 Qts./100 gals.

Continued on right panel

DURSBAN® PLUS

INSECTICIDE

For Sale to, Use and Storage by Licensed Pest Control Operators Only.
INDOOR / OUTDOOR PEST CONTROL

Controls Ants, Chinch Bugs, Sod Webworms, White Grub Larvae, Chiggers, Fleas, Mosquitoes, Spiders, Ticks, Millipedes, Sowbugs, Aphids, Bagworms, Whiteflies, Leafhoppers, Mites, and Borers as Listed

FOR INSECT CONTROL IN NON-FOOD AREAS

For Cockroaches-Ants-Crickets-Silverfish-Fleas-Brown Dog Ticks

ACTIVE INGREDIENTS:

CHLORPYRIFOS [O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	24.00%
2,2-Dichlorovinyl dimethyl phosphate	6.04%
Related Compounds	0.46%
INERT INGREDIENTS*	69.50%
TOTAL	100.00%

Contains 2 lb. Chlorpyrifos and 0.5 lbs of Dichlorvos (DDVP) per Gallon *Contains an Aromatic Petroleum Distillate. DURSBAN® Registered Trademark Dow/Elanco



KEEP OUT OF REACH OF CHILDREN DANGER - POISON - PELIGRO



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

STATEMENTS OF PRACTICAL TREATMENT

ORGANOPHOSPHATE

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Have victim drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. Call a physician and get medical attention immediately. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention immediately. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention immediately. **NOTE TO PHYSICIAN:** If signs of cholinesterase inhibition (weakness, headache, chest tightness, blurred vision, salivation, sweating, nausea, vomiting or abdominal cramps) occur, atropine by injection is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. *Solvent presents an aspiration hazard. Gastric lavage is indicated if material was taken internally.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on skin, Do not breathe fumes. Rapidly absorbed through the skin.

NOTE TO PHYSICIAN - POISONING SYMPTOMS

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated, 2-PAM is also antidotal and may be administered in conjunction with Atropine. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small amounts of cholinesterase inhibitors. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test. This product contains an aromatic petroleum solvent. Vomiting may cause aspiration pneumonia.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category (G) on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Coveralls over long sleeved shirt and long pants. Chemical Resistant gloves such as Barrier Laminate or Viton; Chemical resistant footwear plus socks; Protective eyewear, Chemical-resistant headgear for overhead exposure; Chemical resistant apron when cleaning equipment; A respirator with either an organic vapor-removing...OV...cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are available, wash thoroughly before reuse. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if washes gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

(Precautionary Statements follow on Side Panel of this label.)

EPA REG. NO. 769-940 NET CONTENTS 5 GALLON EPA EST. NO. 769-GA-1

SURECO, INC.

For control of "Peach Tree Borer" use 5.0 fl. oz./100 gals. of trees when adults begin to emerge. For "Dogwood Borer": Mix 1/2 gallon in 100 gal. of water. Thoroughly spray the tree. For "Peach Tree Borer": Dilute 5 3/4 fl. oz.'s in 100 gal. of water. Thoroughly spray the tree 3 times May 1st; June 1st.; and July 1st. is for ornamental peach trees only.

DOSAGES AND DIRECTIONS

For control of Ants, Armyworms, Chigger Fleas, Grasshoppers, Ticks, and Sod Web 5 to 10 gals. of water /1,000 sq. ft. Spray to water-in the insecticide for control of su per acre.

For control of Turfgrass Hyperodes use 5.0 fl. oz./100 gals. of water and again in Mid-May or as recommended.

For control of White Grubs of European Cl of turf. Spray when grubs are actively feeding by local Ag. Ext. Serv. Specialist. Water a into soil.

For Bluegrass Billbug use 3 to 6 fl. oz.'s / first appear. Repeat as needed. Irrigate t

NOTE: Mosquitoes, coming to rest on are killed for varying periods of time after treat conditions.

Area Control of Ticks and Chiggers: Use fo and camping

sites, parks and other recreational areas w public health problem. Apply 1 pint per ac grassy areas, weeds, and ground surfac coverage, usually 40 to 100 gallons of water during application or until spray has dried

INDOOR DIRECTIONS FOR A

For indoor use, only crack and crevice treat in food handling establishments, restaura to treat nonperishable bagged and/or bulk areas includes, Garbage Rooms, Lavato Locker Rooms, Machine Rooms, Boiler r (bottling). Use the "Maintenance Spray" ra as a coarse spray or with a paint brush to ar areas, around water pipes, surfaces behin where insects hide or through which they water supplies. Dishes and food handling if they have become contaminated with th in serving areas while food is exposed.

Do not use in hospitals or clinical rooms, su areas. Do not use in any room where infant of time.

Use this product as a spot treatment for th Spiders, Fleas, and Brown Dog Ticks in a including homes, Apartment Buildings, (hospitals), Stores, and Warehouses. It may Spray" or Maximum Strength Spray. Follow control.

To Make this amount of Spray - For (Water or DeoBase Oil) - For 1 Gallon 1 1/2 3 Gallons 6 2 5 Gallons 6 2

The lower strength should be used as a n quickly reduce heavy infestations of Cock HOW TO APPLY: Apply as a coarse spray pests are found or normally occur, includ walls, along and behind sinks, stoves, re installations. For ANTS apply to ant trails, entry.

FOR BROWN DOG TICKS (DO NOT TREAT) to infested areas such as pet's bedding and baseboards, windows, and door frames an should be removed and repaced with fres WARNING: Use as a spot treatment only building. Do not allow children or pets to c fish bowls before spraying. Test for dam surfaces. fl. oz. = Fluid Ounces

(D) EPA/SC/640WPSOK.PM5 '05-18-95

RECEIVED

1997

DEPT OF AGRICULTURE

WASHINGTON DC

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 31 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

209-940