769-948

9/16/2002

Page 176

United States Environmental Protection Agency Washington, DC 20460			on Agency	Registra Amend Other	ation	O. Approval expires 2-28-9 OPP Identifier Number	
		Application	on for Pesticide - Sec	tion I			
1. Company/Product Number 769-948			2. EPA Product Ma	2. EPA Product Manager Tina Levine		3. Proposed Classification	
4. Company/Product (Name) Pratt Cygon 2E Systemic Insecticide			PM# 14	1			
5. Name and Address of Applicant (Include ZIP Code) Value Garden Supply, LLC. P. O. Box 585 St. Joseph, MO 64502 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
			Section - II				
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For sect Notification of Additional Application Method "Paint Method on B at 40 CFR 152.46, and no other changes have been made to the			Agency let "Me Too" Other - Ex	notification is consistent with the provisions of PR Notice			
violation of 18 U.S.C. Se Notice 98-10 and 40 CFF 14 of FIFRA.	c. 1001 to willfully make an R 152.46, this product may	y false stateme be in violation o	nt to EPA. I further understand to FIFRA and I may be subject to	hat if this notification enforcement action	is not con and penalt	sistent with the terms of PR ties under sections 12 and	
1. Material This Product	Will Be Packaged in:						
		No. per container	Water Soluble Packaging Yes No If "Yes" Package wgt No. per Container		f Container Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Contents Information 4. Size(s)		4. Size(s) Ret	Retail Container 5. Location of La		bel Directi	ons	
Label Container 6. Manner in Which Label is Affixed to Product		Lithog Paper Stenci	thograph Other				
		0.01701	Section - IV	· · · · · · · · · · · · · · · · · · ·			
1. Contact Point <i>(Comple</i>	lete items directly below t	for identificatio	n of individual to be contacted	, if necessary, to pi	ocess this	s application.)	
Name Carrie Crawford			Title Regulatory Affairs Manager		Telephone No. (Include Area Code) 540-864-8490		
	t any knowlinglly false or		tion all attachments thereto are tru tement may be punishable by			6. Date Application Received (Stamped)	
2. Signature Carrie (race/a Col)			3. Titte Regulatory Affairs Manager				
4. Typed Name			5. Date August 27, 2002				

PRATT CYGON* 2E SYSTEMIC INSECTICIDE

FOR USE BY NURSERY PROFESSIONALS ONLY NOT FOR HOMEOWNER USE

Controls Insects, Mites, on Ornamental Plants as Listed

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

Active Ingredient:

*Dimethoate

[0,0-dimethyl S-(N-methylcarbamoyl methyl)

phosphorodithioate]......23.4%

100.0% TOTAL

*CYGON Trademark of American Cyanamid Company

**Contains Xylene range aromatic solvent

1 Gallon Contains 2 pounds of Dimethoate

NOTIFICATION

SEP 1 6 2002

EPA Reg. No. 769-948 EPA Est. No. 44616-MO-1

NET CONTENTS ONE GALLON

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration. preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Dimethoate may cause cholinesterase inhibition. Atropine is antidotal. 2 PAM may be effective adjunct to atropine.

Page 2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful or fatal if swallowed or absorbed through the skin. May cause irritation eyes, nose, skin and throat. Avoid contact with eyes and skin. Avoid breathing vapor or spray mist. Use only with adequate ventilation. Do not contaminate food or food products, drinking fountains, litter and feed troughs. Do not use in milk processing rooms including milk houses and milk storage rooms. Do not use in homes. Concentrated material causes eye irritation.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category B and F on an EPA chemical resistance category selection chart. Applicators and other handlers must wear: long-sleeved shirt and long pants; chemical-resistant gloves such as barrier laminate, butyl or nitrile rubber or viton; chemical-resistant footwear plus socks; protective eyewear; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing or loading; and a Dust/Mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds, if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use, pour, or store near heat or open flame. DO NOT ALLOW TO FREEZE.

Page 3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls over long-sleeved shirt and long pants; chemical resistant gloves such as barrier laminate, butyl or nitrile rubber, or viton; chemical resistant footwear plus socks; protective eyewear; and chemical resistant headgear for overhead exposure.

OUTDOOR ORNAMENTAL PLANTS GROWN IN NURSERIES

Cygon 2E is generally effective in controlling Aphids, Thrips, Leaf Miners, Scale, leafhoppers and Mites. Make adequate sprays when pests appear or when damage is first observed. Do not over-dose or over-spray. For proper timing of treatment for the control of specific pests on ornamental plants, consult your State Agricultural Experiment Station or State Agricultural Extension Service. Do not use on ornamental plants not listed. Do not use on any ornamental stock plants grown as a source of propagation material, such as cuttings, layers, root stocks, or scions for grafting or budding. Do not use is spray mixtures containing oil. Do not use of plants growing in greenhouses.

The following uses are foliage sprays unless otherwise indicated:

Azaleas to control Lace Bugs, Leafminers, Mites, Tea Scales, White Flies: Mix 2 thsp.

In 3 gallons of water or 1 tsp. In ½ gallon of water. Injury may occur on certain varieties if applied in spray mixtures containing oil.

Camellias to control Aphids, Camellia Scale, Tea Scale: Mix 1 tbsp in 3 gallons of water or ½ tsp. in ½ gallon water. Foliar Spray: Apply 2 sprays 6 weeks apart the first year followed by annual applications soon after first growth begins in the spring. Soil Drench: Apply as a soil drench around the base of plants in early spring at the rate of 4 tbsp. per gallon of water per plant up to 6 feet tall. Increase this rate proportionately for larger plants. Injury may occur on certain varieties if applied in spray mixtures containing oil.

Carnations to control Aphids, Thrips, Mites: Mix 1 tbsp. in 3 gallons of water or ½ tsp. in ½ gallon of water. Soil Drench: Apply as a soil drench at the rate of 4 fl. oz./500 sq. ft. of bed or bench; (5 Qts. per ½ acre) in sufficient water for even distribution. Water in thoroughly after application.

Cyperus to control Bactra Moth Larvae: Mix 1 tbsp. in 3 gallons of water or ½ tsp. in ½ gallon of water.

Day Lilies to control Aphids, Thrips: Mix 1 tbsp. in 3 gallons of water or ½ tsp. in ½ gallon of water. Do not use on Easter Lilies since injury may occur.

Roses (Outdoor Plants) to control Aphids, Leafhoppers, Mites, Thrips: Mix 1 tbsp. in 3 gallons of water or ½ tsp. in ½ gallon of water. Apply as drenching spray.

Arborvitae to control Aphids, Bagworms, Mites: Mix 2 tbsp. in 3 gallons of water or 1 tsp. in ½ gallon of water.

Birch to control Aphids, Leafminers: Mix 1 tbsp. in 3 gallons of water or ½ tsp. in ½ gallon of water. For Leafminers apply when leaves are expanded (about mid May) and repeat in early July. PAINT METHOD: To control Leafminers, an application to the bark can be made. The material will be absorbed and carried by the sap up to the leaves. To apply, paint a band of undiluted product around the trunk of the tree below the lowest branches. The width of the band must be equal to the thickness of the trunk at that location (maximum 6"). Make first treatment at bud break. Weather conditions are important for the correct timing of treatment. If weather is warm and buds break fast then apply when green tips are visible. If weather is cold apply when leaves are almost completely unfolded. Make a second application 6 weeks later. Do not make more than two applications per season. Newly planted trees or those with trunks less than 1 inch may be injured. Do not apply to the trunk of any other tree or severe injury may result.

Boxwood to control Leafminers, Mealy Bugs, Mites: Mix 2 tbsp. in 3 gallons of water or 1 tsp. in ½ gallon water. For Leafminers apply in spring when Leafminers flies first appear or in early summer for control of larvae in the infested leaves.

Cedar to control Mites: Mix 4 tbsp. in 3 gallons of water or 2 tsp. in ½ gallon of water. Euonymous to control Aphids, Scale: 2 tbsp. in 3 gallons of water or 1 tsp. in ½ gallon of water.

Gardenias to control Tea Scale, White Flies: Mix 2 tbsp. in 3 gallons of water or 1 tsp. in ½ gallon of water.

Gerberas to control Thrips: Mix 2 tbsp. in 3 gallons of water or 1 tsp. in ½ gallon of water.

Gladiolus to control Aphids, Thrips: Mix 2 tbsp. in 3 gallons of water or 2 tsp. in 1/2 gallon of water.

lris to control Aphids, Iris Borer, Thrips: Mix 4 tbsp. in 3 gallons of water or 2 tsp. in 1/2 gallon of water. For Borer control spray when new.

Poinsettias (Outdoors) to control Mites, White Flies, Mealy Bugs, Aphids: Mix 2 tbsp. in 3 gallons of water or 1 tsp. in ½ gallon of water.

Ficus Nitida (Outdoor) to control Thrips: Mix 2 tbsp. in 3 gallons of water or 1 sp. in ½ gallon of water. Do not use on potted plants.

Page 5

Hemlock to control Mites, Scales: Mix 2 tbsp. in 3 gallons of water or 1 tsp. in ½ gallon of water.

Juniper to control Aphids, Bagworms, Midges, Mites: Mix 4 tbsp. in 3 gallons of water or 2 tsp. in ½ gallon of water.

Oak to control Golden Oak Scale: Mix 4 tbsp. in 3 gallons of water or 2 tsp. in ½ gallon of water.

Pine to control Aphids, Bagworms, European Pine Shoot Moth, Nantucket Pine Tip Moth, Zimmerman Pine Moth: Mix 4 tbsp. in 3 gallons of water or 2 tsp. in ½ gallon of water.

Taxus to control Fletcher Scale, Mealy Bugs, Mites: Mix 4 tbsp. in 3 gallons of water or 2 tsp. in ½ gallon of water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: Store in tightly closed original container in a locked area out of reach of children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

Distributed By: Value Garden Supply P. O. Box 585 St. Joseph, MO 64502-0585

