

769-950

04/17/2007

1/5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Steven E. Rogosheske
Value Garden Supply, LLC
P.O. Box 585
St. Joseph, MO 64502

APR 17 2007

Dear Mr. Rogosheske:

SUBJECT: Revised Basic Confidential Statement of Formula
And Revised Labeling
Turf Herbicide 6000 Lawn Weed Killer
EPA Registration No. 769-950
Your Submission Dated January 11, 2007

The Agency has completed its review of the revised basic Confidential Statement of Formula (dated January 9, 2007) to change the active ingredient from the racemic form of MCPP-p acid to the optically active single isomer form of MCPP-p. The CSF for the revised basic formulation is acceptable. It will supersede the previously accepted basic CSF.

The label amendment referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

1. Under the "First Aid" statement, add a "period" at the end of the sentence, as required.
2. Under the "Precautionary Statements":
 - a. Replace the word "lauder" with "launder".
 - b. Move the following statement under the "Directions for Use" section of the labeling: "The maximum number of broadcast applications per treatment site is 2 per year "Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried."
3. Under the "Environmental Hazards" section revise the statement to read: "This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or

7505P
Morgan
4/17/07

TURF HERBICIDE 6000 LAWN WEED KILLER

Kills [Controls]: DANDELION, CHICKWEED, KNOTWEED, HENBIT, PLANTAINS, CLOVER, SPURGE, POISON IVY, WILD ONION and RAGWEED.

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid.....	5.73%
Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid.....	1.38%
Dimethylamine Salt of Dicamba (3, 6-dichloro-o-anisic acid).....	0.63%
OTHER INGREDIENTS:	92.26%
TOTAL:	100.00%

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 17 2007**

This Product contains:

- 0.454 lb. 2, 4-Dichlorophenoxyacetic acid equivalent per gallon or 4.76%
 - 0.108 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 1.14%
 - 0.049 lb. 3, 6-dichloro-o-anisic acid equivalent per gallon or 0.52%
- Isomer Specific by AOAC Methods

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No

769-950

KEEP OUT OF REACH OF CHILDREN CAUTION

See back Panel For Additional Precautionary Statements.

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to and unconscious person
If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call poison control center or doctor immediately for further treatment advice
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product (including health concerns or medical emergencies call the National Pesticide Information Center at 1-800-858-7378.</p>	

EPA Reg. No. 769-950

EPA Est. No.

NET CONTENTS:

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, goggles, shoes and chemical resistant gloves when using or applying this product. After using the product, wash non-disposable gloves thoroughly with soap and water before removing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. Avoid contamination of food or feedstuffs. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters, or pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

OTHER USE PRECAUTIONS: Do not allow spray to drift onto vegetable, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solution near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use sprays that are fine because they can drift and cause damage to non-target plants. Coarse, droplet sprays are less likely to drift. Use only lawn-type sprayers. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species. This product may be injurious to St. Augustine and centipede grasses. Since injury can be expected, "spot-spray" weeds only with a pressure sprayer.

May be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrell and Spurge. In addition, this product controls most other broadleaf weeds, including sensitive weeds such as Clover, Dandelion, knotweed and Plantain. Spray at any time during the growing season when weeds are actively growing. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a "spot-treatment" may be made at any time with a small pressure-sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow lawn a few days before treating. Do not water lawn 48 hours after treatment.

The maximum number of broadcast application per treatment site is 2 per year.

BROADLEAF WEED/HOW MUCH TO USE (ENTIRE LAWN) HOSE-END SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2), and spray on area shown (Column 3). For example, to spray 950 sq. ft., measure 10 tablespoons (5 fl. Oz) in jar, add water to the 5 gals. Level, mix and turn on hose and spray over 950 sq. ft

Column 1		Column 2	Column 3
Amt. To Use		Fill Bottle To:	Area to Treat:
(Tbsp.)	(Fl. Oz.)	(Gallons)	(Sq. Ft.)
2	1	1	190
16	8	2 - 3	1,500
32	16	3 - 4.5	3,000
64	32	6 - 9	6,000

BROADLEAF WEEDS/HOW TO USE (ENTIRE LAWN) PRESSURE-SPRAYER: Measure indicated amount of product into tank and dilute with water according to the following chart. Use a spray pattern, which gives small spray droplets without any fine mist. Cover the area indicated.

Amt. To Use		Amt. Water in	Area to be Sprayed
(Tbsp.)	(Fl. Oz.)	Sprayer (Gals.)	(Sq. Ft.)
2	1	1	190
16	8	2 - 3	1,500
32	16	3 - 4.5	3,000
64	32	6 - 9	6,000

NOTE: Whether using a hose-end or pressure sprayer, avoid fine-mist sprays. A fine-mist spray can drift, causing damage to ornamental or garden plants. Use coarse spray droplets.

BROADLEAF WEEDS/HOW MUCH TO USE (Spot-Spraying): To spray small areas or individual weeds, do not use a hose-end sprayer. Mix 1 oz. (2 tbsp.) in a half-gallon of water in pressure sprayer, and spray as required, being certain to "wet" each weed.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject thereto. To the extent consistent with applicable law, the buyer assumes and risk of damage or property arising out of use of handling and accepts the product on these conditions.

Manufactured by
Value Garden Supply, St. Joseph, MO 64502

[www.valuegardens.com]
[For product information call 952-884-6477]

1/09/07