Pag # 769-965 PM-13 195

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY MAR 23 1993

Until Reregistration

Sureco Fermethrin Powder

18 1 35567

Sureco, Inc. P.O. Box 921879 Norcross, GA 30092-1879

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 769-965
- b. Update disposal statement under envoironmental hazards i.e. Revise the statement under Environmental Hazards to read:
-Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.
- c. Revise the first sentence of the Environmental Hazards statement to read:

 This pesticide is extremely toxic to fish and
-This pesticide is extremely toxic to fish and aquactic invertebrates.

CONCURRENCES							
SYMBOL							
SURHAME) Moats						, i	
DATE						- • • • • • • • • • • • • • • • • • • •	

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division(H7505C)

Enclosure:

SureCo Permethrin Powder

For use on Beef & Dairy Cattle, Swine and Horses. Also for use on Dogs & Cats to control Fleas, Ticks and Lice

for up to 10 days.

ACTIVE INGREDIENT: 0.25% *Permethrin Total 100.00%

*(3-phenoxyphenyl) methyl (±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate Cis/trans ratio: min 35% (±) cis max 65% (±) trans

> KEEP OUT OF REACH OF CHILDREN CAUTION Se3 Back Panel for Precautionary Statements

Manufactured by: SureCo Professional Products, Inc. P.O. Box 921879, Norcross, GA 30092-1879

EPA EST #769-GA-1

EPA REG #769-

Net Contents oz.

ACCEPTED with COMMENTS in EPA Letter Dated

MAR 23 1993

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the penticide registered under EPA Reg. No.

DRAFT

11/26/92 SPPERPDR

Page 1 of 3

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. \

BEEF AND DAIRY CATTLE AND HORSES

For use in dust bags, shaker can and mechanical dust applicator.

Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag. Suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed, or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders.

For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle.

For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Direct Application: Apply 2 oz. of dust per animal by shaker can or dust glove over the head, neck, shoulders, back, legs and tailhead. Repeat as necessary.

SWINE

Direct Application for lice: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

PETS

To control Fleas, Ticks and Lice on Dogs and Cats: Apply powder liberally over the entire body. Work dust into hair and around the feet, pads and between the toes by rubbing against the lay of the hair until dust penetrates to skin. Contact ticks with powder. Take care not to get the powder in pet's eyes, nose or mouth. Dust bedding, kennel, sleeping areas, carpeting and furniture used by infested animals regularly, applying at a rate of 3 to 6 ounces per 100 square feet. Repeat as needed, but not more often than once weekly. Do not use on puppies or kittens. Do not use on old, sick, debilitated or pregnant pets

This container is sold by weight, NOT by volume. You can be assured of the proper weight even though some sattling of contents normally occurs during transportation and handling.

STORAGE AND DISPOSAL

Do not contaminate feed or foodstuffs by storage or disposal.

STORAGE: Store in cool dry area away from children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Containers one pound and smaller:

DISPOSAL: Do not reuse container. Wrap and discard in trash.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with eyes and skin. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with this label.