



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

769-971

Date of Issuance:

AUG 17 1995

Term of Issuance: Until
Reregistration

Name of Pesticide Product: Sevin®
brand 80% DB

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

✓ SureCo, Inc.
P.O. Box 938
Fort Valley, Georgia 31030

Notes: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 769-971".
- b. The "Note to Physician" is missing some text. It must be corrected to read: "Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced."
- c. In the Environmental Hazards statement, "DPDES" should be "NPDES."

Signature of Approving Official:

DHE

Dennis H. Edwards, Jr.
Product Manager 19
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

19-5

3. Submit five copies of the revised final printed label for the record.

We noted during our review that two crops which appear on the me-too label (EPA Registration No. 264-328) are not included on this labeling. We are not sure if these crops (carrots and cherries) were intentionally omitted, or if this was an oversight. If the omission was not intentional, you may add these crops onto the final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

DHE

Dennis H. Edwards, Jr.
Product Manager 19
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

SEVIN[®] brand 80% DB

Dust Base Carbaryl Insecticide For Manufacturing, Formulating or Repackaging Only

Formulators who use this product are responsible for obtaining EPA registration for their products.

ACTIVE INGREDIENT:	
Carbaryl (1-Naphthyl-N-methylcarbamate)	80%
INERT INGREDIENTS:	20%
Total	100%

KEEP OUT OF REACH OF CHILDREN WARNING

Statement of Practical Treatment

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching back of throat with the finger. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Wash thoroughly with soap and water. **IF INHALED:** Move from contaminated atmosphere and call a physician.

GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

ANTIDOTE STATEMENT: Atropine Sulfate is highly effective as an antidote. See Note To Physician.

NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this sub-

stance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe case should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then reduced. Complete recovery from overexposure is to be expected within 24 hours. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested. To aid in the confirmation of a diagnosis, urine samples should be obtained.

PRECAUTIONARY STATEMENTS

WARNING: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

MAY BE FATAL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

is pesticide is extremely toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters except in accordance with DPDES (National Pollution Discharge Elimination System) permit. For further guidance, contact the nearest Environmental Protection Agency Regional Office.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into insecticide for (1) the following uses:

Alfalfa	Clovers	Kale	Peppers	Squash, summer & winter
Almonds	Collards	Kohlrabi	Pest control around buildings	Strawberries
Apples	Corn(field,sweet,pop)	Lentils	Pistachios	Sugar beets
Apricots	Cotton	Lettuce, head & leaf	Plums	Sunflower
Asparagus	Cranberries	Loganberries	Pome Fruits	Sweet Potato
Avocados (CA only)	Cucumber	Maple trees for sap	Potato	Swiss Chard
Beans, succulent & dry	Dandelion	Melons	Poultry	Tobacco
Bedding Plants (outdoor only)	Dewberries	Mustard Greens	Prickly Pear Cactus	Tomato
Birdsfoot Trefoil	Eggplant	Nectarines	Proso Millet	Trees & Ornamentals
Blackberries	Endive	Nursery Stock (outdoor only)	Prunes	Turfgrass
Blueberries	Filberts	Okra	Pumpkin	Tumips
Boysenberries	Flax	Olives	Radish	Vegetable transplants (outdoor only)
Broccoli	Foliage Plants (outdoor only)	Oyster beds	Rangeland	Walnuts
Brussels Sprouts	Forested areas	Parsley	Raspberries	Waste area
Cabbage	Garden Beets	Parsnips	Rice	Rights-of-ways
Cauliflower	Grapes	Pasture grass	Rulabagas	Herb rows
Celery	Grass for seed	Peaches	Salsify	Ditchbanks
Chestnuts	Hanover salad	Peanuts	Sorghum	Roadsides
Chinese Cabbage	Horseradish	Peas, succulent & dry	Soybeans	
Citrus Fruits	Imported Fire Ants (outdoor only)	Pecans	Spinach	Wheat

(2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) Uses for experimental purposes that are in compliance with USEPA requirements.

Statement of Practical Treatment

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching back of throat with the finger. **IF IN EYES:** Flush eyes with plenty water. Get medical attention if irritation persists. **IF ON SKIN:** Wash thoroughly with soap and water. **IF INHALED:** Move from contaminated atmosphere and call a physician.

GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.**

ANTIDOTE STATEMENT: Atropine Sulfate is highly effective as an antidote. See Note To Physician.

NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this sub-

stance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe case should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then reduced. Complete recovery from overexposure is to be expected within 24 hours. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested. To aid in the confirmation of a diagnosis, urine samples should be obtained.

PRECAUTIONARY STATEMENTS

WARNING: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

MAY BE FATAL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters except in accordance with DPDES (National Pollution Discharge Elimination System) permit. For further guidance, contact the nearest Environmental Protection Agency Regional Office.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into insecticide for (1) the following uses:

Alfalfa	Clovers	Kale	Peppers	Squash, summer & winter
Almonds	Collards	Kohlrabi	Pest control around buildings	Strawberries
Apples	Corn(field,sweet,pop)	Lentils	Pistachios	Sugar beets
Apricots	Cotton	Lettuce, head & leaf	Plums	Sunflower
Asparagus	Cranberries	Loganberries	Pome Fruits	Sweet Potato
Avocados (CA only)	Cucumber	Maple trees for sap	Potato	Swiss Chard
Beans, succulent & dry	Dandelion	Melons	Poultry	Tobacco
Bedding Plants (outdoor only)	Dewberries	Mustard Greens	Prickly Pear Cactus	Tomato
Birdsfoot Trefoil	Eggplant	Nectarines	Proso Millet	Trees & Ornamentals
Blackberries	Endive	Nursery Stock (outdoor only)	Prunes	Turfgrass
Blueberries	Filberts	Okra	Pumpkin	Turnips
Boysenberries	Flax	Olives	Radish	Vegetable transplants (outdoor only)
Broccoli	Foliage Plants (outdoor only)	Oyster beds	Rangeland	Walnuts
Brussels Sprouts	Forested areas	Parsley	Raspberries	Waste area
Cabbage	Garden Beets	Parsnips	Rice	Rights-of-ways
Cauliflower	Grapes	Pasture grass	Rutabagas	Hedge rows
Celery	Grass for seed	Peaches	Salsify	Ditchbanks
Chestnuts	Hanover salad	Peanuts	Sorghum	Roadsides
Chinese Cabbage	Horseradish	Peas, succulent & dry	Soybeans	Wheat
Citrus Fruits	Imported Fire Ants (outdoor only)	Pecans	Spinach	

(2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) Uses for experimental purposes that are in compliance with USEPA requirements.

STORAGE AND DISPOSAL

STORAGE: Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100° F. **PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If bag is burned stay out of smoke.

NOTICE: SureCo, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. SureCo, Inc. makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall SureCo, Inc. be liable for consequential, special, or indirect damages resulting from the use or handling of this product. (USEPA REG. NO. 769-73-94)

EPA REG. NO. 769-

Net Weight 40 Pounds

SURECO, INC.
FORT VALLEY, GA 31030

EPA Est. No. 769-GA-1
EPA Est. No. 10352-GA-01

SEVIN[®] brand 80% DB

Dust Base Carbaryl Insecticide

For Manufacturing, Formulating or Repackaging Only

Formulators who use this product are responsible for obtaining EPA registration for their products.

ACTIVE INGREDIENT:	
Carbaryl (1-Naphthyl-N-methylcarbamate)	80%
INERT INGREDIENTS:	
	20%
	Total 100%

KEEP OUT OF REACH OF CHILDREN
WARNING

Statement of Practical Treatment

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching back of throat with the finger. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Wash thoroughly with soap and water. **IF INHALED:** Move from contaminated atmosphere and call a physician. **GENERAL:** Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

ANTIDOTE STATEMENT: Atropine Sulfate is highly effective as an antidote. See Note To Physician.

NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this sub-

stance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe case should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then reduced. Complete recovery from overexposure is to be expected within 24 hours. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested. To aid in the confirmation of a diagnosis, urine samples should be obtained.

PRECAUTIONARY STATEMENTS

WARNING: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

MAY BE FATAL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters except in accordance with DPDES (National Pollution Discharge Elimination System) permit. For further guidance, contact the nearest Environmental Protection Agency Regional Office.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Only for formulation into insecticide for (1) the following uses:

Alfalfa

ACCEPTED
with COMMENTS
In EPA Letter Dated

AUG 17 1995
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
769-971

