		IRONMENTAL PROTECTION AGENCY		EPA Reg. Number:	Date of Issuance:				
UNITED STATES		ce of Pesticide Programs tration Division (H7505C)		769-975	APR 1 7 1997				
		401 "M" St., S.W. ashington, D.C. 20460	ļ	Term of Issuance:					
THE PROTECTO			1	Conditional					
~ PROVP		PESTICIDE:		0011020101					
		Registration Reregistration		Name of Pestic	ide Product:				
under FIFRA,	-	1010340010101		Liquid Ec	lger				
	ss of Registrant (incl	ude ZTP Code)	1						
ureco, 0012 N. ampa, F	Inc. Dale Mabry - lorida 33618	S-221		mearian with th					
submitted t	o and accepted by the	Registration Division prior ys refer to the above EPA reg	to use of	the label in co					
		ed by the registrant, the abo ederal Insecticide, Fungicide			reby				
n order to pr ancel the reg ith the regis	otect health and the e distration of a pestici stration of a product u	strued as an endorsement or n environment, the Administrato ide in accordance with the Ad under this Act is not to be o use if it has been covered b	or, on his ct. The a construed	motion, may at cceptance of any	any time suspend or y name in connection				
		conditionally reg provided that yo		d in acco	rdance with				
rer the sub	egistration o: Agency requir mit such data	te all data requi f your product un res all registran ; and submit acce on of your produc	der FI ts of ptable	FRA sec. similar p response	3(c)(5) when roducts to s required				
		to the label tha product for shipm		listed be	low before				
a.	Revise the 1 No. 769-975	EPA Registration	Number	to read,	"EPA Rég.				
b. In the "SPOT WEED TREATMENT" section change the sentence that reads "This product is read-to-use." to "This product is ready-to-use."									
3. Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.									
vill be 5(e). Y	Subject to car	ons are not compl ncellation in acc or shipment of th ions.	ordanc	e with FI	FRA Section				
	Approving Official: /			Date:					

.

2

) }

A stamped copy of the label is enclosed for your records. If you have any questions about this letter, please contact John Bazuin at (703)305-7381.

### Sincerely yours,

Cynthia L. Giles-Parker Product Manager (22) Fungicide-Herbicide Branch Registration Division (7505C)

Attachments: 1) Product label stamped "Accepted with Comments" 2) A-79 Enclosure

### ACCEPTED with COMMENTS In EPA Letter Dated APR | 7 1997

zs

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.



# Ready-to-Use Weed & Grass Killer CONTROLS UNWANTED VEGETATION

<u>Around Buildings, Along Sidewalks, Along Driveways,</u> <u>Under Trees, Under Ornamentals</u>. No Odor - No Staining - No Mixing - Water-Base Formula.

### ACTIVE INGREDIENTS:

Dimethylarsinic Acid	(C	ac	00	İyli	c /	\ci	d)			•	0.09%
Sodium Cacodylate INERT INGREDIENTS:	•	•	٠	•	•	•	•	٠	•	•	0.53% <u>99.38%</u>
INCREMENTS.	•	•	•	•	•	•	τċ				<u>99.38%</u> 100.00%

Total arsenic (as elemental) all in water soluble form - 0.30%

KEEP OUT OF REACH OF CHILDREN CAUTION

#### Statements of Practical Treatment

IF SWALLOWED: Call a physician or Polson Control Center Immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. IF IN EYES: Flush eyes with plenty of water. Get medical attention. IF ON SKIN: Wash affected area with soap and warm water.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing spray mist. Wash hands after using. Keep children and domestic animals off teated areas until this meteral has been washed into the soil.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters. Do not contaminate domestic or irrigation waters.

See Side/Eack Panel for Additional Precautionary Statements

EPA Reg. No. 769

EPA Est. No. 769-GA-1

# Net Contents 1 Gallon - Treats 300 Square Feet SureCo, Inc. Fort Valley, GA 30350 - U.S.A.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LIQUID EDGER KILLS BERMUDAGRASS, JOHNSONGRASS QUACKGRASS AND OTHER DEEP ROOTED PERENNIALS. ALSO KILLS ANNUALS, SUCH AS BROME, FOXTAIL, WILD OATS, BURR CLOVER, MALLOW AND MORNING GLORY.

The contents of this container will treat 300 square feet. It can be used around the home and in commercial areas for the control of a wide variety of broadleaf and grassy weeds in and along driveways, sidewalks, on patios, around commercial buildings, in parking lots, filling stations, and other areas of unwanted vegetation. It may also be used as the initial step in a lawn renovation program. Liquid Edger is deactivated on contact with the soil. Spray weeds to point of runoff. Wilting will occur in 1 to 3 days and browning in about 5 to 7 days. Best kill is obtained when plants are young and growing vigorously during hot sunny weather.

# HOW TO USE SPOT WEED TREATMENT

This product is read-to-use. Applicator should wear waterproof gloves during treatment. For treatment of individual weeds (spot treatment) remove the cap which covers the applicator head, invert jug several inches above ground and sprinkle liquid to treat weeds in and along sidewalks, patio blocks, driveways and spot weed control in the lawn. Product will cause brown or yellowing dead spots in lawn. Repeat as needed for continued weed edging.

## TREATMENT FOR LAWN REJUVENATION

The area should be mowed before treatment. For broadcast application to renovate portions of a lawn, the contents of this container will treat up to a measured area of 300 sq.ft. Invert the container and sprinkle directly onto weedy growth. May also be applied with a garden pressure sprayer. A second application 5 days later may be required for complete kill of Bermudagrass and other deep rooted perennials. When foliage is all brown the area should be raked and bare spots prepared for seed. About 5 days after last treatment, water thoroughly and then seed at the recommended rate for a new lawn. Seed should be raked into soil and kept moist to hasten germination. Do not allow Liquid-Edger to come in contact with the foliage, root or bark areas of desirable plants since injury may occur.

## STORAGE and DISPOSAL

Do not contaminate water, food or feed by storage or disposal. <u>STORAGE</u>: Store product in original container in a cool, dry, locked place out of reach of children. <u>PESTICIDE DISPOSAL</u>: Securely wrap original container in several layers of newspaper and discard in trash. <u>CONTAINER DISPOSAL</u>: Do not reuse empty container. Rinse thoroughly before discarding in trash.

NOTICE: SureCo, INC: warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use. (c:epsteclkq-edg.pm5105-29-96)

<u>w</u> w