129-975

{

4/15/2004



## **UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

WASHINGTON, D.C. 20460

NOV 1 5 2004

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Carrie Crawford Value Garden Supply, LLC. 5927 Paint Bank Road New Castle, VA 24127

Subject: Liquid Edger Herbicide EPA Registration No. 769-975 Revised labeling for submitted October 4, 2004

Dear Ms. Crawford:

The amended labeling referred to above is acceptable provided that you:

1. In the Directions for Use in the Lawn Renovation section, add the statement "Make no more than 2 applications per year".

2. Submit a copy of your final labeling.

This labeling supercedes all previously accepted labeling for this product (except supplemental labeling). A stamped copy of the label is enclosed for your records.

If you have any questions about this letter, you may call Tobi Colvin-Snyder at 703-305-7801.

Sincerely,

Im Tompkins Product Manager (25) Herbicide Branch Registration Division (7505C)

#### **ACTIVE INGREDIENT:**

Dimethylarsinic Acid (Cacodylic Acid)	0.09%
Sodium Cacodylate	0.53%
OTHER INGREDIENTS	99.38%
TOTAL	100.00%

Total arsenic content as elemental, all in water-soluble form.....0.30%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side/back panel for Precautionary Statements and First Aid

NET CONTENTS: 24 Fl. Oz., 32 Fl. Oz., [1 Qt.], 128 Oz. [1 Gal.]

EPA Reg. No. 769-975 EPA Est. No. 44616-MO-2

į

Distributed by: Value Garden Supply, LLC. P. O. Box 585 St. Joseph, MO 64502-0585 (952) 884-6477

	FIRST AID
If swallowed:	Call poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center of doctor.
	Do not give anything by mouth to an unconscious person.
If on skin or clothing:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
lf inhaled:	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
lf in eyes:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue
	rinsing.
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For information of this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

## PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Wear protective clothing when handling this product, including: long pants, long-sleeved

ACCEPTED with COMMENTS in EPA Letter Dated NOV 15 2004

Under the Surjeral Insecticide, Fungicide, also melimitende Act as amended, for the pesticide registered under EPA Rag. No.

shirt, shoes plus socks, and chemical-resistant gloves. Do not allow people or pets to enter treated area until sprays have dried.

## ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters and rinsate. Do not contaminate domestic or irrigation waters.

#### USE PRECAUTIONS

Care should be taken when treating weeds in flowerbeds or around shrubs and ornamental plantings. Do not allow spray to come in contact with foliage, green bark, grafted unions, or damaged bark when spraying around desirable plants. Do not use for spot treatment of weeds in lawns. Do not water within 24 hours after application. Do not apply if rainfall is expected within 24 hours after application.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

When Liquid Edger is applied it kills most weeds and grasses on contact. Liquid Edger may be used around bushes, trees or shrubs. Excellent for use around patios, sidewalks, driveways, fences, decks, retaining walls, foundations, and curbsides.

#### TRIMMING AND EDGING TREATMENT:

For use along driveways, sidewalks, fence lines, patios, and parking areas. Apply anytime during the growing season. Shake well. Remove cap from the applicator head making certain that the applicator head is screwed firmly onto the container. Invert the container, holding it away from the body to avoid contact with skin or clothing. Apply Liquid Edger to thoroughly wet foliage of unwanted vegetation. Avoid unnecessary runoff. The width of the sprinkling pattern may be adjusted by raising or lowering the container. Maximum control will be achieved during warm sunny weather and when unwanted vegetation is actively growing. Wilting will occur in 1 to 3 days and complete browning in about 5 to 7 days. Avoid drift to desirable foliage. Heavy lawn grasses and difficult to control perennial weeds such as Bermudagrass and Dallisgrass will require more than one application to give complete control of top growth.

#### SPOT TREATMENT:

To kill unwanted vegetation along sidewalks, patios, driveways, fences, retaining walls, around shrubs, trees, and bushes. Shake well. Use as provided for spot treatment of weeds. Adjust nozzle to give a coarse spray. Aim at center of weed and spray for thorough wetting and complete coverage of all unwanted vegetation. For tall weeds or grasses, cover foliage thoroughly and repeat in 5 days if necessary. To kill the leaves on Poison Ivy, Brambles, Briars, and Stump Sprouts, wet all foliage thoroughly and repeat if new growth develops. For most rapid kill, apply during warm, sunny weather. Do not apply during windy conditions that will carry spray to desired vegetation. Product will cause brown or yellowing dead spots in lawns.

#### LAWN RENOVATION:

Mow grass to about 1 inch height. Apply Liquid Edger at any time during the growing season, preferably on a bright sunny day. Shake well. Cover foliage thoroughly, 1 gallon will treat 300 sq. ft [24 FL. OZ will treat 55 square feet]. Maximum application rate is .000025 lbs. A.I./sq. ft. (.4266 fl. oz./sq. ft.). Liquid Edger works only through foliage, not the root system. Average turf should be brown and dead within 5 days. Certain weeds and grasses may require a second application. When all vegetation is dead, treated area should be raked. Water area heavily prior to seeding. Seed, sodding, or sprigging may be done 5 days after application. Keep area moist. On sunny days, water if possible at mid-day until plants are established.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Storage: Store in a cool, dry area away from heat or open flame. Keep in original container and preferably in a locked storage area inaccessible to children and pets. *Disposal*: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

1/4

.

ţ

.

# LIMITED WARRANTY AND DISCLAIMER

Buyer assumes all responsibility for safety and use not in accordance with directions.