

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 2 1 2009

Ms. Diana Williams Regulatory Affairs Manager On Behalf of Value Garden Supply Value Garden Supply P.O. Box 585 St. Joseph, MO 64502

RE: Notification of Alternate Brand Name to: AllPro® EnviOn

EPA Registration Number: 769-987 Date of Submission: November 5, 2009

Dear Ms. Williams:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, November 5, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse be	fore completing form.	Form Approved	I. OMB No. 2070-0060					
SEPA Enviro	United States Environmental Protection Agel Washington, DC 20460		Registration Amendment Other	OPP Identifier Number				
Application for Pesticide - Section I								
1. Company/Product Number 769-987		2. EPA Product Manager 3. Proposed Classification George LaRocca						
4. Company/Product (Name) AllPro Aqualuer 30-30	PM# X None Restricted							
5. Name and Address of Applicant <i>(In</i>) Value Garden Supply PO Box 585 St. Joseph, MO 64502	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.							
Check if this is a new	Product Name							
	Se	ction - II						
Amendment - Explain below. Resubmission in response to A	Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below. DEC 2 1 2009							
Explanation: Use additional page(s) if necessary. (For section 1 and Section 11.) Notification of an alternate brand name per PR Notice 98-10. The alternate brand name is AllPro EnviOn.								
	Ser	tion - III						
1. Material This Product Will Be Pack	aged in:							
Child-Resistant Packaging Yes* No Yes No		Water Soluble Packaging Yes No If "Yes" No, per 2. Type of Container Metal Plastic Glass Paper						
* Certification must Unit Pa	No. per II Y	ns No. per nge wgt container		(Specify)				
3. Ld in of Net Contents Informati	on 4. Size(s) Retail Cont	ainer 5.	Location of Label Direct On Label On Labeling acco	tions Impanying product				
6. Manner in Which Label is Affixed t	o Product Lithograph Paper glued Stenciled	Other _						
	Sec	tion - IV						
1. Contact Point Complete items dir	ectly below for identification of ind	ividual to be contacted, if n	ecessary, to process th	is application.)				
Name Diana Williams Re		tory Affairs Mgr		one No. (Include Area Code)				
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.								
		latory Affairs Manager						
4. Typed Name Diana Williams		November 5, 2009						



November 5, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Avenue, N.W. Washington, DC 20460

Subject:

ř

NOTIFICATION - ALTERNATE BRAND NAME

AllPro Aqualuer 30-30, EPA Reg. No. 769-987

Enclosed please find a notification of an alternate brand name, per PR Notice 98-10, for the subject registration. The alternate brand name is: AllPro® EnviOn

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.45, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.45, this product may be in violation of FIFRA and I may be subject to enforcement actions and penalties under sections 12 and 14 of FIFRA.

Enclosed are two copies of labeling for the subject registration with the alternate brand name inserted in place of the basic brand name. The changes have been highlighted on one copy. We would appreciate receiving one copy of the label back, stamped Notification, which we may use for state registration purposes.

Sincerely,

Diana Williams

Regulatory Affairs Manager

plean Wille

On Behalf of Value Garden Supply

Enclosures

Cc: B. Russell

AllPro[®] EnviOn

For use only be federal, state, tribal, or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

A Synergized Permethrin Formulation.

- For Effective Control of Adult Mosquitoes (including organophosphate resistant mosquitoes), Midges (Biting and Non-Biting) and Blackflies.
- > For ULV, Thermal and Barrier Applications using Ground and Aerial Equipment for control of Adult Mosquitoes and other biting flies.
- > Formulation Allows Dilution with Water or Oil.
- May be Applied Undiluted.
- For surface and barrier applications using handheld equipment. **NOTIFICATION**
- > Quick Knockdown and Effective Control of Target Insects.
- > For ULV applications at rates up to 0.007 lbs. a.i. per acre.

DEC 2 1 2009

- > For barrier application at rates up to 0.1 lbs. a.i. per acre.
- > Compatible with injector mixing systems or other insecticide mixing systems.

ACTIVE INGREDIENTS:

Permethrin: CAS [52645-53-1]	30.0%		
Piperonyl Butoxide Technical CAS [51-03-6]			
OTHER INGREDIENTS:			
Total	100.0%		

Contains 2.52 lbs. a.i. Permethrin/gallon and 2.52 lbs. a.i. Piperonyl Butoxide/gallon

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

FIRST AID

IF SWALLOWED: Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IMPORTANT: Have this product container or label with you when calling a poison control center or doctor or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice. NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration hazard.

See back panel for additional precautions.

EPA Reg. No. 769-987

EPA. Est. No. 44616-MO-1

0000

000000

Net Contents:

Value Garden Supply

P.O. BOX 585 • ST. JOSEPH, MO 64502

0000

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

Bee Warning: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift on blooming crops or weeds while bees are actively visiting the treatment areas, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recover effort.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Note: Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

HOW TO APPLY AND WHERE TO USE

EnviOn is designed for application as an Ultra-Low Volume (ULV) or thermal aerosol to control adult mosquitoes and flies of nuisance, public health or disease vector importance in areas such as but not limited to: residential areas, industrial areas, commercial areas, urban areas, parks, campgrounds, woodlands, athletic fields, golf courses, playgrounds, recreational areas, overgrown waste areas, roadsides, and other areas where adult mosquitoes and flies may be found.

EnviOn is recommended for application with ULV cold aerosol generators, thermal aerosol generators, mist-blowers, backpack sprayers, or handheld sprayers. Mist-blowers, backpack sprayers, handheld sprayers and low-pressure hand sprayers may be used for barrier or surface applications.

FOR BEST RESULTS treat when mosquitoes or insects are most active and weather conditions are conducive to keeping the fog near the ground e.g. cool temperatures, and consistent wind speeds are not greater than 10 m.p.h. Applications during the cool hours of night or early morning are usually preferable. Apply this product only when wind speed is greater than 1 mph.

Do not retreat the same site more than once in 12 hours. Do not apply more than 0.18lbs of permethrin per acre per year to any site. More frequent treatments may be made to prevent or control enthreat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster fectovery effort.

EnviOn can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are present:

Alfalfa Corn, grain Lettuce, head Almonds (field Mushrooms and pop) Onions. Apples Corn, stover dry bulb Artichokes, globe Corn, sweet kernel Peaches Asparagus Avocados + cob with husks Pears Broccoli removed Peppers, bell Pistachios Brussels sprouts Eggplant Cabbage **Filberts** Potato Cauliflower Range grasses Garlic Celery Kiwifruit Soybeans Cherries Spinach Horseradish Corn, forage **Tomatoes** Leafy vegetables Corn, fodder Vegetables, (except cucurbit Brassica)

Walnuts Watercress

Do not allow spray treatment to drift on pastureland, cropland, (other than crops listed) or water supplies. In treatment of corrals, feedlots, animal confinements/houses, swine lots and zoos, cover any exposed drinking water, drinking fountains and animal feed before application.

EnviOn provides effective control of adult mosquitoes, black flies, gnats, biting and non-biting midges, stable flies, horse flies, deer flies, sheep flies, horn and heel flies, and nuisance flying insects such as houseflies.

Air temperatures should be greater than 50° F when conducting all types of applications.

GROUND APPLICATION

Vehicle-Mounted ULV Cold Aerosol Generators (Cold Fog): Apply through non-thermal ULV application equipment and base all acreage calculations on the equipment manufacturer's recommended swath width. Spray equipment must be adjusted so the volume median diameter or mass median diameter is less than 30 microns (Dv 0.5 < 30 μm) and that 90% of the spray is contained in droplets smaller than 48 microns (Dv 0.9 < 48 μm). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to product acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated. Apply at a rate not to exceed 0.007 pounds of permethrin per acre. An optimum swath is created when **EnviOn** is applied from a truck being driven perpendicular to the wind direction. Direct the spray head of the equipment to ensure an optimum distribution of the spray cloud throughout the area. For best results, apply when insects are most active and meteorological conditions are conducive to keeping the spray cloud near the ground. An inversion of air temperatures and a light breeze of approximately 1 to 3 mph is preferable. During applications consistent ground wind speeds should not exceed 10 MPH. Application of this product during cooler hours of the night or early morning is recommended.

Envior may be applied through all ULV Cold Aerosol Generators, or other similar equipment designed for non-thermal ULV aerosol applications. The desired application rate may be obtained from the charters below or by altering the dilution rate of Envion, the flow rate of the insecticide from the application equipment and the vehicle speed. Some examples are provided in the following chart. When an alternate rate is required, adjust the flow rate accordingly, provided the droplet size and specifications.

· FLOW RATE (Fluid Ounces Per Minute)								
	Dilutions Based on a 15 Gallon Tank*							
Application Rate	Vehicle							
(Pounds of Permethrin	Speed		,					
a.i./Acre)	(MPH)	Undiluted	Diluted 1: 4	Diluted 1: 5	Diluted 1: 6.5	Diluted 1: 9		
0.0015	10	0.46	2.32	2.77	3.50	4.7		
	15	0.70	3.47	4.15	5.20	7.0		
	20	0.93	4.64	5.60	7.00	9.3		
0.00175	10	0.55	2.70	3.24	4.05	5.4		
	15	0.82	4.05	4.84	6.07	8.1		
	20	1.09	5.40	6.48	8.10	10.8		
0.0035	10	1.09	5.40	6.48	8.1	10.8		
	15	1.65	8.10	9.68	12.1	16.1		
	20	2.19	10.8	12.9	16.1	21.5		
0.007	10	2.19	10.7	12.9	16.1	21.5		
	15	3.28	16.1	19.4	24.2			
	20	4.38	21.4	25.8				

*Dilution Instructions: Fill tank with appropriate amount of water for the desired dilution, then add **Envion** and mix well. The use of metering pumps, injector systems or other mixing systems is optional. Note: When using oil as a diluent agitate well before use.

Where dense vegetation is present, use higher rates of application and/or a slower speed for best results. All applications should be conducted when temperatures are greater than 50° F.

BACKPACK OR HANDHELD SPRAYER APPLICATION: Apply through non-thermal ULV application equipment and base acreage calculations on a 300-foot swath. To apply undiluted at 0.007 pounds of permethrin per acre adjust equipment to an output rate of 0.86 ounces per minute and walk at 4 mph. To apply 0.0035 pounds of permethrin per acre, dilute 1 part **EnviOn** with 6 parts of diluent and apply at a rate of 3 ounces per minute and walk at 4 mph.

THERMAL AEROSOL APPLICATION: For use in truck-mounted, handheld or other thermal fogging equipment. Spray equipment must be adjusted so the volume median diameter or mass median diameter is less than 30 microns (Dv $0.5 < 30~\mu m$) and that 90% of the spray is contained in droplets smaller than 48 microns (Dv $0.9 < 48~\mu m$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to product acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated. Apply this product mixed with water or oil at a rate not to exceed 0.007 lbs. per acre. Base acreage calculations on a 300 feet swath. For best results, direct the thermal fog into and allow to drift through areas where adult mosquitoes are found.

BARRIER APPLICATIONS: To control resting or flying adult mosquitoes in areas such as animal quarters, roadsides, urban areas, residential areas, commercial areas, industrial areas, golf courses, parks, recreational areas, tire piles and all public areas where adult mosquitoes occur or find harborage. May be used to treat aggregation and harborage areas such as the perimeter of residential buildings, commercial buildings, storage buildings, crawl spaces, transport trailers, abandoned or uninhabited buildings and other areas where adult mosquitoes find harborage.

When this product is applied as a barrier application using low pressure hand sprayers, by draulic sprayers or ground ULV equipment, do not apply within 100 feet (30 meters) of lakes and streams.

To apply this product using low pressure hand sprayers or other similar equipment, for the control of the contr

courses from which mosquitoes or flies are to be excluded. Applications may be directed into harborage areas or other resting areas where adult mosquitoes or flies may be found.

URBAN ULV MOSQUITO CONTROL APPLICATIONS: For control of resting or flying adult mosquitoes, biting flies and biting midges in harborage areas such as but not limited to utility tunnels, sewers, storm drains and catch basins, pipe tunnels, basements, underground passages, parking decks, crawl spaces under buildings, abandoned buildings or uninhabited buildings. Apply **EnviOn** diluted or undiluted using mechanical foggers, hand-held or truck-mounted ULV equipment, thermal foggers or other spray equipment suitable for this type of application. **EnviOn** maybe applied at rates up to but not exceeding 0.007 lbs. permethrin per acre.

AERIAL APPLICATION

Apply **Envion** either diluted or undiluted at rates up to 0.007 lbs. Permethrin/PBO per acre by fixed wing or rotary aircraft equipped with a spraying system capable of making a ULV application. For aerial applications of **Envion**, use ULV equipment and nozzles such as rotary atomizers or similar spray equipment. Spray equipment must be adjusted so the volume median diameter produced is less than 60 microns (Dv $0.5 < 60 \mu m$) and that 90% of the spray is contained in droplets smaller than 115 microns (Dv $0.9 < 115 \mu m$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to product acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated.

Aerial application of **Envion** shall be made at altitudes ranging from 100 feet to 300 feet. Do not apply when ground wind speed equals 0 MPH or when ground wind exceeds 10 MPH. Aerial applications of **Envion** shall only be made when recommended by public health officials and trained personnel of mosquito abatement districts and other mosquito control programs. To ensure best results applications shall be made when temperatures are greater than 50° F.

For best results, apply **EnviOn** when insects are most active and meteorological conditions are conducive to keeping the spray cloud near the ground. Aerial applications using aircraft equipped with global positioning systems (GPS) may be needed to compensate for windy conditions and to ensure drift into target areas.

IN FLORIDA: Do not apply by aircraft **unless approved by** the Florida Department of Agriculture and Consumer Services.

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal.

Pesticide Storage and Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

Container Disposal: Triple rinse or equivalent, then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

Notification 11/05/2009

.. .



