



U.S. ENVIRONMENTAL PROTECTION
AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg.
Number:
769-991

Date of
Issuance:
NOV - 9 2010

Term of Issuance:
Conditional

Name of Pesticide Product:
AllPro® Evoluer 31-66 ULV

NOTICE OF PESTICIDE:

Registration
 Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Value Garden Supply, LLC
P.O. Box 585
St. Joseph, MO 64502

Note: Changes in labeling affecting in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - a. Revise the EPA Registration Number to read "EPA Registration Number 769-991".

Signature of Approving Official:

Linda A. De Luce for Richard Gebken

Date:

November 9, 2010

page 2

EPA Reg. No. 769-991

b. Under First Aid you may delete the "If Inhaled" section since the toxicity category for acute inhalation is a category IV.

c. Replace the Hazards to Humans and Domestic Animals section with "Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse."

d. Replace the If swallowed statement with

If Swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.
-

e. In the PPE section after the paragraph "Some Materials..." add

Applicators using ULV cold foggers or fog/mist generators in outdoor spaces must wear:

- Long-sleeved shirt and long pants.
- Shoes plus socks.
- Chemical resistant gloves.

f. On page 2 revise "Mixers, loaders, ground applicators, and other handlers must wear:" to read "All mixers, loaders, ground applicators, and other handlers must wear:".

g. On page 2 the USER SAFETY RECOMMENDATIONS box should be bullets

- Users should wash hands before eating, drinking, chewing gum or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. b. Add and outlined box around the USER SAFETY REQUIREMENTS heading and associated text.

h. Add and outlined box around the USER SAFETY REQUIREMENTS heading and associated text.

page 3

EPA Reg. No. 769-991

- i. Delete "but not limited to" wherever it appears on the label
- j. On page 3 delete "Apply when wind speed..20 mph."
- k. Move "More frequent treatments... by the state or tribe during a natural disaster recovery effort." to before "Do not retreat...PPO per acre."
- l. On page 3 Under Directions for Use after "More frequent treatments... by the state or tribe during a natural disaster recovery effort." add

SPRAY DRIFT REQUIREMENTS

"A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, and relative humidity) and method of application (e.g., ground, aerial, airblast, Chemigation) can influence spray drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Apply when wind speed is greater than or equal to 1 mph. Do not apply if wind speed exceeds 10 mph.

Do not apply by fixed wing aircraft at a height less than 100 feet, or by helicopter at a height less than 75 feet unless specifically approved by the state or tribe based on public health needs."

- m. On page 3 before **Evoluer 31-66 ULV** can be applied over.. following crops are present: add

BUFFER ZONE

Buffer Zone for Ground Application (groundboom, overhead Chemigation, or airblast)

Do not apply within 25 feet of aquatic habitats(such as, lakes, reservoirs, rivers, streams, marshes, ponds, estuaries and commercial fish ponds.

Buffer Zone for ULV Aerial Application

Do not apply within 450 feet of aquatic habitats(such as, lakes, reservoirs, rivers, streams, marshes, ponds, estuaries and commercial fish ponds.

Buffer Zone for Non-ULV Aerial Application

Do not apply within 150 feet of aquatic habitats(such as, lakes, reservoirs, rivers, streams, marshes, ponds, estuaries and commercial fish ponds.

page 4

EPA Reg. No. 769-991

n. On page 3 after the list of crops add "GENERAL USE INFORMATION" before "Do not spray or allow this product to drift onto cropland (other than crops listed) or portable water supplies.

ACUTE TOXICITY REVIEW

STUDY	MRID	CATEGORY	CLASSIFICATION
Acute Oral	45388601	III	Cited
Acute Dermal	45388602	III	Cited
Acute Inhalation	45388603	IV	Cited
Eye Irritation	45388604	IV	Cited
Dermal Irritation	45386605	IV	Cited
Dermal Sensitization		Positive	Cited/Waived

2. You must generate a one year storage stability and corrosion characteristics study corresponding to guideline 830.6317 on the proposed product. It is required that the observations be made at 0, 1, 3, 6, 9, and 12 month intervals. The results must be submitted to the Agency in electronic and hard copy format.

3. Please submit two (2) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

AllPro® Evoluer® 31-66 ULV

Evoluer 31-66 ULV Is A Quick Knockdown, Synergized Synthetic Pyrethroid for Use in the Control of Out-door Flying Insects, including: Adult Mosquitoes, Biting and Non-Biting Midges, Black flies, Gnats, Cluster Flies, and House Flies.

For use by federal, state, tribal, or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

ACTIVE INGREDIIENTS :

Permethrin: CAS [52645-53-1]	31.0%
Piperonyl Butoxide Technical CAS [51-03-6]	66.0%

OTHER INGREIENTS:	<u>3.0%</u>
TOTAL		100.0%

ACCEPTED with COMMENTS
In EPA Letter Dated: contains 2.84 lbs. ai Permethrin/gallon and 6.05 lbs. ai Piperonyl Butoxide/gallon

NOV - 9 2010

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

769-991

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.

IMPORTANT: Have this product container or label with you when calling a poison control center or doctor or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice.

EPA Reg. No. 769-

EPA. Est. No. 44616-MO-1

Net Contents: [1 Gal] [2.5 Gal] [30 Gal] [55 Gal]

Value Garden Supply
P.O. BOX 585 • ST. JOSEPH, MO 64502

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed or absorbed through the skin, or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing of spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber, and viton. If you want more options, follow the instructions for category E on an EPA chemical-resistance category selection chart.

Mixers, loaders, ground applicators, and other handlers must wear:

- Long-sleeve shirt and long pants,
- Shoes plus socks,
- Chemical-resistant gloves for all handlers except for applicators using motorized ground equipment, pilots, and flaggers.
- Chemical-resistant apron for mixers/loaders, person cleaning equipment, and persons exposed to the concentrate.

See Engineering Controls for additional requirements.

USER SAFETY REQUIREMENTS

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

ENGINEERING CONTROLS

Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to the use of the Global Positioning System (GPS) or mechanical flaggers.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

Bee Warning: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment areas, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-

borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recover effort.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Evoluer 31-66 ULV is recommended for application as an Ultra Low Volume (ULV) Thermal or Non-thermal aerosol (cold fog) to control adult mosquitoes, flies, midges, and gnats in residential and recreational areas where these insect pests become a problem; such as, but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, and non-crop waste areas.

Evoluer 31-66 ULV may be used as is, or diluted with a suitable solvent i.e. a 60 to 100 second viscosity mineral oil. For exact rates see the "UNDILUTED" or the "DILUTION" Rates charts on this label.

FOR BEST RESULTS treat when mosquitoes or other listed insects are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures. Applications during the cool hours of night or early morning are usually preferable.

Apply when wind speed is greater than 1 MPH. Do not apply when air temperature is below 50° F. Do not apply if wind speed exceeds 20 MPH.

Do not retreat the same site more than once in 3 days. Do not exceed 25 applications at 0.007 lbs permethrin ai per acre per application or 0.025 lbs PBO ai per acre per application, or 0.18 lbs. of permethrin per acre per season or 2.0 lbs. PBO per acre per year. When targeting *Aedes taeniorhynchus* and other difficult species, applications of PBO may be made up to 0.08 lbs PBO per acre.

More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Evoluer 31-66 ULV can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are present:

- | | |
|--|------------------------------------|
| Alfalfa | Garlic |
| Almonds | Kiwifruit |
| Apples | Horseradish |
| Artichokes, globe | Leafy Vegetables (except Brassica) |
| Asparagus | Lettuce, head |
| Avocados | Mushrooms |
| Broccoli | Onions, dry bulb |
| Brussels sprouts | Peaches |
| Cabbage | Pears |
| Cauliflower | Peppers, bell |
| Celery | Pistachios |
| Cherries | Potato |
| Corn, fodder | Soybeans |
| Corn, forage | Spinach |
| Corn, grain (field & pop) | Tomatoes |
| Corn, stover | Vegetables, cucurbit |
| Corn, sweet kernel +
cob with husks removed | Walnuts |
| Eggplant | Watercress |
| Filberts | |

Do not spray or allow this product to drift onto cropland (other than crops listed) or potable water supplies.

In treatment of corrals, feedlots, animal confinements/houses, swine lots and zoos, cover any exposed drinking water, drinking fountains and animal feed before application.

Do not apply directly to sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur, except as directed by this label.

Not for use in outdoor residential misting systems. Not for use in metered release systems.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

GROUND APPLICATION

For proper ground application mount the fog applicator so that the nozzle is at least 4 ½ feet above ground level and directed out the back of the vehicle. Application may be made at speeds of 5 mph up to 20 mph. Failure to follow these label directions may result in reduced effectiveness.

Spray equipment must be adjusted so that the volume median diameter is less than 30 microns (Dv 0.5 < 30 µm) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 µm). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated.

GROUND ULV NON-THERMAL AEROSOL (COLD FOG) APPLICATIONS

Apply Evoluer 31-66 ULV using any standard ULV ground applicator. When applying this product undiluted apply at a flow rate of 0.5 to 2.0 fluid ounces per minute at an average vehicle speed of 10 M.P.H. These rates are equivalent to 0.00175 to 0.007 pounds of Permethrin ai per acre. If a different vehicle speed is used, adjust the rate accordingly. Vary flow rates according to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when insect populations are high. An accurate flow rate control system must be used to ensure proper flow rate. Evoluer 31-66 ULV may also be applied by diluting with a 60 to 100 second mineral oil or another suitable solvent, applied so as not to exceed the maximum ai rates per acre as shown below. If an alternate dilution is required, adjust the flow rate accordingly, provided droplet size and spectrum remain within label specifications. Do not exceed a flow rate of 20 oz. per minute unless recommended by equipment manufacturers and/or Public Health Officials.

GROUND THERMAL AEROSOL FOGGING APPLICATIONS

Refer to the UNDILUTED OR DILUTION RATES tables for fogging applications. Droplet size of thermal "fog" will be very small, usually in the 0.5 to 1.0 micron range.

TRUCK MOUNTED: Apply Evoluer 31-66 ULV diluted or undiluted with Suitable Thermal Fogging equipment. If diluted use a 60 to 100 second viscosity mineral oil, or another suitable non-phytotoxic diluent, to reduce oil requirement and sludge buildup in equipment. Do not exceed the maximum 0.007 lb. Permethrin ai per acre rate. May be applied at speeds of 5 m.p.h. up to 20 m.p.h.

HAND CARRIED and/or LAWN MOWER FOGGERS: Use the same rates of ai per acre with a 300-foot swath width at a walking speed of 2 m.p.h. Do not wet plant foliage. Only use clean, well maintained, and properly calibrated equipment known to give excellent performance. Fog Downwind. Apply Evoluer 31-66 ULV at 0.00175 to 0.007 lb. Permethrin ai per acre.

INSECT BARRIER APPLICATIONS

AS AN INSECT BARRIER – USE A "BACKPACK" FOG-Type-MIST BLOWER

For use in Non-Thermal ULV, motorized, portable, Backpack, Fog type Mist Blower equipment. Evoluer 31-66 ULV may be applied undiluted or diluted (see Application Rates tables section). If diluted, use a 30 to 100 second viscosity mineral oil, or another (if recommended by Public Health Officials), suitable non-

phytotoxic diluent. Use 1 to 4.5 fl. oz of Evoluer 31-66 ULV (.022 to 0.1 lb permethrin ai) per acre at a 300 ft. (91.44 m) swath width while walking at a speed of 2 m.p.h. (3.2 k.p.h.). Whether applied undiluted or diluted, or at a different speed, make sure that the amount of Evoluer 31-66 ULV does not exceed 4.5 fl. oz. (0.1 lb. permethrin ai) per acre.

When this product is applied as a barrier treatment, do not apply within 100 feet (30 meters) of lakes and streams.

URBAN APPLICATIONS

For control of resting or flying adult mosquitoes in harborage areas such as but not limited to utility tunnels, sewers, storm drains and catch basins, pipe chases, underground basements, underground passages, parking decks, crawl spaces or uninhabited buildings, apply Evoluer 31-66 ULV diluted or undiluted using mechanical foggers, hand-held or truck-mounted ULV equipment, or thermal foggers suitable for this application. Apply Evoluer 30+30 ULV at rates up to but not exceeding 0.021 lbs permethrin per acre

AERIAL APPLICATION

Aerial applications should be done using suitable aerial U.L.V equipment adjusted so the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 µm) and that 90% of the spray is contained in droplets smaller than 115 microns (Dv 0.9 < 115 µm). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated. Do not apply by fixed wing aircraft at a height less than 100 feet, or by helicopter at a height less than 75 feet unless specifically approved by the state or tribe based on public health needs.

Aerial Application made at ≤ 200 feet above ground elevation:

Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 µm) and that 90% of the spray is contained in droplets smaller than 100 microns (Dv 0.9 < 100 µm). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at > 200 feet above ground elevation:

Spray equipment must be adjusted so the volume median diameter produced is less than 70 microns (Dv 0.5 < 70 µm) and that 90% of the spray is contained in droplets smaller than 145 microns (Dv 0.9 < 145 µm). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to product acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated.

IN FLORIDA: Do not apply by aircraft unless approved by the Florida Department of Agriculture and Consumer Services

CONDITIONS AND RATES TO USE Evoluer 31-66 ULV UN-DILUTED						
Pounds ai per/acre		Application Rates Fl. Oz. per Minute at M.P.H.				Fl. Oz. of Evoluer 31-66 ULV per acre
Permethrin	PBO	5 MPH	10 MPH	15 MPH	20 MPH	
0.007	0.015	1.0	2.0	3.0	4.0	0.33
0.0035	0.0075	0.5	1.0	1.5	2.0	0.165
0.00175	0.00375	0.25	0.5	0.75	1.0	0.0825

DILUTION RATES FOR Evoluer 31-66 ULV						
FOR A 1:2 Dilution						
Mix 1 part Evoluer 31-66 ULV with 2 parts suitable Mineral Oil; apply as follows:						
Pounds ai per/acre		Application Rates Fl. oz. per Minute at Vehicle Speeds M.P.H.				Fl. Oz. finished spray per acre
Permethrin	PBO	5 MPH	10 MPH	15 MPH	20 MPH	
0.00700	0.015	3.0	6.0	9.0	12.0	1.0
0.00350	0.0075	1.5	3.0	4.5	6.0	0.5
0.00175	0.00375	0.75	1.5	2.25	3.0	0.25
FOR A 1:4 Dilution						
Mix 1 part Evoluer 31-66 ULV with 4 parts suitable Mineral Oil; apply as follows:						
Pounds ai per/acre		Application Rates Fl. oz. per Minute at Vehicle Speed M.P.H.				Fl. Oz. finished spray per acre
Permethrin	PBO	5 MPH	10 MPH	15 MPH	20 MPH	
0.00700	0.015	5.0	10.0	15.0	20.0	1.6
0.00350	0.0075	2.5	5.0	7.5	10.0	0.80
0.00175	0.00385	1.25	2.5	3.75	5.0	0.4
FOR A 1:8 Dilution						
Mix 1 part Evoluer 31-66 ULV with 8 parts suitable Mineral Oil; apply as follows:						
Pounds ai per/acre		Application Rates Fl. oz. per Minute at Vehicle Speeds M.P.H.				Fl. Oz. finished spray per acre
Permethrin	PBO	5 MPH	10 MPH	15 MPH	20 MPH	
0.00700	0.015	9.0	18.0	27.0	36.0	3.0
0.00350	0.0075	4.5	9.0	13.5	18	1.5
0.00175	0.00385	2.25	4.5	6.75	9.0	0.75

11/11

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal.

Pesticide Storage and Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container promptly after emptying. **Containers \leq 5 gallons:** Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Container $>$ 5 gallons:** Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure-rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Offer for recycling, if available.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. By using this product, User and Buyer accept the following Conditions and Disclaimer.

CONDITIONS: The Directions for Use of this product are believed to be adequate and should be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Value Garden Supply All such risks shall be assumed by the User or Buyer.

DISCLAIMER: Value Garden Supply warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. Value Garden Supply makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. To the extent provided by law Value Garden Supply shall not be liable for any consequential, special, or indirect damages resulting from the use, handling or application of this product.