


[773-4]



Active ingredients:	
Chloroform	7.5% w/w
Rotenone	0.12% w/w
Other ether extractives of cube	0.2% w/w
Inert ingredients	92.18% w/w

EPA Reg. No. 773-4

For the treatment of demodectic mange. Also used for ear mites.

DIRECTIONS FOR DEMODECTIC MANGE: Dogs should be clipped and bathed if necessary, and thoroughly dried. Apply petrolatum or other bland ointment to eyes to prevent conjunctival irritation. Thoroughly massage CANEX* Solution into and around infested areas. If animal is in poor physical condition, correct before applying CANEX. Apply to a small area to determine tolerance. Discontinue if gastrointestinal or other systemic complications occur. Demodectic mange is difficult to accurately diagnose and often requires prolonged treatment and attention to other factors such as diet. Apply daily for 7-10 days; if no improvement is noted after 10 days, consult veterinarian.

DIRECTIONS FOR EAR MITES: Dilute 1 part of CANEX Solution with 3 parts of mineral oil. Shake well before using. Apply several drops in ear canal, massage to distribute over external ear structure. Repeat every 5 to 7 days for several applications, then as indicated.

CAUTION: Keep out of reach of children.

Avoid contact with the eyes.

Do not reuse container. Destroy when empty.

SOLD TO GRADUATE VETERINARIANS ONLY

ONE GALLON



PITMAN-MOORE, INC.
WASHINGTON CROSSING, N.J. 08560

© P-M 73

*TRADEMARK

MADE IN U.S.A.

101


DIRECTIONS FOR EAR MITES: Dilute 1 part of CANEX Solution with 3 parts of mineral oil. Shake well before using. Apply several drops in ear canal, massage to distribute over external ear structure. Repeat every 5 to 7 days for several applications, then as indicated.

SOLD TO GRADUATE VETERINARIANS ONLY

© P-M '73

*Trademark

Made in U.S.A.



Active ingredients:	
Chloroform	7.5% w/w
Rotenone	0.12% w/w
Other ether extractives of cube	0.2% w/w
Inert ingredients	92.18% w/w

EPA Reg. No. 773-4

For the treatment of demodectic mange. Also used for ear mites.

CAUTION:

Keep out of reach of children.

Avoid contact with the eyes.

Do not reuse container.

Destroy when empty.

16 FL. OZ. (1 PT.)



PITMAN-MOORE, INC.
WASHINGTON CROSSING, N.J. 08560

773-4

ACCEPTED
NOV 21 1973
OFFICE OF THE FEDERAL INSPECTOR
GENERAL AND PESTICIDE ACT
REGISTERED
SUBJECT
TO ATTACHED COMMENTS.

DIRECTIONS FOR DEMODECTIC MANGE: Dogs should be clipped and bathed if necessary, and thoroughly dried. Apply petrolatum or other bland ointment to eyes to prevent conjunctival irritation. Thoroughly massage CANEX* Solution into and around infested areas. If animal is in poor physical condition, correct before applying CANEX. Apply to a small area to determine tolerance. Discontinue if gastrointestinal or other systemic complications occur. Demodectic mange is difficult to accurately diagnose and often requires prolonged treatment and attention to other factors such as diet. Apply daily for 7-10 days; if no improvement is noted after 10 days, consult veterinarian.

