



Proposed Front Panel Revision - SPRECTO* with Repellent

(Type size requirement):
KEEP OUT OF REACH OF CHILDREN

(CAUTION - Type size requirement):
CAUTION: Harmful if swallowed or inhaled. See additional precautions on back panel.

NET WT. 14 OUNCES

(LOGO) PITMAN-MOORE
Manufactured for PITMAN-MOORE, INC.
Washington Crossing, NJ 08560

ACCEPTED
OCT 24 1983
Under the Federal Insecticide,
Fungicide and Rodenticide Act
for the pesticide
registered under
EPA Reg. No. 773-36

197-22 (2)

Proposed Back Panel Revision - SPRECTO* with Repellent

(All signal words - Type size requirement):

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Apply SPRECTO* with Repellent from a distance of 4 to 6 inches, protecting animal's eyes from spray.

Adult dogs - spray along the back from head to tail for light infestation. For heavy infestation, entire hair coat should be slightly dampened. Ticks that are attached should be sprayed more heavily.

Adult cats - spray lightly on hair coat along the back from head to base of tail.

To prevent reinfestation, apply at weekly intervals, as needed, and spray living quarters thoroughly. Operates best at room temperature.

STORAGE AND DISPOSAL

Store in a cool, dry area away from heat or open flame. Discard container in trash. Do not incinerate or puncture container.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

HUMAN - Harmful if swallowed or inhaled. Avoid breathing mist. Avoid contact with eyes and skin. Wash hands after applying. Avoid contamination of food.

ANIMAL - Avoid contact to animal's eyes. Avoid treatment of kittens less than 4 weeks of age and nursing puppies. Overtreatment may cause toxic reactions.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: do not induce vomiting. Contact physician immediately.

If inhaled: remove victim to fresh air. Apply artificial respiration, if indicated.

If in eyes: flush with plenty of water.

If on skin: wash with soap and water.

Proposed Back Panel Revision - SPRECTO* with Repellent (Continued)

PHYSICAL AND CHEMICAL HAZARDS: Flammable! Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

EPA Reg. No. 773-36

EPA Est. No. 9688-MO-1

© P-M 83

*Trademark

PMI

Made in U.S.A.

FRONT PANEL

BACK PANEL


57103 * **SPECTO** WITH REPELLENT
Insecticide-Repellent

For control of fleas, lice
and ticks on dogs and cats
also temporarily repels
annoying mosquitos
and flies



57103 * **SPECTO** WITH REPELLENT
Insecticide-Repellent

For control of fleas, lice
and ticks on dogs and cats
also temporarily repels
annoying mosquitos
and flies



Active Ingredients:	
Pyrethrins	0.05% w/w
Technical piperonyl butoxide	0.1% w/w
Carbaryl (1-naphthyl N-methylcarbamate)††	0.5% w/w
2,3,4,5-bis (2-butylene) tetrahydro-2-furaldehyde	0.2% w/w
N-octyl bicycloheptene dicarboximide	0.4% w/w
Petroleum distillate	3.35% w/w
Inert ingredients	95.4%
†Equivalent to 0.08% (butylcarbityl) (5-propylpiperonyl) ether and 0.02% of related compounds	
††SEVIN®—Trademark of Union Carbide Corporation	

CAUTION: Keep out of reach of children.
See other cautions on back panel.

NET WGT. 14 OUNCES

Trademark

DIRECTIONS: Apply SPECTO with Repellent from a distance of 4 to 6 inches, protecting animal's eyes from spray.
Adult dogs—spray along the back from head to tail for light infestation. For heavy infestation entire hair coat should be slightly dampened. Ticks that are attached should be sprayed more heavily.
Adult cats—spray lightly on hair coat along the back from head to base of tail.
To prevent infestation, apply at weekly intervals as needed and spray living quarters thoroughly. Operates best at room temperature.

SOLED TO VETERINARIANS ONLY
CAUTION

IRITANT: Harmful if swallowed or inhaled. Avoid breathing mist. Avoid skin contact. Avoid contamination of food. Wash hands after applying.
ALARM: Avoid treatment of kittens less than 4 weeks of age and nursing puppies. Over-treatment may cause toxic reactions.
WARNING: Flammable! Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

PITMAN-MOORE
Manufactured for PITMAN MOORE, INC.
WASHINGTON CROSSING, N. J. 08560

© P. M. '9 EPA Reg. No. 773-36 Made in U.S.A.
EPA Est. No. 9600 MO-1 **B**