

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20480	EPA REGISTRATION NO. 773-55	DATE OF ISSUANCE 5-30-90
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Clinafame P	

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered under the Federal Insecticide, Fungicide, and Rodenticide Act, section 3(b)(7)(B) of the Act, 7 U.S.C. 136b(7)(B).

1. Submit/revise all data required for registration of your product under FIFRA section 3(b)(7)(B) of the Act, 7 U.S.C. 136b(7)(B) of similar products to the following:

2. Make the labeling changes indicated below to release the product for shipment:

- a. Add the phrase: "EPA Registration No. 773-55"
- b. Revise Precautionary statement to read:

Corrosive, or may irritate the eyes, nose, throat, or skin if swallowed. Harmful if absorbed through skin or inhaled. Avoid breathing spray mist or contact with skin. Do not get in eyes, on face, neck, or clothing. Wash thoroughly with soap and water after handling. Do not eat, drink, or smoke while handling and wash before eating.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *Susan Kelly* DATE: 5/30/90

c. Revise Statement of Practical Treatment as follows:

If in eyes: Hold eyelids and flush with steady gentle stream of water for 15 minutes. Call physician.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

SL

Susan Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 30 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under FIFRA Reg. No.

DRAFT LABEL

PRODUCT NAME: CLINAFARM EC
DATE: 03/01/90 SUPERCEDES: 8/29/89 773 55
ITEM: Container Label PAGE: 1 OF 3
COMPANY: Sterwin Products Inc., Pitman-Moore
COUNTRY: USA

REASON TO ISSUE: Revise text in line with US/EPA and
project team comments

PREPARED BY: DABuss, Reg Affairs, Kansas City
(Refer to 40 CFR for US/EPA type size requirements. Refer to
US/EPA Pesticide Regulation Notice 83-3 for container dis-
posal text appropriate for container size and material.)

(dab90090)

FRONT PANEL

CLINAFARM* EC

Product Code XXXXX

Emulsifiable Concentrate

For Control of *Aspergillus fumigatus* Contamination
In Poultry Hatchery Equipment

ACTIVE INGREDIENT:

Imazalil (enilconazole)*: 1-(2-(2,4-Dichlorophenyl)-2-
(2-propenyloxy)ethyl)-1H-imidazole13.8% w/w
INERT INGREDIENTS.....86.2%

*U.S. PATENT No. 3,658,813

100.0% w/w

KEEP OUT OF REACH OF CHILDREN
DANGER

See Side Panel for Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with steady, gentle
stream of water for 15 minutes.

IF SWALLOWED: Call a physician or Poison Control Center.
Drink 1 or 2 glasses of water and induce vomiting by touching
back of throat with finger. Do not induce vomiting or give
anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical
attention.

IF INHALED: Remove victim to fresh air. If not breathing,
give artificial respiration, preferably mouth to mouth. Get
medical attention.

Net Contents: XXX mL (XXX U.S. Quarts)

STERWIN PRODUCTS INC.
Pitman-Moore
Millsboro, DE 19966

Made in U.S.A.

A product of Janssen research

DRAFT LABEL

PRODUCT NAME: CLINAFARM EC

DATE: 03/01/90

SUPERCEDES: 8/29/89

ITEM: Container Label

PAGE: 2 OF 3

SIDE PANEL

=====

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Causes irreversible eye damage. Harmful or fatal if swallowed. Harmful if absorbed through skin or inhaled. Avoid breathing spray mist. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

For the control of *Aspergillus* organisms in cleaned poultry and turkey hatchery equipment prior to introduction of the eggs. Equipment would include empty hatcher cabinets, setters, coolers, storerooms, handling equipment, etc. CLINAFARM EC will dramatically reduce the levels of infectious organisms and spores in treated areas.

To make 1 gallon of a 1:100 dilution, add 1.25 fl. oz. (36mL) of CLINAFARM EC to one gallon of clean water to provide an antifungal concentration of 0.15% active ingredient. Do not use product undiluted.

To assure proper efficacy, the area or equipment to be treated should be clean and closed off from outside air currents before treatment. Ventilation ducts may be treated but fans must be shut off.

Fog or spray area to be treated at the rate of 1/2 fl. oz. diluted product per 150 cu. ft. (1mL per 10 cu. ft.). Fog or spray to insure good contact with surface areas. Do not re-enter treatment areas for two hours.

CLINAFARM EC is compatible with other commonly used disinfectants such as quaternary ammonium compounds, glutaraldehyde, formaldehyde and phenolic compounds.

*****DRAFT LABEL*****

PRODUCT NAME: CLINAFARM EC

DATE: 03/01/90

SUPERCEDES: 8/29/89

ITEM: Container Label

PAGE 3 OF 3

SIDE PANEL(Continued)

=====

PHYSICAL/CHEMICAL HAZARDS: Do not use or store near heat or open flame.

STORAGE: Store at room temperature

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not contaminate water when disposing of equipment washwaters. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 773-55

EPA Est. No. XXXX-XX-X

Lot No.

(copyright notice)

(trademark notice)