773-63

3/13/2000

Page 1 2 3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAR 1 3 2000

Mr. Joseph Pavelchak Schering-Plough Animal Health Corporation 1095 Morris Avenue P.O. Box 3182 Union, New Jersey 07083-1982

SUBJECT: Response to Agency 2/9/99 Letter Amended Label, Corrected Confidential Statement of Formula (CSF) Ectiban® Insecticide EPA Reg. No. 773-63 Your Submissions Dated December 8, 1999 and March 1, 2000

Dear Mr. Pavelchak:

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
- 2. The basic and alternate confidential statement of formula (CSF) dated March 1, 2000 are acceptable and are the formulas of record for this product.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records. If you have any questions regarding this letter, please contact Linda Werrell of my team at (703)308-8033.

Sincerely,

Gid Denulf -

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division

Enclosure

Ectiban_® D Insecticide

station in the St

Poultry and Livestock Dust

Active ingredient

Permethrin (3-phenoxyphenyl) methyl	
(±) cis, trans-3-(2,2-dichloroethenyl)	
-2,2-dimethylcyclo-propanecarboxylate*	0.25%
Inert Ingredients	<u>99.75%</u>
	100.00%
*cis/trans ratio: Min. 35% (±) cis and max 65% (±) trans	

Contains Ectiban insecticide for control of horn flies, faceflies, lice (dairy, beef and swine) and mites (poultry).

KEEP OUT OF REACH OF CHILDREN CAUTION SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 2 Pounds (908 g) EPA Reg. No. 773-63 EPA Est. No. 67517-MO-1



(

Schering-Plough Animal Health Corporation Union, NJ 07083

ACCOPTED with COMMENTS in EPA Letter Dated

-3 MAR

Ender the Federal Insecticide, building, and Rodenticide Act stands, for the posticide of under EPA Reg. No. 773-63

DIRECTIONS FOR USE

Ą

3

 \mathcal{A}

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Ready-to-Use in dust bags or hand dusting equipment. Follow specific use instructions on dust dispensing equipment to be used.

dust dispensing equipment to be used.			
Apply to	Target	Application	
	Insects	Instructions	
Lactating	Horn flies	DUST BAGS:Suitable for all	
and Non-	Face flies	refill bags. Place contents of	
Lactating	Liœ	package in dust bag and refill	
Dairy Cattle		as needed. Results improved	
and D of Could		by daily forced use.	
Beef Cattle			
		DUST READY TO USE	
		BAG: Installation of cattle	
		dust bag. Suspend the dust	
		bags by inserting rope, chain	
		or wire through the grommets	
		at the top of the bag and	
		attaching to an overhead	
		structure, or by hooking the	
		grommets into hooks fixed to	
		a stationary overhead 2x4 at	
		the heights recommended for	
		louse and horn fly or face fly control. Rope, chain or wire	
		can also be tied or attached to	
		two posts or other fixed	
		points with the dust bag	
		hanging in the center. After	
	}	the bags are in place, pull the	
		rip cord to allow the	
		insecticide to release from the	
		sifter bottom.	
Swine	Lice	DIRECT APPLICATION:	
		Apply up to 2 oz.* per	
		animal. For lice, a second	
		treatment at 14 days is	
		recommended and dust	
		should be rubbed well into	
		coat.	
Poultry	Mites		
roundy	MILLES	Apply up to 1 oz.* per animal	
		paying particular attention to the ears. A second treatment	
1		at 14 days is recommended. Do not ship animals for	
		slaughter within 5 days of	
		last treatment.	
	•	The Boardone	
		Apply at a rate of 1 lb./100	
		birds. Ensure thorough	
		treatment of vent areas.	
I			
*1 oz of this	*1 oz of this dust equals approximately 2 1/2 level		
tablespoonsful.			
•			

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin and eyes. Avoid breathing dust. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticide.

STATEMENT OF PRACTICAL TREATMENT Harmful is swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

If in Eyes: Flush eyes with plenty of water. Call a physician ir irritation persists.

If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If Inhaled: Move victim to fresh air. If not breathing, give artificial respiration, perferable mouth-to-mouth. Get medical attention.

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool, dry place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

Schering-Plough Animal Health Corp. makes no warranty of merchantability, fitness for any particular purpose or otherwise expressed or implied concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.