

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

OCT 6 2004

Diane DeBruin Schering-Plough Animal Health Corp. 1095 Morris Avenue Union, NJ 07083

Subject:

Label Amendment - Updating First Aid Statement per PR Notice 2001-1

Ectiban D

EPA Reg. No. 773-63

Your Submission Dated March 15, 2004

Dear Ms. DeBruin:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

- 1. Please make the following revisions to the Precautionary Statements:
 - a. Delete the first two statements, "Avoid contact with skin and eyes. Avoid breathing dust".
 - b. Move "Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticide." to the Directions for Use section.
- 2. Delete "swallowed" from the precautionary statement and delete the If swallowed first aid statement. Based upon the acute oral toxicity for this product, Tox Category IV, these statements are not required.
- 3. Under Environmental Hazards revise the first sentence to read "This pesticide is extremely toxic to fish and other aquatic organisms."

Under the Ingredient Statement, replace "Inert Ingredients" with "Other 4. Ingredients"

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

Sincerely,

Yanda Alexander Lor George T. LaRocca Product Manager (13)

Insecticide Branch

Registration Division (7505C)

Ectiban® D

Insecticide

Poultry and Livestock Dust

Active ingredient

Permethrin (3-Phenoxyphenyl) methyl (±) cis, trans-3-(2,2-dichloroethenyl)

-2,2-dimethylcyclo-propanecarboxylate*0.25%

. <u>99.73%</u> 100.00%

*cis/trans ratio: Min. 35%(±) cis and max 65%(±) trans

Contains Ectiban insecticide for control of horn flies, faceflies, lice (dairy, beef and swine) and mites (poultry)

KEEP OUT OF REACH OF CHILDREN CAUTION SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 2 Pounds

(908 a)

EPA Reg. No. 773-63

EPA Est. No. 67515-MO-1



Schering-Plough Animal Health Corporation Union, NJ 07083

ACCEPTED with COMMENTS In EPA Letter Dated 007 6 2004

Under the Federal Emerciates. Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No.

. . . .

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read-to-Use in dust bags or hand dusting equipment. Follow specific use instructions on dust dispensing equipment to be used.

equipment to be used		
Apply to	Target	Application
	Insects	Instructions
Lactating and Non-	Horn flies Face flies	DUST BAGS: Suitable for all refill bags. Place contents of package in dust bag and refill as needed. Results improved
Lactating	Lice	by daily forced use.
Dairy Cattle	Lice	by daily forced use.
and Beef Cattle		DUST READY TO USE
and Beer Cattle		BAG: Installation of cattle dust bag. Suspend the dust bags by inserting rope, chain or wire through the grommets at the top of the bag and attaching to an overhead structure, or by hooking the grommets into hooks fixed to a stationary overhead 2x4 at the heights recommended for louse and horn fly or face fly control. Rope, chain or wire can also be tied or attached to two posts or other fixed points with the dust bag hanging in the center. After the bags are in place, pull the rip cord to allow the insecticide to release from the sifter bottom.
Swine	Lice	DIRECT APPLICATION: Apply up to 2 oz.* per animal. For lice, a second treatment at 14 days is recommended and dust should be rubbed well into coat.
Poultry	Mites	Apply up to I oz.* per animal paying particular attention to the ears. A second treatment at 14 days is recommended. Do not ship animals for slaughter within 5 days of last treatment.
		Apply at a rate of 1 lb./100 birds. Ensure thorough treatment of vent areas

^{* 1} oz. of this dust equals approximately 2 ½ level tablespoonsful.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin and eyes. Avoid breathing dust. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticide.

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Prelonged or frequently repeated skin contact may cause allergic reactions in some individuals

FIRST AID			
If in Eyes	Hold eyes open and rinse slowly and gertly with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue		

	rinsing eyes. Call a poison control center or doctor for treatment advice.
If on Skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled	 Move victim to fresh air. If person is not breathing, call 911, or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for treatment advice.
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

HOT LINE NUMBER

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Control Center at 1-303-595-4869 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage	•	Store in cool, dry place.
Pesticide Disposal	•	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal	•	Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incinerations or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

Schering-Plough Animal Health Corp. makes no warranty of merchantability, fitness for any particular purpose or otherwise expressed or implied concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.