

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 4 2000

Joseph C. Pavelchak Regulatory Affairs Manager Schering-Plough Animal Health Corporation. 1095 Morris Avenue PO Box 3182 Union, NJ 07083-1982

Subject:

Amendment - Response to PR Notice 2000-3

Dominator Insecticide Ear Tag EPA Registration No. 773-68

Your submission dated November 9, 2000

Dear Mr. Pavelchak:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records.

1. Please revise the "If on skin" section of your First Aid statements to read: "IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice."

If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely


George T. LaRocca Product Manager 13

Insecticide Branch

Registration Division (7505C)

Enclosure

| 75050 | 50ROM7 | | 12/04/00



Tomahawk Insecticide Ear Tags Alternate Brand Name - Dominator® Insecticide Ear Tags

| Animal | Graphics |
|--------|----------|
| | |
| | |
| | ľ |

0061-5223-01

For up to 5 months control of horn flies (including synthetic pyrethroid-resistant horn flies) and as an aid in the control of face flies, use two ears tags per head on beef and non-lactating dairy cattle and calves.

CAUTION CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENTS:

Pirimiphos Methyl20%

INERT INGREDIENTS:.....<u>80%</u> 100%

Net Wt. 95 grams per tag

Contents: 20 tags and buttons

EPA Reg. No. 773-68 EPA Est. No. 6175-LA-1 SP Logo

Schering-Plough Animal Health 1095 Morris Ave., Union, NJ 07083

Rev. 11/00

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

FIGURE 3 FIGURE 4 FIGURE 1 FIGURE 2 Dip tag button Press female tag under Apply through ear Place male button onto the clip by depressing pin until it projects into disinfectant between second and through the tip. solution. lever. third rib, halfway between ear tip and head.

For optimum control and to minimize development of insect resistance, use two tags per animal (one in each ear). All animals in the herd should be tagged. Apply when flies first appear in spring. Replace as necessary. Apply with Allflex Tagging System. Tags remain effective up to 5 months. Remove tags in fall.

Continual exposure of horn flies to a single class of insecticide (e.g., pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs such as a veterinarian and/or your Cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool place away from direct sunlight. Opened pouches containing ear tags should be resealed for storage.

Pesticide Disposal: Remove tags before slaughter. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Dominator® Insecticide Ear Tags

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Wear non-permeable protective gloves when applying or removing tags. Wash thoroughly with soap and water after handling and before eating and smoking.

| FIRST AID | |
|--------------|--|
| lf on skin | Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| If swallowed | Call poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not induce vomiting or give anything by mouth to any unconscious person. |
| | HOT LINE NUMBER |

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

Note to Physician: This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not add directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on this label.

NOTICE OF WARRANTY

Schering-Plough Animal Health Corp. makes no warranty of merchantability, fitness for any particular purpose, or otherwise expressed or implied concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

Copyright © 1998, 2000, Schering-Plough Animal Health Corp. All rights reserved.