

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

773-73

Date of Issuance:

2/12/16

NOTICE OF PESTICIDE:

X Registration Reregistration

(under FIFRA, as amended)

Term of Issuance:

EPA Reg. Number:

Conditional, Time-Limited Expires: 02/12/2018

Name of Pesticide Product:

EXSPOT INSECTICIDE FOR DOGS

Name and Address of Registrant (include ZIP Code):

Micah T. Reynolds Senior Regulatory Consultant for Intervet, Inc. Technology Sciences Group Inc. 1150 18th Street, NW, Suite 1000 | Washington, DC 20036

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

**Signature of Approving Official:** 

Jennifer Urbanski, Ph.D.

Product Manager 04

Invertebrate & Vertebrate Branch 1

Registration Division (7505P)

Date:

2/12/16

Page 2 of 3 EPA Reg. No. 773-73 Decision No. 512412

#### EPA Form 8570-6

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 02/12/2018.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the amendment letter dated 02/07/2014.
- 4. You are required to comply with the data requirements described in the DCI and EDSP Orders identified below:
  - a. Permethrin GDCI-109701-1252
  - b. Permethrin GDCI-109701-1281
  - c. Permethrin GDCI-109701-1113
  - d. Permethrin EDSP-109701

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation

Division: <a href="http://www.epa.gov/oppsrrd1/contacts\_prd.htm">http://www.epa.gov/oppsrrd1/contacts\_prd.htm</a>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/13/2012
- Alternate CSF 1 dated 07/13/2012
- Alternate CSF 2 dated 07/13/2012

Page 3 of 3 EPA Reg. No. 773-73 Decision No. 512412

- Alternate CSF 3 dated 07/13/2012
- Alternate CSF 4 dated 07/13/2012

If you have any questions, you may contact Elizabeth Fertich at 703-347-8560 or via email at fertich.elizabeth@epa.gov.

DATED: 1/29/2016 Page 1 of 9

"Master Label for Exspot® Insecticide for Dogs":

This master label includes text for different size packages and application rates specific to pet's age and body weight.

#### PRIMARY CARTON - FRONT PANEL STATEMENTS

# **Exspot® Insecticide for Dogs**

**Alternate Brand Names:** 

Defend® Exspot Treatment for Dogs Defend® Exspot Insecticide for Dogs ProTICall® Insecticide for Dogs

# ACCEPTED

02/12/2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 2000 200

773-73

# For Use on Dogs and Puppies DO NOT USE ON CATS

Kills, repels, and prevents re-infestation of fleas for up to 5 weeks Kills, repels, and prevents re-infestation of ticks for up to 6 weeks Kills and repels mosquitoes, lice, and mites on dogs for up to 4 weeks

For Dogs (and) (or) puppies 4 weeks and older and

over (>) (greater than) 17 lbs (pounds) (7.7 kg) and (up to) (less than or equal to) 33 lbs (pounds) (15 kg) ONLY.

over (>) (greater than) 33 lbs (pounds) (15 kg) and (up to) (less than or equal to) 65 lbs (pounds) (29 kg) ONLY.

over (>) (greater than) 66 lbs (pounds (30 kg) ONLY

#### **Active Ingredient**:

\*Cis/trans ratio: Max. 55% (±) cis and Min. 45% (±) trans

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### SEE INSIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Contains: Three (or Two) 1-Month Doses

Net Contents: Three 1cc applicators, [each 0.034 fl. oz. (1.0 mL)]

Three 2cc applicators, [each 0.068 fl. oz. (2.0 mL)] Two 4cc applicators, [each 0.135 fl. oz. (4.0 mL)] Twelve 1cc applicators, [each 0.034 fl. oz. (1.0 mL)]

[Sold Only Through Veterinary Clinics]

[Net Contents: Six 1cc applicators, each 0.034 fl. oz. (1.0 mL)]

DO NOT USE ON CATS
[CAT WARNING ICON, Min.
1.5x1.5 cm]

Yellow background with black text/image

#### EXCLUSIVE PATENTED FORMULA

DOG GRAPHIC (note to reviewer: appropriate dog picture per weight range will be presented on the front panel depending on package)

<sup>()</sup> Bracket text allows for alternative presentations of the same claim.

### PRIMARY CARTON - BACK PANEL STATEMENTS

DATED: 1/29/2016

Page 2 of 9

**Exspot® Insecticide for Dogs** 

#### READ ENTIRE LABEL COMPLETELY BEFORE USING. USE ONLY ON DOGS AND PUPPIES.

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS: CAUTION.** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS:** Do not use this product in households with both dogs and cats. Consult a veterinarian before using this product on debilitated, aged, or medicated animals. Consult with a veterinarian before using on dogs with known organ dysfunction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, discontinue use, bathe your pet with mild soap, and rinse with large amounts of water. If signs continue, seek veterinary advice.

DO NOT USE ON CATS. May be toxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided. Cats which actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harmful effect.

	FIRST AID	
	Call poison control center or doctor immediately for treatment advice.	
If swallowed	Have a person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by a poison control center or doctor.	
	Do not give anything to an unconscious person.	
	Take off contaminated clothing.	
If on Skin or	Rinse skin immediately with plenty of water for 15-20 minutes.	
Clothing	Call a poison control center or doctor for treatment advice.	
	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
If in eyes	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
HOT LINE NUMBER		

Have the product container or label with you when calling the poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies, or pesticide incidents), you may call the Rocky Mountain Poison Center at 1-303-595-4869.

**SIDE EFFECTS**: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-224-5318. Hair discoloration or hair loss at the application site may occur. Dogs may also show lethargy.

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately. [CAT WARNING ICON, Min. 1.5x1.5 cm]

Yellow background with black text/image

# DATED: 1/29/2016 Page 3 of 9

#### PRIMARY CARTON – INSIDE BACK PANEL

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### STORAGE AND DISPOSAL

[Note to reviewer, immediate packaging is destroyed after use, therefore inherently non-refillable.]

**PESTICIDE STORAGE:** Store this product in a cool, dry (preferably locked) place, away from heat or open flame, in an area that is inaccessible to children and pets. Protect from freezing.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

Exspot® Insecticide for Dogs is an effective and easy to use product for killing, repelling, and preventing reinfestations of fleas and ticks on your dog and puppy. Exspot® Insecticide for Dogs may become less effective if dog is frequently bathed or gets wet. Repeat applications may be made as necessary, but do not apply at intervals less than 7 days. DO NOT USE ON CATS.

Exspot® Insecticide for Dogs kills, repels, and prevents re-infestation of fleas and ticks. It also kills and repels mosquitoes, dog lice, and mites:

Insect	Protection
graphic Fleas	Up to 5 weeks
graphic Deer Ticks a vector of Lyme disease	Up to 6 weeks
(Ixodes scapularis)	
graphic Brown Dog Ticks	Up to 6 weeks
(Rhipicephalus sanguineus)	
graphic American Dog Ticks	Up to 6 weeks
(Dermacentor variabilis)	
graphic Lone Star Ticks	Up to 6 weeks
(Amblyomma americanum)	
graphic Mosquitoes a vector of heartworm	Up to 4 weeks
(Aedes aegypti)	
graphic Dog lice (Trichodectes canis)	Up to 4 weeks
graphic Mites (Cheyletiella yasguri)	Up to 4 weeks

#### NOTICE OF WARRANTY

To the extent consistent with applicable law, Intervet Inc. makes no warranty of merchantability, fitness for any particular purpose, or otherwise, expressed or implied concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

Lot or Batch No.: [Note to reviewer: May also be stamped directly onto container.]

<sup>()</sup> Bracket text allows for alternative presentations of the same claim.

# DATED: 1/29/2016 Page 4 of 9

# PRIMARY CARTON – LEFT SIDE PANEL STATEMENTS

#### **Exspot® Insecticide for Dogs**

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label completely before using. **DO NOT USE ON CATS**. Exspot® Insecticide for Dogs may be used on only puppies as young as 4 weeks of age. Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 17 lbs (7.7 kg).

#### HOW TO APPLY:

- 1. Remove tube(s) along perforations.
- 2. Hold tube in upright position.
- 3. Point tip of tube up and away from user's face and body.
- 4. Cut across tip where indicated.
- 5. Part dog's hair between the shoulder blades.
- 6. Invert tube over dog.
- 7. Squeeze the tube firmly and apply the specified amount of solution to the skin of the dog's back between the shoulder blades. For large and extra large dogs, another application of the solution to the dog's skin directly in front of the base of the tail is also required. SEE DOSING CHART on other panel.
- 8. When application is complete, follow instructions in the Storage and Disposal section.

#### OR

#### HOW TO APPLY:

- Remove tube(s) along perforations.
- Peel away plastic cover from cardboard
- Hold in upright position and point tip of tube up and away from user's face and body.
- Tear away tip of tube at notch where indicated.
- Part dog's hair between the shoulder blades.
- Invert tube over dog.
- Squeeze the tube gently and apply the specified amount of solution to the skin of the dog's back between the shoulder blades. For large and extra large dogs, another application of the solution to the dog's skin directly in front of the base of the tail is also required. SEE DOSING CHART on other panel.
- When application is complete, follow Pesticide Disposal under Storage and Disposal section.

(graphic of how to open and apply product)

<sup>()</sup> Bracket text allows for alternative presentations of the same claim.

#### DATED: 1/29/2016 Page 5 of 9

# PRIMARY CARTON – RIGHT SIDE PANEL STATEMENTS

#### **Exspot® Insecticide for Dogs**

# DOSING CHART Follow the appropriate instructions Based on your pet's weight

#### **PUPPIES**

Dosage for Puppies weighing at least 17 lbs (7.7 kg) but less than 33 lbs (15 kg) only: Apply 1 (one) cc (1 tube) of EXSPOT® Insecticide solution to the skin of the dog's back between the shoulder blades.

Dog graphic

(large puppy graphic)

#### **SMALL DOGS**

Dosage for Small Dogs weighing at least 17 lbs (7.7 kg) but less than 33 lbs (15 kg) only: Apply 1 (one) cc (1 tube) of EXSPOT<sup>®</sup> Insecticide solution to the skin of the dog's back between the shoulder blades.



(or similar image)

#### LARGE DOGS

Dosage for Large Dogs
weighing greater than 33 (15 kg)
up to 65 lbs (29 kg) only:
Apply 1 cc (1 tube) of
EXSPOT® Insecticide
solution to the skin of the dog's back
and 1 cc (1 tube) to the skin of the dog's
back directly in front of the base of the tail

Dog graphic

(large dog graphic w/ two application sites)

EXTRA LARGE DOGS

Dosage for Extra Large Dogs weighing 66 lbs (30 kg) or more only:

Apply 2 cc (2 tubes or 1-2cc tube) of EXSPOT® Insecticide solution to the skin of the dog's back and 2 cc (2 tubes or one-2cc tube) to the skin of the dog's back directly in front of the base of the tail

Dog graphic

(X-large dog graphic w/ two application sites)

If you have any questions, call Technical Services at 1-800-TIC-FLEA or 1-800-842-3532.

Or visit our web site at www.defendpets.com

EPA Reg. No. 773-73 EPA Est. No. 618-LA-1 Made in the USA U.S. Patent Nos. 5,344,018 & 5,236,954.

Intervet Inc (d/b/a Merck Animal Health), 2 Giralda Farms, Madison, NJ 07940 (LOGO Merck Animal Health)

Copyright XXXX, Intervet Inc. All rights reserved. Rev. xxx

<sup>()</sup> Bracket text allows for alternative presentations of the same claim.

DATED: 1/29/2016 Page 7 of 9

# APPLICATOR TUBE LABELING

(Size: 1.25 in x 0.50 in)

# **Exspot® Insecticide for Dogs**

Administration: 1 tube for Puppies and Small Dogs; 2 tubes for Large Dogs; 4 tubes for XL Dogs.

For Dogs (and) (or) puppies 4 weeks and older and

over (>) (greater than) 17 lbs (pounds) (7.7 kg) and (up to) (less than or equal to) 33 lbs (pounds) (15 kg) ONLY.

over (>) (greater than) 33 lbs (pounds) (15 kg) and (up to) (less than or equal to) 65 lbs (pounds) (29 kg) ONLY. over (>) (greater than) 66 lbs (pounds (30 kg) ONLY

#### DO NOT USE ON CATS

See Package Label for Details. Read the entire label before using.

Net Contents: 1cc (0.034 fl. oz.) (1.0 mL)

2cc (0.068 fl. oz.) (2.0 mL) 4cc (0.135 fl. oz.) (4.0 mL)

LOGO Merck Animal Health

Lot No:

Exp:

<sup>()</sup> Bracket text allows for alternative presentations of the same claim.

# APPLICATOR PACKAGE LABELING

(Size: 3.50 in x 1.50 in)

## DO NOT REMOVE APPLICATOR (TUBE) UNTIL READY TO USE

# **Exspot® Insecticide for Dogs**

For Use on Dogs and Puppies Only

Permethrin......65%

#### KEEP OUT OF REACH OF CHILDREN **CAUTION** READ ENTIRE LABEL BEFORE USE

Administration: 1 tube for Puppies and Small Dogs; 2 tubes for Large Dogs; 4 tubes for XL Dogs. For Dogs (and) (or) puppies 4 weeks and older and

over (>) (greater than) 17 lbs (pounds) (7.7 kg) and (up to) (less than or equal to) 33 lbs (pounds) (15 kg) ONLY.

over (>) (greater than) 33 lbs (pounds) (15 kg) and (up to) (less than or equal to) 65 lbs (pounds) (29 kg) ONLY.

over (>) (greater than) 66 lbs (pounds (30 kg) ONLY

DO NOT USE ON CATS [CAT WARNING ICON, Min. 1.5x1.5 cm Yellow background with black text/image

DATED: 1/29/2016

Page 8 of 9

Net Contents: Three 1cc applicators, [each 0.034 fl. oz. (1.0 mL)]

Three 2cc applicators, [each 0.068 fl. oz. (2.0 mL)] Two 4cc applicators, [each 0.135 fl. oz. (4.0 mL)] Twelve 1cc applicators, [each 0.034 fl. oz. (1.0 mL)]

Intervet Inc (d/b/a Merck Animal Health) LOGO Merck Animal Health

EPA Reg. No. 773-73 EPA Est. No. 618-LA-1

Lot No: Exp:

() Bracket text allows for alternative presentations of the same claim.

# OTHER APPROVED LABEL CLAIMS

DATED: 1/29/2016

Page 9 of 9

- -Exclusive Patented Formula 65% Permethrin
- -Kills, repels, and prevents re-infestation of fleas and ticks, kills and repels mosquitoes, lice, and mites on dogs and puppies.
- -Can be used on puppies as young as 4 weeks of age
- -Can be used on pregnant or nursing dogs
- -12 applicator package provides 3 to 12 months protection depending on size of the dog

Features	Proticall <sup>®</sup>
	Insecticide
Dosing Method	Spot On
Active Ingredient	65% Permethrin
Kills, Repels and Prevents Re-	For up to 5 weeks
infestation of Adult Fleas	_
Kills, Repels and Prevents Re-	For up to 6 weeks
infestation of Ticks	
Kills and Repels	For up to 4 weeks
Mosquitoes, Dog Lice and Mites	
Age Restrictions	Over 4 weeks