

773-74

03/02/2000

1/2

# SABER

0051-5052-01 TM

ACCEPTED

MAR 2 2000

## POUR-ON INSECTICIDE FOR BEEF CATTLE & CALVES

*For Control of Horn Flies and Lice*

773-74



Squeeze 'N' Measure™ Bottle



May be used with Automatic Dosing System

ACTIVE INGREDIENT:	97.0%
Lambda-cyhalothrin (1 <i>α</i> -[S], 3 <i>α</i> , 2 <i>β</i> -( <i>±</i> )-cyano (3-chlorophenyl)-methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2,3-trimethylcyclopropane carboxylate)	1.0%
INERT INGREDIENTS	92.0%
TOTAL	100.0%

Keep Out of Reach of Children

### CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 773-74  
EPA Est. No. 6175-LA-1

23339509 Rev 8/99



Net Contents:  
30 fl oz (900 mL)

Schering-Plough  
Animal Health



# POUR-ON INSECTICIDE FOR BEEF CATTLE & CALVES

### DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READY TO USE** — No dilution necessary. Do not apply to lactating or dry dairy cows. Do not apply this product to face of beef cattle or calves.

Apply To	Target Insects	Dosage
Beef Cattle and Calves	Lice, Horn flies	Apply product down the backline at the rate of 10 mL (1/3 fl oz) per head for cattle weighing less than 600 lbs, or at a rate of 15 mL (1/2 fl oz) per head for cattle weighing more than 600 lbs.

Repeat treatment as needed; however, do not apply more than once every 2 weeks and do not apply more often than four times within any 6-month period. For reduction of sucking lice, two treatments at a 14-day interval are recommended.

**Special Note:** SABER™ Pour-On is not recommended for use on veal calves. SABER Pour-On is not effective in controlling cattle grubs; therefore, this product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatment products. SABER Pour-On should be used in an integrated pest management system, which may involve repeat treatments and the use of other pest control practices. Continual exposure of horn flies to a single class of insecticide (eg, pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate, on a seasonal basis, the class of insecticide used and/or the method of horn fly control. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs and your Cooperative Agricultural Extension Service.



5.5'

### PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION** — Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Avoid contact with eyes. Wear rubber or impermeable protective gloves when applying this product. Data indicate this product to be a contact allergenic. Do not apply product to face of cattle.

### STATEMENT OF PRACTICAL TREATMENT

**If in Eyes:** Immediately flush eyes with plenty of water. Get medical attention if discomfort persists.  
**If On Skin:** Wash with plenty of soap and water. Get medical attention if symptoms occur.  
**If Swallowed:** Call a physician immediately. **DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL ATTENTION.**  
**If Inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of rinse water. Apply this product only as specified on the label.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### STDRAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
**Storage:** Keep container sealed when not in use. Do not store near food or feed.  
**Pesticide Disposal:** Wastes from the use of this product may be disposed of on-site or at an approved waste-disposal facility.  
**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### NOTICE OF WARRANTY

SCHERING-PLOUGH ANIMAL HEALTH CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THIS PRODUCT UNDER NORMAL CONDITIONS AND IN ACCORD WITH THE STATEMENTS ON THIS LABEL.

