

ULTRA

POUR-ON INSECTICIDE FOR CATTLE & SHEEP

Signature II
Mulsion Bottle

May be used with Auto-apply Dosing System

Net Contents:
One U.S. Quart (0.946 L)

Schering-Plough
Animal Health

Keep Out of Reach of Children
CAUTION

REMOVAL OF THE REPEAT APPLICATION STATEMENT FOR LICE CONTROL

ULTRA

POUR-ON INSECTICIDE FOR CATTLE & SHEEP

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE - No dilution necessary.

Apply To	Target Species	Dosage
Lactating and non-lactating dairy cattle and beef cattle and calves	Lice, Horn flies, Face flies Aids in control of horse flies, Stable flies, Mosquitoes, Black flies, and Ticks	Apply 3 mL per 100 lbs. body weight of animal up to a maximum of 90 mL for any one animal. Pour along back and down face. Back Rubber Use: Mix 100 mL per gallon of #2 diesel oil or mineral oil. Keep rubbing device charged. Results improved by daily treated use.
Sheep	Sheep ticks, Lice	Pour along back. Apply 1.5 mL per 50 lbs. of body weight of animal up to a maximum of 18 mL for any one animal.



ACCEPTED

JAN 28 2002

773-84

For cattle and sheep, repeat treatment as needed but not more than once every two weeks. For optimum effectiveness, two treatments at 4-6 day intervals are recommended.

SPECIAL NOTE: Ultra Boss® Pour-On is not effective against cattle grubs.

PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION - Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

STATEMENT OF PRACTICAL TREATMENT
If Swallowed: Call a physician immediately. **DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL ATTENTION.**
Note to Physician: Solvent represents aspiration hazard. Gastric lavage is indicated if material was taken internally.
If in Eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.
If On Skin: Wash skin with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS
This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage and disposal.
Storage: Keep container sealed when not in use. Do not store near food or feed.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility. Container disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a s.t.c., landfill or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY
SCHERING-PLOUGH ANIMAL HEALTH CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THIS PRODUCT UNDER NORMAL CONDITIONS AND IN ACCORD WITH THE STATEMENTS ON THIS LABEL.

Schering-Plough Animal Health

ULTRA BOSS

0981-8207-02

POUR-ON INSECTICIDE FOR CATTLE & SHEEP



Take Control Of Flies And Lice



Squeeze 'N' Measure Bottle



May be used with Automatic Dosing System

ACTIVE INGREDIENTS
 Fenitrothion (2-phenoxyphenylamino) ethyl methylcarbamate 1.0%
 1,1,1-trichloro-2,2,2-trifluoroethane 2.0%
 Carbaryl 1.0%
 Inert Ingredients 67.0%

INERT INGREDIENTS**
 1,1,1-trichloro-2,2,2-trifluoroethane 2.0%
 Carbaryl 1.0%
 Inert Ingredients 67.0%

Keep Out of Reach of Children

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

1.0% Fenitrothion
2.0% 1,1,1-trichloro-2,2,2-trifluoroethane
1.0% Carbaryl
67.0% Inert Ingredients



Net Contents:
One U.S. Quart (0.946 L)



Schering-Plough
Animal Health

ULTRA BOSS

POUR-ON INSECTICIDE FOR CATTLE & SHEEP

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE - No dilution necessary.

Apply To	Target Species	Dosage
Lactating and non-lactating dairy cattle and beef cattle and calves	Lice, Horn flies, Face flies, Aids in control of Horse flies, Stable flies, Mosquitoes, Black flies, and Ticks	Apply 3 mL per 100 lbs. body weight of animal up to a maximum of 30 mL for any one animal. Pour along back and down face. Back Rubber Use: Mix 100 mL per gallon of #2 diesel oil or mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Sheep	Sheep keds, Lice	Pour along back. Apply 1.5 mL per 50 lbs. of body weight of animal up to a maximum of 18 mL for any one animal.



ACCEPTED

JAN 28 2002

773-84

For cattle and sheep, repeat treatment as needed but not more than once every two weeks. For optimum lice control, two treatments at 14-day intervals are recommended.

SPECIAL NOTE: Ultra Boss® Pour-On is not effective against cattle grubs.

PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION - Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

STATEMENT OF PRACTICAL TREATMENT
 If Swallowed: Call a physician immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL ATTENTION.
 Note to Physicians: Solvent represents aspiration hazard. Gastric lavage is indicated if material was taken internally.
 If In Eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.
 If On Skin: Wash skin with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS
 This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage and disposal.
 Storage: Keep container sealed when not in use. Do not store near food or feed.
 Pesticide disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste-disposal facility. Container disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY
 SCHERING-PLOUGH ANIMAL HEALTH CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THIS PRODUCT UNDER NORMAL CONDITIONS AND IN ACCORD WITH THE STATEMENTS ON THIS LABEL.

Schering-Plough Animal Health