

773-88

11/30/2006

114



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (H7505C)
 401 "M" St., S.W.
 Washington, D.C. 20460

EPA Reg.
 Number:

773-88

Date of Issuance:

NOV 30 2006

Term of Issuance:

Unconditional

Name of Pesticide Product:

SafeCide IC

NOTICE OF PESTICIDE:
 Registration
 x Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Schering-Plough Animal Health Corporation
 556 Morris Avenue Building S4-3
 Summit, NJ 07901

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the product listed above. With regards to labeling, you must make the labeling changes listed below:

This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Signature of Approving Official:

Date:

NOV 30 2006

1. Revise the Precautionary Statement to read:

Harmful if swallowed. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

2. Revise the Statement of Practical Treatment to read:

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in EYES: Hold eye open and rinse slowly and gently with water For 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF on SKIN or CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In addition, add the following statement below the Statement of Practical Statement:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx* for emergence medical treatment information.

* Registrant fills in this portion with the applicable toll free number.

3. Revise the Storage and Disposal Section to read as follows:

Storage and Disposal:

If EMPTY: Do not reuse this container. Place in trash or offer for recycling if available.
IF PARTLY FILLED: Call your local solid waste agency or [toll free number which meets the criteria in paragraph II.E.*] for disposal instructions. Never place unused product down any indoor or outdoor drain.

4. Add the section entitled "Safe Handling Procedures" as follows:

Personal Protective Equipment (PPE)

Applicators, mixers, and other handlers must wear:

- long-sleeved shirt
- long pants,
- socks, shoes
- chemical-resistant gloves
- protective eyewear.

Enclosed is a copy of your label stamped accepted with comments.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit two copies of your final printed labeling before you release the product for shipment.



Richard Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7505P)

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

PRECAUTIONARY STATEMENTS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Applicators and other handlers of this product must wear a dust mask or a dust/mist filtering respirator, and protective gloves for all application methods described on this label.

STATEMENT OF PRACTICAL TREATMENT

If **Swallowed**: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If **In Eyes**: Flush eyes with plenty of water. Call a physician if irritation persists.

If **on Skin**: Wash with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

See side panel for Application instructions.

Manufactured for Schering-Plough Animal Health Corp.
Union, NJ 07083.

Copyright © 1994, 1995, 1996, Schering Plough Animal Health.
All rights reserved. Rev. 10/99



IC

FOR THE CONTROL OF DARKLING BEETLES,
HIDE BEETLES AND FLIES IN POULTRY HOUSES

FOR THE CONTROL OF FIRE ANTS**

ACTIVE INGREDIENT:

Orthoboric Acid.....99.0%

INERT INGREDIENTS.....1.0%

Total 100.0%

- CAUTION -
KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONS

EPA REG. NO. 773-88

EPA EST. NO. 64745-CA-001 39578-TX-1

Superscript corresponds to first number in lot number stamped on container.

ACCEPTED
with COMMENTS
in EPA Letter Dated

NOV 30 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

773-88

NET WT: 50 pounds



Schering-Plough Animal Health

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

FOR DARKLING AND LESSER MEALWORM BEETLE, HIDE BEETLE AND FLY CONTROL IN POULTRY HOUSES. (Adults and Larvae)

For Poultry houses in which birds are grown on litter:

DRY APPLICATION

Prior to application of **SafeCide Brand IC**, remove birds. Apply dust uniformly to floor of poultry house or to old litter with a fertilizer or seed spreader, at the rate of 1-2 pounds for each 100 square feet, in bands along feeder lines. Then introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above.

For poultry houses in which birds are grown in cages (layer or high rise 'pit type' houses):

DRY APPLICATION

Prior to application of **SafeCide Brand IC**, remove birds. Apply at the rate of 1-2 pounds for each 100 square feet of treated surface. Using appropriate equipment, thoroughly dust side walls, top plates, posts, and framing. Dust into cracks and crevices around insulation. Then, introduce birds. Reapply after each grow-out, if needed, in the sequence outlined above. However, if facility is washed down and sanitized using standard cleaning and disinfecting procedures, **SafeCide Brand IC** must be reapplied to continue beetle control. **SafeCide Brand IC** can be applied directly to manure for fly control.

WET APPLICATION

Prior to the application of **SafeCide Brand IC** to top levels of layer house, remove birds. Mix dust at the rate of 1-2 pounds per three gallons of water. Apply at the rate of three gallons of mix for each 100 square feet of treated surface. Using appropriate pressure spray equipment, saturate side walls, top plates, posts, and framing. Spray mix into cracks and crevices around insulation. Do not expose birds to spray. Reapply after each grow-out, if needed, in the sequence outlined above. However, if facility is washed down and sanitized using standard cleaning and disinfecting procedures, **SafeCide Brand IC** must be reapplied to continue beetle control. **SafeCide Brand IC** can be applied directly to manure for fly control.

FOR THE CONTROL OF FIRE ANTS**

METHODS OF APPLICATION

Apply **SafeCide Brand IC** when ants are actively foraging. This is usually when soil temperatures are above 60° F. Avoid application when the soil is wet. Heavy rainfall within 2 to 3 hours of application may reduce effectiveness. In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 2 to 3 weeks. Do not apply to pasture, rangeland or other areas which may be grazed by cattle, sheep or other domestic animal.

MOUND APPLICATION

Apply 1 to 2 cups of **SafeCide Brand IC** per mound uniformly distributing material 3 to 4 feet around the base of the mound. Do not contaminate kitchen utensils by use or storage of product.

**Not for use in California