

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration Reregistration (under FIFRA, as amended)

PA Reg. Number:	Date of Issuance:
-----------------	-------------------

JUN 29 2010

Term of Issuance:

Conditional

773-94

Name of Pesticide Product:

ACTIVYL for Dogs and Puppies

Name and Address of Registrant (include ZIP Code):

Intervet Inc. 56 Livingston Avenue Roseland, NJ 07068

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that:

- 1. This registration is time-limited and expires two years from the date this product is first released for shipment.
 - You must provide the Agency with a projected release for shipment date within 30 days of the date of this Notice of Registration. The Agency will calculate the expiration date based on the projected release for shipment date until an actual release for shipment date is provided in writing.

Continued on pages 2 through 4

Signature of Approving Official:

Date:

JUN 29 2010

ems lager for

Insecticide-Rodenticide Branch, Registration Division (7505P)

- 2. Only one basic confidential statement of formula will be on file for this product at any one time; no alternate formulations or minor formulation amendments will be submitted or approved for this product.
- 3. You must submit the following data within the timeframes described below:
 - The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning October 1, 2010.
 - Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division, Immediate Office (attn: Kimberly Nesci).
 - The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number
Product name (brand name)
Lot #
Where purchased: internet, store, veterinarian
Active Ingredient(s)
Weight range for product

Date on which incident occurred. (mm/dd/yyyy)
State in which the incident occurred. (standard 2 letter abbreviation)
Registrant case #

Species: dog, cat, other (specify) Breed: (as reported by pet owner)

Age: months or years Sex: M, F, or neutered Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted with separate column for each sign, using standard terminology

Time to Onset: (hours, days)
Treated by veterinarian: yes or no
First time product used: yes or no

Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)

Any known precondition

EPA Severity Code: death, major, moderate, minor Outcome: died, recovered, still treated, unknown

- 5. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
 - A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
 - Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
 - A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
 - A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
 - A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
 - Table showing number of incidents for each dog breed.
 - Table showing number of incidents in dogs for each clinical sign.
 - Table showing number of incidents in dogs for each organ system.
 - Report aggregate incidents, but do not combine moderate and minor incidents.
- 6. You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 7. You make the following changes to your label:
 - Revise the EPA Registration Number to read "773-94."

- Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself. This information can be added by non-notification per PR Notice 98-10.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A copy of your label stamped "Accepted with Comments" is enclosed for your records. If you have any questions concerning this action, please contact John Hebert at 703-308-6249 or hebert.john@epa.gov.

Meredith Laws, Chief Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

Page 1 of 11

"Master Label":

Updated VERSION 1.2

This master label includes text for different size packages and application rates specific to pet's age and body weight.

FRONT PANEL

ACTIVYL for Dogs and Puppies

Alternate Brand Names:

ACTIVYL for Dogs or Puppies

ACTIVYL Spot-On for Dogs and Puppies ACTIVYL Spot-On for Dogs or Puppies

ACTIVYL for Dogs

ACTIVYL Spot-On for Dogs

Once-A-Month Topical Flea (Spot-On) (Treatment) (Prevention) (Control) for dogs and puppies 8 weeks and older and weighing more than 8 lb.

For dogs over (>) (greater than) 8 lb (pounds) (3.6 kg) and (up to) (less than or equal to) 14 lb (pounds) (6.6 kg) For dogs over (>) (greater than) 14 lb (pounds) (6.6 g) and (up to) (less than or equal to) 22 lb (pounds) (10 kg) For dogs over (>) (greater than) 22 lb (pounds) (10 kg) and (up to)(less than or equal to) 44 lb (pounds) (20 kg) For dogs over (>)(greater than) 44 lb (pounds) (20 kg) and (up to)(less than or equal to) 88 lb (pounds) (40 kg) For dogs over (>)(greater than) 89 lb (pounds) (40 kg) and (up to)(less than or equal to)132 lb (pounds) (60 kg)

Active Ingredient:

Indoxacarb:

(S)-methyl 7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4-trifluoromethoxy)phenyl]amino] Other Ingredients: 80.47%. Total ..100.00%

KEEP OUT OF REACH OF CHILDREN WARNING SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED With COMMENTS In EPA Letter Dated: JUN 29 2010

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

⁽⁾ Bracket text allows for alternative presentations of the same claim.

DATE: 6/29/2010 Page 2 of 11

BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON PREGNANT OR NURSING DOGS. DO NOT USE ON OTHER ANIMALS. FOR EXTERNAL USE ON DOGS AND PUPPIES ONLY. DO NOT USE ON PUPPIES UNDER 8 WEEKS OF AGE AND WEIGHING LESS THAN 8 LB.

(HOW TO APPLY) Open one foil pouch and remove applicator (tube).





3. Graphics for specific dog sizes represented below – 1 graphic per package size




For dogs over 8 lb and up to 14 lb (For dogs over 3.6 kg and less than 6.6 kg) (0.51 mL size only)




For dogs over 14 lb up to 22 lb (For dogs over 6.6 kg up to 10 kg) (0.77 mL size only)



For dogs over 22 lb up to 44 lb (For dogs over 10 kg up to 20 kg) (1.54 mL size only)



For dogs over 44 lb up to 88 lb (For dogs over 20 kg up to 40 kg) (3.08 mL size only)



For dogs over 88 lb up to 132 lb (For dogs over 40 kg up to 60 kg) (4.62 mL size only)

() Bracket text allows for alternative presentations of the same claim.

DATE: 6/29/2010 Page 3 of 11

BACK PANEL (CONT'D)

Step 1. Hold applicator (tube) in upright position away from your face and snap tip open by bending it and folding it back on itself.

Step 2. The dog should be standing for easy application. Part the hair and place applicator (tube) tip against the skin between shoulder blades.

Step 3.: Squeeze applicator firmly applying entire contents directly to skin. Avoid run off of product. Avoid contact with treated area (application site) until dry.

Do not use more than (1) applicator (tube) per treatment. Reapply every 30 days. When application is complete, follow the Container Disposal instructions under the Storage and Disposal section below.

(ALTERNATE Step 3 Directions for larger dogs:

Step 3: Apply entire contents of tube evenly to (two)(or)(three)(or)(four) spots on the back from between the shoulder blades to the base of the tail. At each spot, part the hair until skin is visible. Place the tip of the applicator (tube) on the skin and gently squeeze a portion of the solution on the skin. Do not apply an excessive amount of solution at any one spot which could cause some of the solution to run off the side of the dog. Avoid run off of product. Avoid contact with treated areas (application sites) until dry.

	FIRST AID
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician if irritation persists.
	Take off contaminated clothing.
lf On Skin	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If Swallowed	 Call poison control center or doctor immediately for treatment advice.
	• Have a person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-

595-4869 for emergency medical treatment information.

Page 4 of 11

BACK PANEL (CONT'D)

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS**

WARNING. Causes substantial but temporary eye injury. Harmful if absorbed through skin or swallowed. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs and puppies only. Do not use on puppies under 8 weeks of age and weighing less than 8 lb. Do not use on pregnant or nursing dogs. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Individual sensitivities, while rare, may occur after using any pesticide product. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets. **CONTAINER DISPOSAL:** If empty, do not reuse the container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

EPA Reg. No. 773-OU

EPA Est. No. 6175-LA-1

Net Contents:

X applicator(s), each 0.02 fl.oz. (0.51 mL) {Total X fl.oz (X mL)}

X applicator(s), each 0.03 fl.oz. (0.77 mL) {Total X fl.oz (X mL)] X applicator(s), each 0.05 fl.oz. (1.54 mL) {Total X fl.oz (X mL)]

X applicator(s), each 0.10 fl.oz. (3.08 mL) {Total X fl.oz (X mL)]

X applicator(s), each 0.16 fl.oz. (4.62 mL) {Total X fl.oz (X mL)]

Made in the USA

Intervet Inc.

Roseland, NJ 07068

Copyright 2010, Intervet Inc. All rights reserved.

xxxxxxxx Rev. xx/xxxx

(Volume varies with size of animal for which package is intended and number of applicators per package. Product may be packaged in 1, 3, 4, 6, or 12 applicators per package. Total volume will correspond to number of applicators)

() Bracket text allows for alternative presentations of the same claim.

Updated VERSION 1.2

DATE: 6/29/2010 Page 5 of 11

9/2010 5 of 11 (5

APPLICATOR LABELING

ACTIVYL

For Dogs (and) (or) Puppies 8 weeks and older and weighing more than 8 lb.

For dogs over (>)(greater than) 8 lb (pounds) (3.6 kg) and (up to) (less than or equal to) 14 lb (pounds) (6.6 kg) For dogs over (>)(greater than) 14 lb (pounds) (6.6 kg) and (up to) (less than or equal to) 22 lb (pounds) (10 kg) For dogs over (>)(greater than) 22 lb (pounds) (10 kg) and (up to)(less than or equal to) 44 lb (pounds) (20 kg) For dogs over (>)(greater than) 44 lb (pounds) (20 kg) and (up to)(less than or equal to) 88 lb (pounds) (40 kg) For dogs over (>)(greater than) 89 lb (pounds) (40 kg) and (up to)(less than or equal to) 132 lb (pounds) (60 kg)

Indoxacarb:19.53%

KEEP OUT OF REACH OF CHILDREN WARNING READ ENTIRE LABEL BEFORE USE

0.02 fl.oz. (0.51 mL) or 0.03 fl.oz. (0.77 mL) or

0.05 fl.oz. (1.54 mL) or

0.10 fl.oz. (3.08 mL) or

0.16 fl.oz. (4.62 mL) or

EPA Reg. No. 773-OU EPA Est. No. 6175-LA-1

Intervet Inc.

Lot No:

⁽⁾ Bracket text allows for alternative presentations of the same claim.

DATE: 6/29/2010 Page 6 of 11

FOIL POUCH LABELING

DO NOT REMOVE APPLICATOR (TUBE) UNTIL READY TO USE

ACTIVYL for Dogs and Puppies

Alternate Brand Names:

ACTIVYL for Dogs or Puppies ACTIVYL Spot-On for Dogs and Puppies ACTIVYL Spot-On for Dogs or Puppies ACTIVYL for Dogs ACTIVYL Spot-On for Dogs

For dogs over (>) (greater than) 8 lb (pounds) (3.6 kg) and (up to) (less than or equal to) 14 lb (pounds) (6.6 kg) For dogs over (>) (greater than) 14 lb (pounds) (6.6 kg) and (up to) (less than or equal to) 22 lb (pounds) (10 kg) For dogs over (>) (greater than) 22 lb (pounds) (10 kg) and (up to) (less than or equal to) 44 lb (pounds) (20 kg) For dogs over (>) (greater than) 44 lb (pounds) (20 kg) and (up to) (less than or equal to) 88 lb (pounds) (40 kg) For dogs over (>) (greater than) 89 lb (pounds) (40 kg) and (up to) (less than or equal to) 132 lb (pounds) (60 kg)

Indoxacarb: 19.53%

KEEP OUT OF REACH OF CHILDREN WARNING READ ENTIRE LABEL BEFORE USE

0.02 fl.oz. (0.51 mL) or 0.03 fl.oz. (0.77 mL) or 0.05 fl.oz. (1.54 mL) or 0.10 fl.oz. (3.08 mL) or 0.16 fl.oz. (4.62 mL) or

EPA Reg. No. 773-OU EPA Est. No. 6175-LA-1

Intervet Inc.

Lot No:

⁽⁾ Bracket text allows for alternative presentations of the same claim.

FRONT PANEL AND/OR SIDE PANEL CLAIMS

- 1. Intended to be sold only by veterinarians.
- 2. Intended to be dispensed (and)(or) sold through (by) licensed veterinarians and only to their clients for pets under a direct vet-client-patient relationship.
- 3. Product availability intended through licensed veterinarians (only).
- 4. Kills fleas that may cause disease, including bartonellosis and transmit tapeworms.
- 5. If there is a high risk of re-infestation or if the pet has fleas, once monthly application is recommended
- 6. Kills fleas that may cause (flea allergy dermatitis) (FAD).
- 7. If there is a high risk of re-infestation or if the pet has fleas which may cause (flea allergy dermatitis) (FAD), once monthly application is recommended.
- 8. (Alternate or brand name) kills fleas that may cause anemia.
- 9. (Alternate or brand name) kills fleas that may transmit tapeworms.
- 10. The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with (alternate or brand name) kills fleas
- 11. For the (prevention)(and)(treatment) of flea infestations on dogs (and/or) (puppies) for (four)(4)(weeks) (one)(1)(month)
- 12. (Prevents) (and) (protects) against (re-)infestation (of fleas) for (four)(4)(weeks)
- 13. (Prevents) (and) (protects) against (re-)infestation (of fleas) for (one)(1)(month
- 14. One treatment prevents flea infestations (on dogs) (and/or) (puppy) for (four)(4)(weeks)
- 15. One treatment prevents flea infestations (on dogs) (and/or) (puppies) for (one)(1)(month)
- 16. Protects (your dog) (and/or) (puppy) from fleas for (four)(4)(weeks)
 - 17. Protects (your dog) (and/or) (puppy) from fleas for (one)(1)(month)
 - 18. Monthly treatment (recommended) for optimal (control)(and)(prevention)(of fleas)(on your)(dog)(and/or)(puppy)
 - 19. Effective monthly (control) (prevention)(and)(treatment) of fleas (on dogs) (and/or) (puppies)
 - 20. Flea (control) (prevention)(and)(treatment) formulated for (dogs)(and)(puppies)
 - 21. (Controls)(Treatment against)(Protects against) (blood-feeding) (by) fleas
 - 22. Monthly treatments are (recommended) for optimal (control) (and) (prevention) of flea(s) (infestations)
 - 23. Prevents and controls re-infestations
 - 24. For optimum treatment, control and prevention of adult year round treatment is recommended.
 - 25. Prevents larval development
 - 26. Larval flea stages in (the pet's) (your dog's) surroundings are killed following contact with (alternate or brand name) treated pet.

FRONT PANEL AND/OR SIDE PANEL CLAIMS (cont'd)

- 27. Water-resistant
- 28. Waterproof
- 29. (Alternate or brand name) (This product) Remains effective even after (bathing) (water immersion), (or) (exposure to rain) (or) (sunlight)
- 30. (Alternate or brand name)(This product) Remains effective after (bathing) (and) (or) (swimming)
- 31. (Alternate or brand name)(This product) remains efficacious following (a) (shampoo treatment) (swimming) (and) (or) (exposure to rain) (or) (sunlight).

ALTERNATE MARKETING TEXT

- 1. Indoxacarb is (a new) (an) active ingredient from a (new) chemical class being introduced (globally) (world wide) for flea control. [claim can only be used for 6 months from date of initial distribution]
- 2. Once-A-Month Topical Flea (Treatment) (Prevention) (Control) for (dogs) (and) (puppies)
- 3. Once-A-Month Topical Flea (Treatment) (Prevention) (Control) for (dogs) (and) (puppies) 8 weeks and older and weighing more than 8 lb.
- 4. (Once) monthly (a month) application (treatment) (for)(dogs) (and) (puppies)
- 5. (Reapplication at monthly intervals) (Monthly reapplications) may be appropriate depending upon (the level of flea challenge) (and) (animal sensitivities) (i.e., flea allergy dermatitis).
- 6. X applicators
- 7. X monthly doses (applications)(treatments)
- 8. Quick drying (non-greasy)
- 9. Long Lasting (Fast Acting) for up to 1 month (30 days)
- 10. (Effective) Long-lasting protection for up to 1 month (30 days).
- 11. Easy to apply (spot-on) (topical) (application)(treatment)
- 12. Convenient (to use)(monthly use)(monthly treatment)
- 13. Easy (Convenient) to apply
- 14. Easy (spot on) (to use) application
- 15. (Convenient) (Single) (Spot) application
- 16. No (noticeable) odor.
- 17. Fragrance free
- 18. Formulated for dogs (and) (puppies) 8 weeks and older and weighing more than 8 lb.
- 19. Formulated for dogs (and) (puppies) over 8 weeks old and weighing more than 8 lb.
- 20. Monthly use breaks the flea life cycle
- 21. Questions (or) (comments) call (1-800-Tel. Number)(or)(Tel. No.)
- 22. For more information call (1-800- Tel. Number) (or Tel. No.)
- 23. For emergencies call (1-800- Tel. Number) (or) (Tel. No.)-same as above
- 24. If you have any questions, call Intervet Inc. Technical Services at (1-800- Tel. Number)(or) (Tel. No.)
- 25. (Manufacturer) (Satisfaction) Guaranteed or your money back.

⁽⁾ Bracket text allows for alternative presentations of the same claim.

ALTERNATE MARKETING TEXT (cont'd)

- 26. Recommended year round (control) (treatment)(prevention) (against fleas)
- 27. Proven (control)(treatment)(prevention) for flea infestations
- 28. New (for first 6-months only)
- 29. New formula for your (dog) (and) (or) (puppy) (for first 6-months only)
- 30. Protects (your) (dog) (and) (or) (puppy) for (1 month)(one month)(a month)
- 31. (Alternate or brand name)(This product)(It) may also be used to (control) (prevent) infestation on flea-free (dogs) (and) (or) (puppies) 8 weeks (of age) or older and weighing more than 8 lb., taken into a flea-contaminated environment.
- 32. Flea control for today's flea challenges
- 33. Indoxacarb is from the chemical class of oxadiazine insecticides
- 34. Excellent flea mortality
- 35. Pesticidal
- 36. (Indoxacarb is a)Voltage-dependent sodium channel blocker
- 37. Indoxacarb (the active) (in brand name) (in this product) blocks the channels that regulate the flow of sodium through the insect's nervous system.
- 38. (Convenient) (Single) (Spot) application that provides (control)(treatment)(protection) (of)(from)existing (flea)(infestations)
- 39. Protects against reinfestation(s) (of) (fleas) (on) (your) (dog) (puppy)
- 40. When used monthly (alternate or brand name) (this product) breaks the flea life cycle.
- 41. (Alternate or brand name) (This product) can be used on puppies at least 8 weeks of age.
- 42. Water-resistant
- 43. Waterproof
- 44. (Alternate or brand name)(This product) Remains effective even after (bathing) (water immersion), (or) (exposure to rain) (or) (sunlight)
- 45. (Alternate or brand name)(This product) Remains effective after (bathing) (and) (or) (swimming)
- 46. (Alternate or brand name)(This product) remains efficacious following (a) (shampoo treatment) (swimming) (and) (or) (exposure to rain) (or) (sunlight).

⁽⁾ Bracket text allows for alternative presentations of the same claim.

Updated VERSION 1.2

DATE: 6/29/2010 1 Page 11 of 11

NEXT DOSE STICKERS/ TREATMENT REMINDER (prototype)

Use these handy stickers to help remember when your pet's next dose is due. When you use the last tube in this package, consult your veterinarian and order more (product) (alternate or brand name), if needed.

Attach these (stickers) (reminders) to your (wall) (desk) calendar (daily planner) on the days the first dose is to be given, and on the same date for each of the remaining months.

Alternate text


It may be hard to remember when your (dog's) (and/or) (puppy's) next dose is due. The following has been developed as a tool to help you keep track of every dose. When you use the last tube in this package, consult your veterinarian and order more (product) (alternate or brand name), if needed.

Attach these (stickers) (reminders) to your (wall) (desk) calendar (daily planner) on the days the first dose is to be given.

Place another (sticker) (reminder) on the same date for the remaining months.

STICKER PROTOTYPE:

Picture of dog may vary. Up to 12 sticker count consistent with package



CARD Prototype:

PET'S NAME	
PRODUCT: (preprinted alternate brand name)	
DATE OF 1 st APPLICATION:	
DATE OF 2 nd APPLICATION:	
DATE OF 3 rd APPLICATION	

⁽⁾ Bracket text allows for alternative presentations of the same claim.