

MAY 10 1996

Reckitt and Colman  
 225 Summit Avenue  
 Montvale, N.J. 07645-1575

Subject: Lysol Brand Foaming Disinfectant Basin Tub, and Tile  
 Cleaner II  
 EPA Registration No. 777-71  
 Your Letter Dated November 17, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to comply with the Agency's letter dated December 12, 1994, is acceptable provided that you make the labeling change listed below before you release the product for shipment bearing the amended label.

1. On the back panel, under the heading "ALTERNATE LANGUAGE FOR SIZES MAKING MEDICAL CLAIMS" change "... disinfects nonporous washable bathroom (rest room) surfaces ..." to read "... disinfects hard, nonporous washable bathroom (rest room) surfaces ...", "... noncritical nonporous surfaces ..." to read "... noncritical hard, nonporous surfaces ...", and "... hard environmental surfaces" to read "hard, nonporous environmental surfaces".

A stamped copy of the labeling is enclosed for your records. Submit five (1) copies of the final printed label prior to release of the product for shipment.

If you have any questions concerning this letter, please contact Martha Terry at (703) 305-6982.

Sincerely,



Marion J. Johnson, Jr.  
 Product Manager (31)  
 Antimicrobial Program Branch  
 Registration Division (7505C)

Enclosure

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

2075

FRONT PANEL

LYSOL® BRAND FOAMING DISINFECTANT  
BASIN TUB & TILE CLEANER II

Cleans and Shines  
Fresh Clean Scent  
Deep Down Clean!  
Tough on Soap Scum  
Disinfects as it Cleans  
Part of Your Infection Control Program  
24 Oz. Economy Size

Contains no CFC's or other ozone depleting substances.  
Federal regulations prohibit CFC propellants in aerosols.

Active Ingredients:      Octyl Decyl Dimethyl Ammonium Chloride...0.050%  
                                  Dioctyl Dimethyl Ammonium Chloride.....0.025%  
                                  Didecyl Dimethyl Ammonium Chloride.....0.025%  
Inert Ingredients:\*.....99.900%  
\*Includes detergents and other grease cutting agents

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
See back panel for additional precautionary statements

Net Wt. 17 oz. (1 lb. 1 oz.) 482 g.  
Net Wt. 24 oz. (1 lb. 8 oz.) 680 g.  
Net Wt. 21.25 oz. (1 lb. 5.25 oz.) 602 g.

ACQUIRED  
with COMMENTS  
in EPA Letter Dated

MAY 10 1996

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

777-71

BACK PANEL

Lysol® Brand Foaming Disinfectant Basin Tub & Tile Cleaner II

LYSOL® Brand Foaming Disinfectant Basin Tub & Tile Cleaner II meets AOAC efficacy standards for hospital aerosol disinfectants. Effective against Salmonella choleraesuis, Staphylococcus aureus and Pseudomonas aeruginosa (in 10 minutes).

Tuberculocidal. Kills Mycobacterium tuberculosis var bovis after 40 minutes at 20°C (68°F) on inanimate surfaces.

Effective. Cleans, shines and disinfects washable bathroom (restroom) surfaces and fixtures around the home, in schools and other public places.

ALTERNATE LANGUAGE FOR STATES MAKING MEDICAL DEVICE CLAIMS:

Cleans, shines and disinfects nonporous washable bathroom (rest room) surfaces and fixtures around the home, in schools, hospitals, and other public places, in the dental office, and in other health care facilities, for example, medical lamps, stands, patient bed frames, bedside tables, wheelchairs and other similar equipment. Use this product to both clean and disinfect noncritical nonporous surfaces in all health care facilities including dental and physician offices. Satisfies infection control practices for removing blood and other potentially infectious material and decontaminating hard, environmental surfaces.

Convenient. Just spray on to clean and wipe off. No scrubbing or rinsing. Even sprays upside down.

Does not harm most bathroom (rest room) surfaces. Contains no abrasives, harsh acids, or bleach. Great (Use) on modern washable surfaces such as fiberglass, porcelain, stainless steel, synthetic marble, tile, plastic and vinyl. For other surfaces, spot test in an inconspicuous area.

with COMMENTS  
in EPA Letter Dated



Shower Doors  
or Curtains



Tubs and Tile



Vanity Tops,  
Sinks & Chrome

MAY 10 1996

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
to amend for the pesticide  
registered under EPA Reg. No.  
777-71

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

BACK PANEL CONTINUED

For cleaning: Shake well before using. Point button to mark on rim. Hold can 6 to 8 inches from surface to be cleaned. Press button and cover area lightly with white foam. After a few seconds, wipe off with clean cloth or sponge. For stubborn stains or heavily soiled areas, allow foam to remain longer on surface before wiping.

GERMICIDAL - VIRUCIDAL\* - FUNGICIDAL - TUBERCULOCIDAL

\*For disinfecting, killing (effective against) Trichophyton mentagrophytes (athlete's foot fungus), dangerous Staphylococcus aureus and Streptococcus faecalis germs, Pseudomonas aeruginosa, Influenza A<sub>2</sub> (Japan), Poliovirus Type 1, Rhinovirus Type 39, Respiratory Syncytial Virus, Rotavirus, Herpes Simplex Type 1 and Type 2, and Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) on hard nonporous surfaces: If surfaces are extremely dirty, follow cleaning directions first, then spray on surface until thoroughly covered with foam. Leave for 10 minutes. Wipe with damp cloth or sponge.

To kill Mycobacterium tuberculosis var bovis, spray on precleaned surface until thoroughly covered with foam. Leave for 40 minutes. Wipe with damp cloth or sponge.

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (AIDS Virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus (HIV-1) (associated with AIDS).

RECEIVED  
MAY 10 1996  
Environmental Health  
and Hazardous Waste  
Division  
777-71e  
EPA 1205-10

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns masks, or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of LYSOL® Brand Foaming Disinfectant Basin Tub & Tile Cleaner II.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For mold and mildew control on nonporous surfaces: To control mold and mildew, spray on surface until thoroughly covered with foam. Let stand 3 minutes. Wipe with damp cloth or sponge. Reapply as necessary.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

Caution: May cause eye irritation. Avoid contact with eyes or skin. Keep out of reach of children.

Statement of Practical Treatment: In case of eye contact, IMMEDIATELY flush eyes thoroughly with water, remove any contact lenses, and continue to flush eyes with plenty of water for at least 15 minutes. Consult a physician if irritation persists.

