

<< Front Panel >>

ACTIVE INGREDIENT:

Hydrogen Chloride	9.50%
OTHER INGREDIENTS:	<u>90.50%</u>
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER: CORROSIVE. See back (side) panel for additional precautionary statements. Harmful or fatal if swallowed.


NET CONTENTS:	16 FL. OZ. (1 PT.)	473 mL
	22 FL. OZ. (1 PT. 6 FL. OZ.)	650 mL
	24 FL. OZ. (1 PT. 8 FL. OZ.)	709 mL
	32 FL. OZ. (1 QT.)	946 mL
	40 FL. OZ. (1 QT. 8 FL. OZ.)	1.18 L

(4) 32 FL. OZ. (1 QT.)	946 mL	TOTAL: 1 GAL. (4 QT.)	3.79 L
(6) 32 FL. OZ. (1 QT.)	946 mL	TOTAL: 1.5 GAL (6 QTS.)	5.68 L
(4) 40 FL. OZ. (1 QT. 8 FL. OZ.)	1.18 L	TOTAL: 1.25 GAL. (5 QTS.)	4.73 L
(6) 40 FL. OZ. (1 QT. 8 FL. OZ.)	1.18 L	TOTAL: 1.87 GAL. (7.48 QTS.)	7.08 L

<< Front or Back Panel >>

(Registered by EPA) (EPA Registered)
 EPA Reg. No.: 777-81
 EPA Est. No.: 777-NJ-2
 777-OH-1
 55179-IN-1

See bottom or side (for Lot / Date code)



<< Back Panel >>

Questions? Comments? Call: (1-800-228-4722) (1-800-677-9218)
 (or) Visit us at (www.lysol.com) (www.reckittprofessional.com)
 Made in U.S.A. © RBI (year)
 Distributed by: Reckitt Benckiser Inc., Parsippany, NJ 07054 (-xxxx)
 Contains no phosphates (Phosphate free)
 This (bottle) (container) is made of x% post-consumer recycled plastic.

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under EPA Reg. No. 777-81

<< Back Panel – Optional text >>

Monday – Friday, 8:45 a.m. – 4:30 p.m. (Eastern time)
 Consumer Commodity ORM-D
 Important facts (about this product)
 Encourage your state and local authorities to establish a program to recycle this (bottle) (container).
 Recycle Symbol

<< Back Panel – Optional text - PROFESSIONAL USE products only >>

Company Logo (Reckitt Benckiser Professional)
 NSF Logo (NSF Listed # 123496)
 An important part of a comprehensive infection control program
 Part of an infection control program

Professional Lysol® Brand Disinfectant Toilet Bowl Cleaner is a part of a system of infection control products provided by Reckitt Benckiser Inc. Now, more than ever, infection control is a major concern of yours, your staff and patients. We invite you to call us at (1-800-228-4722) (1-800-677-9218), Monday through Friday, 8:45 a.m. to 4:30 p.m. Eastern time if you have any questions or comments on our products.

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
 The term "this product" used throughout this document may be replaced with the marketed product brand name.
 To use the term "germ*" the product must be efficacious against 2 of the 3 major classes of organisms.
 The product label must identify the specific bacteria*, virus*, fungus* & mold*.

2 7 11

<< FRONT or BACK PANEL CLAIMS - use as bullet point or in paragraph format >>

<< INTRODUCTORY 6-mos. CLAIMS >> (New) (Improved) (Formula) (Angle neck bottle) (Cap) (Fragrance)
(Pack) (Package) (Scent) (Size)

<< PACKAGING CLAIMS >>

(4 PACK) (6 PACK) (Value Pack)
(Bonus 50%) (50% Free) (16 oz for Free) (32 oz for the price of 16 oz)
(Bonus 40%) (40% Free) (16 oz for Free) (40 oz for the price of 24 oz)
(Bonus 33%) (33% Free) (8 oz for Free) (32 oz for the price of 24 oz) (24 oz for the price of 16 oz)
(Bonus 25%) (25% Free) (8 oz for Free) (40 oz for the price of 32 oz)

Best value bottle
Better bottle
Better squirting than before
Buy me again
Click & Close (Indicator)
Click stop – audible close
Contains up to x uses
Convenient cap
Designed for (more) (better) dispensing
Easy grip bottle
Easy to close
Easy to reach under the rim
(Easy) (Easier) to squeeze cap
Easy to use (bottle)
Environmental friendly: Entire bottle can be recycled
Ergonomic bottle grip
Helps reach under the rim
Less time to open – more time to clean
Long (angle) neck bottle (reaches under the rim)
No slip grip
Non-drip (Less drip)
Non-removable cap
Open / Close indicator in contrasting colors – let's you know if the bottle is open / closed
Quicker to open
Removable cap
Repurchase time
Senior friendly cap
Senior tested cap
Shopping time
Specially designed angle neck – gets all the way up under the rim
Specially designed neck makes it easy to clean under the rim
Time to buy (a new Lysol toilet bowl cleaner)
Time to replace
Twist and go cap
(Unique) Angle neck bottle (for hard to reach areas) (reaches under the rim)

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ*" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus*, fungus* & mold*.

3 8 11

<< MARKETING CLAIMS >>

(Antibacterial) (Antibacterial Action) (Antimicrobial) (Antiviral) (Bactericidal) (Bactericide) (Disinfectant) (Germicidal) (Sanitizer) (Virucidal¹)

(Completely) (Easily) (Effectively) (Quickly) (Thoroughly) (Cleans) (Shines) (Whitens)

(Cleans) (Deodorizes) (Disinfects) (Sanitizes)

(Fast / Easy / Effective) (Toilet Bowl Cleaner) (Toilet Bowl Disinfectant)

(Clean) (Fragrance) (Fresh) (Minty) (Pleasant) (Spearmint) (Wintergreen) (Scent)

(Deep cleaning) (Bowl & Beyond) (Easy to use) (Non-abrasive) (Rust destroying) (Thick) (Tough stain) Formula

(Breaks down) (Cleans) (Cleans away) (Destroys) (Dissolves) (Easily) (Penetrates) (Quickly) (Removes) (Stubborn) (Tough) (Hard Water) (Lime Scale) (Mineral) (Rust) (Stains) (Deposits)

(Maximum) (Power) (Protection) (Strength) (Cleaner) (Cleaning)

Dual Action Toilet Bowl Cleaner

2-in-1: Cleans, Disinfects

Triple Action: Cleans, Disinfects, Deodorizes

3-in-1 (Formula): (Cleans, Disinfects, Deodorizes) (Cleans, Disinfects, Refreshens) (Cleans, Disinfects, Removes Stains)

4-in-1: Cleans, Disinfects, Deodorizes, Sanitizes

Accepted for hospital disinfection

Confidence of Lysol[®]

Depend-a-bowl toilet bowl cleaner

Gives your bowl the Lysol[®] clean you trust

Go beyond clean

Great for everyday (cleaning) (deodorizing) (disinfecting) (and) (sanitizing)

Home and hospital disinfectant toilet bowl cleaner

Hospital disinfectant

Hospital toilet bowl cleaner

Keep your toilet looking new

Meets (AOAC Use-dilution Efficacy test) standards for hospital (disinfectants) (toilet bowl cleaners)

Quality household disinfection

Quick and easy

Recommended by 10/12 hospitals

The clean you trust

The confidence you get from the Lysol[®] name

The right tool for a nasty job

Trusted toilet disinfection

Use in conjunction with other Lysol[®] products for a clean bathroom

Used by (hospitals) (professionals)

Used (Recommended) by pediatricians

Efficacy tests have demonstrated that Lysol[®] Brand Disinfectant Toilet Bowl Cleaner is effective as a one-step toilet bowl cleaner and disinfectant in the presence of organic soil (5% blood serum).

Lysol[®] Brand Disinfectant Toilet Bowl Cleaner's thick formula coats above and below the waterline. This coating action provides longer contact time to help dissolve tough rust stains and mineral deposits (on contact) to make cleaning easier.

This product contains no phosphates and is germicidal when used as directed but differs in composition from other Lysol[®] Brand products.

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ***" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus* & fungus* & mold*.

4 8 11

<< PERFORMANCE CLAIMS >>

Clings to the bowl to stay where the germs are
Coating action above and below the waterline provides extended contact time.
Coats the bowl above and below the waterline
Coats the bowl to stay in contact longer
Coats the bowl to stay where the germs are
Designed to (remove) (penetrate) (destroy) (dissolve) tough (stubborn) {insert soils}
Designed to (remove) (penetrate) (destroy) (dissolve) the toughest {insert soils}
For better results use at least (once) (twice) a week
Formulated especially for hard water mineral deposits, limescale and rust
Hard water formulation
Helps keep water flow optimal
Leaves toilet sparkling clean and disinfected
No hard scrubbing
Rinses away easily
Specially designed for hard water problems
Specially designed for hard water (stains) (areas)
Specially designed for the removal of rust stains and mineral deposits
Specially designed to breakdown stains and mineral deposits
Specially designed to clean the toilet
Specially designed to (remove) (penetrate) (destroy) (dissolve) the toughest {insert soils}
Specially designed to (remove) (penetrate) (destroy) (dissolve) tough (stubborn) {insert soils}
Specially formulated to (remove) (penetrate) (destroy) (eliminate) {insert soils}
Special rust formula makes stain and mineral deposits easy to remove
Thick coating formula for prolonged contact time
Thick formula adheres to stains for better cleaning
Thick formula coats the entire bowl
Thick formula that cleans, deodorizes, disinfects and sanitizes
Thick liquid coats bowl for better cleaning
Thick liquid sticks to stains
Thick clinging action
Whitens and brightens toilet bowl
Won't (Will not) stain the bowl
Works best in hard water areas
Works best on hard water stains

<< USAGE CLAIMS >>

A great toilet bowl disinfectant and sanitizer for use in {insert site}
An effective (disinfectant) (sanitizer) for use in {insert surface}
Can be used in white and colored bowls
For use as a toilet bowl (cleaner) (deodorizer) (disinfectant) (sanitizer) found in {insert site}
For use in {insert site}
For use in {insert surface} as a cleaner, disinfectant and sanitizer found in {insert site}
Good on American and European toilets
Great for use as a toilet bowl (cleaner,) (deodorizer) (disinfectant) (and) (sanitizer) in {insert site}
Lysol® Brand Disinfectant Toilet Bowl Cleaner is recommended for use in {insert surface}
Recommended for use in {insert site}
Recommended usage: twice daily to maintain a clean toilet

<< INSERT >>

Use Sites: (Clinics) (Day Care Centers) (Dental Offices) (Doctor Offices) (Health Care Facilities)
(Homes) (Households) (Hospitals) (Hotels / Motels) (Infirmaries) (Institutions) (Laboratories)
(Nursing Homes) (Office Buildings) (Physician's Offices) (Restaurants) (Schools)

Use Surfaces: (Vitreous china) (Porcelain) (toilets) (bidets) (urinals)

Soils: (rust) (lime scale) (hard water) (mineral) (build-up) (stains) (deposits)

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus*, fungus* & mold*.

5 8 11

<< CLEANING CLAIMS >>

A professional strength toilet bowl cleaner
All the power you need to clean your toilet bowl
An efficient way to clean your bowl
Breaks down stains without brushing or scrubbing
Brightens as it cleans
Cleans above and below the waterline
Cleans above, below and beyond the waterline
Cleans and disinfects above and below the waterline
Cleans away everyday dirt and grime
Cleans to a shiny finish
Contains Hydrogen Chloride to remove rust and lime scale
Deep Down Clean
Designed to clean under the rim
Destroys (Dissolves) toilet bowl rings
Destroys tough stains
Dissolves stains right before your eyes
Dissolves the toughest hard water deposits
Dissolves tough rust stains and mineral deposits (but will not harm porcelain)
Dissolves tough rust and mineral stains
Easily breaks down stains without (heavy) (hard) brushing or scrubbing
Easy under-the-rim cleaning
Extra strength cleaner
Fast acting formula
Fast-acting toilet bowl cleaner
For a bright (shiny) (white) (clean) toilet bowl
For a super-clean toilet
For a thoroughly clean toilet bowl surface
For an absolutely clean toilet bowl surface
For an ultra-clean toilet
For hard water (stains) (areas)
Frequent use prevents rust build-up (lime scale) (mineral stains)
Hard water cleaning formula
Hard water cleaner
Heavy-duty cleaner
Heavy-duty cleaning (formula)
High strength cleaning for your toilet bowl and beyond
Hospital strength cleaning
Hospital strength toilet bowl cleaning
Instant action cleaner
Leaves (your) toilet bowl sanitary
Make your bowl look like you clean it everyday (even though you don't)
Maximum power (cleaner) (cleaning)
Mineral dissolving action
Penetrates (dissolves) even the toughest stains
Powerful cleaner
Powerful cleaning (formula)
Powerful cleaner (for the toilet bowl)
Powerful stain (fighting) (fighter)
Powers out rust (lime scale) (mineral) stains
Prevents the build-up of {insert soils} in the 'S' bend and pipes when used regularly to help water flow optimally
Quickly removes {insert soils}
Removes {insert soils} through the 'S' bend (and pipes)
Removes stains fast with less work
Removes tough rust and mineral stains
Removes (tough) rust (stains)
Removes tough stains
Stain grabbing power
Starts to remove stains on contact

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus*, fungus* & mold*.

<< CLEANING CLAIMS continued >>

Strong enough for the dirtiest toilet bowl
Strong enough to clean the dirtiest toilet bowl
The professional strength cleaning power leaves the bowl sanitary
Tough cleaning power
Use daily to prevent build-up of (lime scale) (rust) stains
Use regularly to help prevent (build-up of) {insert soils}
Use regularly to maintain a clean, fresh and shiny toilet bowl (even under the rim)
Watch stains disappear right before your eyes

<< DEODORIZING CLAIMS >>

Controls odors at their source
Controls odors caused by bacteria*
Controls toilet odors caused by bacteria
Deodorizes by killing bacteria* that cause odors
Deodorizes with a fresh, clean scent
Eliminates (Controls) (Kills) the bacteria* that cause (bad) (unpleasant) odors (at the source)
Eliminates odors at their source caused by bacteria*
Eliminates odors caused by bacteria*
Helps to destroy odors
Kills odors
Kills the bacteria* that cause bad odors
Removes odors
Removes offensive odors from toilets
Reduces odor-causing bacteria*
Reduces odor-causing bacteria* above and below the waterline
Reduces odor-causing bacteria* in toilets

<< SANITIZING CLAIMS (Hard non-porous, non-food contact surface) >>

<< front / back panel claim >>

Kills bacteria in seconds***
Kills 99.9% of bacteria in seconds***
Kills 99.9% of bacteria commonly found in toilets in 30 seconds***
Kills 99.9% of common bacteria***
Kills 99.9% of (household) bacteria***
Kills 99.9% of (household) bacteria in 30 seconds***
Kills 99.9% of (household) bacteria in 30 seconds above the waterline***
Leaves your toilet bowl sanitized
Sanitizes toilet surfaces in 30 seconds***

<< back panel sanitization qualifier >>

***Kills 99.9% of (Enterobacter aerogenes) (Escherichia coli 0157:H7) (Staphylococcus aureus)
inside the toilet above the waterline in 30 seconds.

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ***" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus*, fungus* & mold*.

<< DISINFECTING CLAIMS >>

Cleans and disinfects the bowl and beyond
Cleans as it disinfects
Disinfects above and below the waterline
Disinfects and breaks down stains
Disinfects and deodorizes by killing common bathroom germs**
Disinfects and sanitizes toilets, (bidets) (and) urinals
Disinfects beyond the bowl (and) (in the mouth trap)
Disinfects in 10 minutes
Disinfects in hard to reach areas
Disinfects, sanitizes and deodorizes by killing common (household) germs** and controlling their odors
Disinfects the bowl and beyond (in the mouth trap) (where you can't see)
Disinfects the bowl (and in the mouth trap)
Disinfects the toilet bowl as it cleans
Disinfects where you can't see (under the rim)
Easily and effectively disinfects toilet bowls (and urinals)
Gives you (full) (complete) (total) disinfection inside the toilet
Helps reduce germs** by killing bacteria and viruses found in the toilet
It clings to the surface to kill germs** and clean tough stains
Kills bacteria*
Kills (99.9% of) Germs**
Kills (99.9% of) germs above and below the waterline**
Kills (99.9% of) germs beyond the bowl in the mouth trap**
Kills (99.9% of) germs in hard to reach areas**
Kills (99.9% of) germs in the bowl and beyond (in the mouth trap)**
Kills (99.9% of) germs in the bowl and in the mouth trap where you can't see**
Kills (99.9% of) germs in the bowl and the mouth trap**
Kills (99.9% of) germs where you can't see**
Kills Germs**
Kills germs without the harshness of bleach**
Kills household Germs**
Kills (household) (bathroom) (bacteria*) (viruses†) (germs**) in the toilet
Kills most common germs**
Kills odor causing bacteria*
Kills Rotavirus WA (a leading cause of children's diarrhea) in 30 seconds
Kills the germs** (you know are there but) (you) can't see
Kills the following (bacteria*) (viruses†) (germs**): {insert organisms}
Kills viruses† and bacteria
May help prevent (germs**) (bacteria*) (viruses†) from spreading throughout the home
May help keep (germs**) (bacteria*) (viruses†) from spreading throughout the home
Penetrates to (kill) (eliminate) and destroy tough (stains) and bacteria*
Proven to kill: {insert organisms}
Starts killing 99.9% of germs on contact**
Starts to kill 99.9% of germs on contact**
This product is (Bactericidal*) (Virucidal†) in killing: {insert organisms}
Total disinfection for inside your toilet (above and below the waterline)
Use daily to ensure maximum protection against {insert organisms}

<< back panel disinfection qualifier >>

- * Kills: (Enterococcus faecalis) (Escherichia coli) (Klebsiella pneumoniae) (Pseudomonas aeruginosa) (Salmonella (choleraesuis) enterica) (Shigella dysenteriae) (Staphylococcus aureus)
- ** Kills: (Enterococcus faecalis) (Escherichia coli) (Klebsiella pneumoniae) (Pseudomonas aeruginosa) (Salmonella (choleraesuis) enterica) (Shigella dysenteriae) (Staphylococcus aureus) and (Hepatitis A) (Human Immunodeficiency Virus Type 1 [HIV-1] [AIDS Virus]) (Poliovirus Type 1) (Rotavirus WA)
- † Kills: (Hepatitis A) (Human Immunodeficiency Virus Type 1 [HIV-1] [AIDS Virus]) (Poliovirus Type 1) (Rotavirus WA)

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ**" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus*, fungus* & mold*.

8 7 11

<< USE DIRECTIONS >>

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using product.

<< OPENING INSTRUCTIONS – back panel >>

To Open Child Resistant Cap: Hold bottle firmly with one hand on a flat surface. With other hand, while pushing down on top of cap, turn cap counterclockwise. **Avoid squeezing bottle when opening.** To reseal, twist cap clockwise until tightly closed.

To Open Child Resistant Cap: Hold bottle firmly with one hand on a flat surface. With other hand, squeeze sides of cap where indicated while turning counterclockwise. **Avoid squeezing bottle when opening.** To reseal, twist cap clockwise until tightly closed.

To Open Child Resistant Cap: Hold cap firmly with one hand. **Avoid squeezing bottle when opening.** With other hand, use thumbnail or edge of coin to push the last ridge on the blue spout towards the back of the cap. Lift spout to full upright position.

<< Non-removable cap >>


To Open Child Resistant Cap: Hold bottle firmly with one hand. **DO NOT SQUEEZE BOTTLE WHEN OPENING.** With other hand:
1. Place fingers on marked ridges on opposite sides of cap.
2. Squeeze cap firmly and turn counterclockwise until it stops. **Do not remove cap.**
3. To reseal, squeeze cap again and turn clockwise until tightly closed.

<< Removable cap >>

To Remove Child Resistant Cap: Hold bottle firmly with one hand. **DO NOT SQUEEZE BOTTLE WHEN OPENING.** With other hand:
1. Place fingers on marked finger pads on opposite sides of cap.
2. Squeeze cap firmly and turn counterclockwise to unscrew.
3. Remove cap. 4. To reseal, replace cap and turn clockwise until tightly closed.

<< Optional Side panel pictograms - can only be used in conjunction with required back panel instructions >>

<< Non-removable >>



<< Removable – 1 >>



<< Removable – 2 >>



<< Pictogram text >>

To Open Child Resistant Cap:
1. Place fingers on marked cap ridges.
2. Squeeze cap firmly and turn counterclockwise until it stops. **Do not remove cap**
3. To reseal, squeeze cap again and turn clockwise.

To Remove Child Resistant Cap:
1. Place fingers on marked cap finger pads.
2. Squeeze cap firmly and turn counterclockwise to unscrew.
3. Remove cap.
4. To reseal, replace cap and turn clockwise.

To Remove Child Resistant Cap:
1. Place fingers on marked cap finger pads.
2. Squeeze cap firmly and turn counterclockwise to unscrew.
3. Remove cap.
4. To reseal, replace cap and turn clockwise.
DO NOT squeeze bottle when opening.

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria, virus, fungus & mold.

<< CLEANING / DISINFECTING / SANITIZING – hard non-porous surfaces & non-porous, non-food contact surfaces >>

To Clean and Disinfect follow these easy steps:

1. Flush first and remove excess dirt and grime before cleaning and disinfecting.
2. Wet all surfaces of bowl interior, including sides of bowl and under the rim, with at least 4 oz. of liquid [squeeze bottle approximately 15 seconds]. (Replace cap securely.)
3. Let soak for at least 10 minutes. **Do not close toilet bowl lid.**
4. Brush entire bowl thoroughly with a bowl brush and flush.
5. Rinse brush in fresh water after use.

To Remove Tough Stains: Apply a generous amount of liquid directly onto the tough stains. For severe rust stains, if possible, remove water from bowl before applying liquid. Let soak for 15 minutes. **Do not close toilet bowl lid.** Follow cleaning steps #4 and #5 above. Repeat if necessary.

To Clean, Disinfect / Sanitize: Raise toilet seat. Flush bowl and remove heavy soil by scrubbing with a stiff brush prior to (application of) (using) this product. Point top of bottle down into bowl. Squeeze (gently,) at least 4 oz. [squeeze approximately 15 seconds] of the thick formula under the rim and on the sides of the bowl, letting it run down into the water. **Do not close toilet bowl lid.**

Disinfect: Let stand for at least 10 minutes. **Sanitize:** Let stand for 30 seconds.

Brush entire bowl even under the rim and flush. Rinse brush in fresh bowl water after each use.

To Remove Tough Stains: Apply a generous amount of liquid directly onto the tough stains. For severe rust stains, if possible, remove water from bowl before applying liquid. Let soak for 15 minutes. **Do not close toilet bowl lid.** Brush entire bowl thoroughly with a bowl brush and flush. Rinse brush in fresh water after use. Repeat if necessary.

<< IMPORTANT: The following is required for professional use products making claims against HIV-1: >>

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 [HIV-1] [AIDS Virus] ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids; and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS].

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surface / object to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

<< ADVISORY STATEMENT – MUST BE INCLUDED >>

Lysol® Brand Disinfectant Toilet Bowl Cleaner has been specially formulated for use only in (vitreous china) (porcelain) toilet bowls (bidets) (and urinals). It should not be used or placed on toilet bowl lids, vanities, sinks, bathtubs, cabinets, countertops, rugs, etc. Clean up spills and drips immediately. **Do not use with chlorine bleach or any other chemical products.** Will not harm plumbing or septic systems. Fumes are corrosive to metal.

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germ" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus*, fungus* & mold*.

10 8 11

<< MICROORGANISMS - must be identified by genus & species. Abbreviations may be included in (parenthesis). >>

<< 10-min. Disinfection against Bacteria >>

Enterococcus (Streptococcus) faecalis	(leads to blood infections)
Escherichia coli (E. coli)	(a leading cause of diarrhea, vomiting, food poisoning and bloody diarrhea)
Klebsiella pneumoniae	(a leading cause of pneumonia and lung illnesses)
Pseudomonas aeruginosa (Pseudomonas)	(a leading cause of pneumonia and lung illnesses)
Salmonella (choleraesuis) enterica (Salmonella)	(a fecal / orally transmitted bacteria which may lead to food borne disease, food poisoning, diarrhea, dehydration, stomach cramps, fever and vomiting.)
Shigella dysenteriae	(a leading cause of bloody diarrhea, breaks down intestinal lining.)
Staphylococcus aureus (Staph)	(a leading cause of skin infections, boils, food poisoning, blood infections)

<< 10-min. Disinfection against Viruses >>

Hepatitis A	
Human Immunodeficiency Virus Type 1 [HIV-1] (tested in the presence of 10% fetal bovine serum)	(cause of AIDS virus)
Poliovirus Type 1	
Rotavirus WA	(a leading cause of infectious diarrhea in children)

<< 30-sec. Disinfection against Virus >>

Rotavirus WA	(a leading cause of infectious diarrhea in children)
--------------	--

<< 30-sec. Sanitization against Bacteria on hard, non-porous, non-food contact surfaces >>

Enterobacter aerogenes
Escherichia coli 0157:H7 (E. coli 0157:H7)
Staphylococcus aureus (Staph)

Symbol Designation – used on product labels:

Single asterisk (*)	bacteria*	used for identifying disinfection against specific bacteria.
Dagger (†)	viruses†	used for identifying disinfection against specific viruses.
Double asterisk (**)	germs**	used for identifying disinfection against specific bacteria and virus or fungi.
Triple asterisk (***)	sanitizes***	used for all claims of sanitization

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier].
The term "this product" used throughout this document may be replaced with the marketed product brand name.
To use the term "germs**" the product must be efficacious against 2 of the 3 major classes of organisms.
The product label must identify the specific bacteria*, virus*, fungus* & mold*.

11 7 11

<< PRECAUTIONARY / FIRST AID / STORAGE-DISPOSAL INSTRUCTIONS >>

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear protective eyewear [safety glasses / goggles]. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Do not breathe vapor or fumes. Keep out of reach of children. **Contains Hydrochloric Acid.**

NOTE: First Aid statement will not appear in "box" format for 16 & 24 oz. individual containers do to label constraint

FIRST AID	
If in Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a Poison Control Center or doctor for treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a Poison Control Center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none">• Call a Poison Control Center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the Poison Control Center or doctor.• Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a Poison Control Center or doctor for further treatment advice.
CONTACT NUMBER	
Questions? Comments or In case of an emergency call toll free (1-800-228-4722) (1-800-677-9218). Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

<< Storage and Disposal language – Household containers >>

STORAGE AND DISPOSAL: Store in original container out of reach of small children. Keep securely closed in a cool, well-ventilated area. Do not reuse empty container. Discard in trash.

<< Storage and Disposal language – Professional containers >>

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in cool, well-ventilated area, inaccessible to small children.

DISPOSAL: Do not reuse empty container. Rinse empty container thoroughly and discard in trash or recycle.

Note: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier]. The term "this product" used throughout this document may be replaced with the marketed product brand name. To use the term "germ" the product must be efficacious against 2 of the 3 major classes of organisms. The product label must identify the specific bacteria, virus, fungus & mold.