



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

May 12, 2006

Liane Jenkins
Registration & Regulatory Compliance Assoc.
Reckitt Benckiser, Inc.
Morris Corporate Center IV
399 Interpace Parkway
Parsippany, NJ 07054-0225

Subject: **Lysol Brand Disinfectant Concentrate**
EPA Registration No. 777-94
Application Date: April 3, 2006
Receipt Date: April 4, 2006

Dear Ms. Jenkins:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the following comment.

Proposed Amendments

- Revised labeling

General Comments:


On page 2 of 4, revise the statement to read: "Controls the spread of germs on treated non-porous surfaces throughout (the)(your) home."

A stamped copy of the accepted labeling is enclosed.

Other Comments:

Should you have any questions or comments concerning this letter, please contact me by telephone at (703) 308-6422 or email address at: heyward.adam@epa.gov, or Renae Whitaker by telephone at (703) 308-7003 or email address at: whitaker.renae@epa.gov.

Sincerely,


Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure: (Stamped Labeling)

LYSOL® BRAND DISINFECTANT CONCENTRATE

Use all around the house in areas such as Kitchens, Bathrooms, Mudrooms, Laundry rooms, Hallways and Basements

Original Scent™

Regular Scent

Antibacterial

Deodorizes

Virucidal*

Disinfects

Hospital Disinfectant

Concentrated: Makes 9 Gallons

PET Bottle is made from 100% Post-Consumer Recycled Plastic

ACCEPTED
with **COMMENTS**
EPA Letter Dated:

MAY 12 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide,
registered under EPA Reg. No.

777-94

Active Ingredients

o-Benzyl-p-chlorophenol 5.50%

Other Ingredients** 94.50%

Total 100.00%

**(Includes detergents and other grease cutting agents)

KEEP OUT OF REACH OF CHILDREN
DANGER

See Back Label (Panel) for Additional Precautionary Statements.

Net Wt. 5 FL. OZ. (147 ml)
12 FL. OZ. (354 ml)

NOTE: Bracketed [] information is optional text. Text separated by commas (,) denotes and/or options. The term "this product" used throughout this document may be replaced with the marketed product brand name

Front or Back Label

Kills Household Germs*

Lysol Brand Disinfectant Concentrate is a hospital disinfectant. It is a convenient and effective way to kill a wide variety of germs* including those that cause illness and odors.

On hard non-porous surfaces Lysol Brand Disinfectant Concentrate:

Kills both gram positive and gram-negative germs* including *Pseudomonas aeruginosa* (Kills *Pseudomonas* at 4 oz. (1/2 cup) per gallon dilution).

Kills *Staphylococcus aureus* (Staph) and *Salmonella choleraesuis* (*Salmonella*) germs.

Kills viruses: Influenza A2/Japan/305/57, Herpes Simplex type 1 (and) (&) 2.

Controls the spread of germs* on treated surfaces throughout (the) (your) home.

Disinfects –or- kills [common household] germs* and/or bacterial and/or viruses without bleaching.

Controls Household Odors: Lysol Brand Disinfectant Concentrate is the fast, easy effective way to deodorize and make your home sanitary.

Directions for Use:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Open Child Resistant Cap: Place bottle on a flat horizontal surface. With one hand, grasp bottle firmly near top. With other hand, while pushing down, turn cap counter-clockwise. AVOID SQUEEZING BOTTLE WHEN OPENING. To reseal, twist cap until tightly locked.

Directions: To disinfect/deodorize hard, non-porous surfaces, remove heavy soil first, then add 1.3 oz. (2.6 tbsp.) to one gallon of water and apply with a sponge or mop, wetting surfaces thoroughly. Let stand 10 minutes, then wipe away excess. Prepare a fresh bucket of solution every time you clean or more often if necessary.

For Hospital Disinfection: Add 4 ozs. (1/2 cup) to one gallon of water and apply with sponge or mop, wetting all surfaces thoroughly. Let stand 10 minutes, then wipe away excess. Prepare a fresh bucket of solution every time you clean or more often as necessary.

To clean and disinfect toilet bowl, flush first. Add 1 oz. (2 tbsp.) to bowl water. Brush all surfaces including under the rim. Let soak 10 minutes. Flush.

Use on:

Kitchens floors and counters, walls (painted) woodwork, glazed tile, glazed porcelain, linoleum, bathroom surfaces, exteriors of toilets, toilet bowls, floors, tiled floors, garbage cans, diaper pails, storage areas, pet areas, basements floors and walls, baby's room, sick rooms. Rinse surfaces which come in contact with food (such as) (kitchen counters) (highchair trays) (and) (other food contact surfaces) with potable water following treatment.

Bathroom:

Use Lysol Brand Disinfectant Concentrate to disinfect and deodorize your entire bathroom fixtures (and) (surfaces). Lysol Brand Disinfectant Concentrate disinfects and deodorizes the toilet bowl.

Laundry:

After filling the washer with water, add one cup of Lysol Brand Disinfectant Concentrate to each wash load for a sanitary laundry. Significantly reduces the malodors in the washing machine by cleaning washer tub often with the recommended Lysol dilution.

Nursery:

In the baby's room Lysol Brand Disinfectant Concentrate cleans and disinfects toys, cribs, changing table and highchair surfaces. Rinse surface with potable water. Lysol Brand Disinfectant Concentrate and deodorizes diaper pails.

All Around the House:

Use Lysol Brand Disinfectant Concentrate (daily), (as recommended) to clean and deodorize your entire house, kitchen floors, walls and woodwork.

Bacteria:

Staphylococcus aureus
Pseudomonas aeruginosa
Salmonella choleraesuis

***Viruses:**

Influenza type A2/Japan/305/57
Herpes Simplex 1 and 2

Precautionary Statements:

Hazards to Humans and Domestic Animals.

DANGER: Corrosive. Harmful if swallowed. Causes irreversible eye and skin burns. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid prolonged breathing vapour or mist.

FIRST AID	
If on Skin or Clothing	<ul style="list-style-type: none">• Remove contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a Poison Control Center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none">• Call a doctor or get medical attention immediately.• Do not induce vomiting or give anything by mouth to an unconscious person.• Drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink 1 or 2 glasses of water to dilute product.• Avoid alcohol. Get medical attention.
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

Storage and Disposal:

Store in original container in areas inaccessible to small children. Do not reuse empty container. Rinse bottle and put in trash.

Questions? Comments?

Call 1-800-228-4722

Distributed by:
Reckitt Benckiser Inc
Parsippany, NJ 07054
Made in USA (Made in Canada)
© RBI (year)

EPA Reg. No. 777-94
EPA Est. No. 777-NJ-2
066256-CN-001