

# 9/24/2013

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

SEP 2 4 2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Lisa Dreilinger, Ph.D Reckitt Benckiser Morris Corporate Center IV 399 Interpace Parkway Parsippany, NJ 07054-0225

Subject:

**BRACE** 

EPA Registration No.: 777-99 Application Date: 08/22/2013 Receipt Date: 08/23/2013

Dear Dr. Dreilinger:

The following amendment submitted in connection with registration under FIFRA, as amended, is acceptable.

## **Proposed Amendment**

Additional claims and minor text revisions

## **General Comments**

A stamped accepted label is enclosed for your records. This labeling supersedes all previous labeling. The next printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed label before selling or distributing the product bearing the revised labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling, or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and it's implementing regulation at 40 CFR 152.3.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at <a href="mailto:campbell.jacqueline@epa.gov">campbell.jacqueline@epa.gov</a> or Jaclyn Pyne by telephone at (703) 347-0213 or by e-mail at <a href="mailto:pyne.jaclyn@epa.gov">pyne.jaclyn@epa.gov</a>. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510P)

Amendment– dated September 19, 2013 Page 1 of 19

EPA Reg. No.: 777-99

#### << FRONT PANEL >>

ACTIVE	INGRED	IENTS:
--------	--------	--------

Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium saccharinate	0.10 %
Ethanol.	58.00 %
OTHER INGREDIENTS:	41.90 %
TOTAL:	100.00 %

## KEEP OUT OF REACH OF CHILDREN

CAUTION: See back (side) panel for additional precautionary statements.

NET WT.:	1.0 OZ. 1.5 OZ. 2 OZ. 3 OZ. 4 OZ. 5 OZ. 6 OZ.	(28 g) (42 g) (56 g) (85 g) (113 g) (141 g) (170 g)	7 OZ. 8 OZ. 9 OZ. 10 OZ. 12 OZ. 12 5 OZ. 13 OZ.	(198 g) (226 g) (255 g) (283 g) (340 g) (354 g) (368 g)	18 OZ. 19 OZ. 19.5 OZ. 20 OZ. 21 OZ. 22 OZ. 23 OZ. 24 OZ.	(1 LB. 2 OZ.) (1 LB. 3 OZ.) (1 LB. 3.5 OZ.) (1 LB. 4 OZ.) (1 LB. 5 OZ.) (1 LB. 6 OZ.) (1 LB. 7 OZ.) (1 LB. 8 OZ.)	(510 g) (538 g) (552 g) (566 g) (595 g) (623 g) (652 g) (680 g)
	3 x 19 O	Z. (1 LB. 3	OZ.) 538 g	TOTAL WT.:	57 OZ.	(3 LBS. 9 OZ.)	1.6 kg

4 x 19 OZ. (1 LB. 3 OZ.) 538 g TOTAL WT.: 76 OZ. (4 LBS. 12 OZ.) 2.1 kg

## << FRONT / BACK PANEL >>

EPA Reg. No.: 777-99

EPA Est. No.: 777-NJ-2 61203-MA-1 54487-GA-1 11525-IL-1 33590-MA-3 498-IL-1 13891-IN-1 475-MO-1 11525-RI-1

58996-MO-1

See bottom (or side) (for Lot / Date code

Federal regulations prohibit CFC propellants in aerosols. Contains No CFC's or other ozone depleting substances (graphic symbol)

## << BACK PANEL >>

Questions? (telephone graphic symbol) (Call:) (1-800-228-4722) (1-800-677-9218)

For ingredient (and other) information, (www.rbnainfo.com)

Distributed by: Reckitt Benckiser, Parsippany, NJ 07054(-xxxx)

Made in {insert country} © RB {insert year}

IMPORTANT: For directions for use and first aid instructions in Spanish, please call 1-877-843-3817.

Steel Recycle (graphic symbol)

Please recycle when empty

Company Logo (Reckitt Benckiser) (rb) (Reckitt Benckiser Professional)

This can is made from an average of 25% recycled steel [10% post-consumer].

## << FRONT / BACK PANEL - Option text >>

Peel open for Precautionary and First Aid Statements.

See outer packaging for Directions for Use and additional Precautionary Statements.

Important facts (about this product):

Encourage your local authorities to establish a program to recycle this can.

Learn more about (the importance of good hygiene habits) (and the many ways that Lysol® is promoting good hygiene habits) (for your family and community), go to www.spreadinghealth.com.

NSF Certification Symbol

For Hospital Use (graphic – may only appear on Professional Branded product labels)

ACCEPTED

SEP 2 4 2013

Under the Federal Insecticide, Fungicide, and Redenticide, Act as amended, for the pasticide, registered under EPA Heg. No.

NOTE:

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 2 of 19

<< NOTE: Any claim may appear on either FRONT / BACK panel in bullet / paragraph format – Unless otherwise noted. >>

## << FRONT / BACK PANEL - Option text Continued >>



(Use your phone to) (and) (or) (scan) (the) (tag) (or) (this code) (to learn) (or) (to) (see) (more) (uses) (or) (information) (videos) (on how to use) (this product) (for) (how to) (tips)

## << INTRODUCTORY 6-mos. CLAIMS - will only appear on graphic label for the first 6 months product is on shelf >>

<< Fragrance / Formula >>

Fresh(er), (cleaner) fragrance

Great (New) Scent

New Formula

New (and Improved) (better) Fragrance

New Clean, Fresh Fragrance

New (Fragrance) (Scent) ({insert fragrance name})

New (now) (Surprisingly) Fresh Fragrances

Now with (a) fresher fragrance(s)

(Smells) (better) than ever ({insert fragrance / name})

<< Container Attributes >>

New (easy to) (spray) (use) cap

New look (for) (Lysol®)

New Size

New spray nozzle

#### << FRAGRANCE CLAIMS >>

Aromatherapy	Early Morning Breeze	Green Floral	Morning	Revitalizing Mist
Baby Powder	Energy	Herbal Citrus	Morning Linen	Scent
Blue Reflection	Fragrance	Hint of Vanilla	Morning Meadow	Sheer Vanilla
Calming Vanilla	Fresh	Jasmine Dream	Ocean Zest	Soft Powder
Citrus	Fresh Citrus	Jasmine & Fresh	Orchard Blossom	Soothing Spice
Citrus & Morning	Fresh Lemon	Jasmine & Rain	Original	Soothing Warmth
Citrus Meadows	Fresh Oriental Spice	Kitchen	Oxygen	Spring Waterfall
Clean Renewal	Fresh Vanilla	Lavender	Oxygen Breeze	Summer Breeze
Clean Vanilla	Fresh Vanilla Breeze	Lavender Fields	Oxy Sensation	Unscented
Cool Essence	Fresh Vanilla Spice	Lemon	Pure Air	Vanilla & Blossoms
Cool Vanilla	Garden Essence	Lemon Breeze	Pure Breeze	Vanilla & Spring
Country	Garden Mist	Lush Meadows	Pure Rain	Vanilla Mist
Crisp Berry	Grapefruit Blossom	Meadows & Vanilla	Pure Sky	Vanilla Sky
Crisp Linen	Green Apple	Meadow Sunrise	Purity	White Orchard
Crystal Waters	Green Apple Breeze		Refreshing	
	•			

## << PACKAGING CLAIMS >>

			· ·
3 pack (!)	Bonus (size) (pack)	More than 50% Free	Travel (size) (pack)
4 pack (!)	Buy X Get X Free	Pocket (size) (pack)	Trial (size) (pack)
x pack (!)	Mega (value) (pack)	Portable	Value (size) (pack)
, ,,	(size)		
X oz. for the price of X oz.	Mini	Purse (size) (pack)	Extra (Value) (Pack

X for the price of X

NOTE:

X% (Free) (Bonus) (More) Disinfection (Value) Pack

(Take) (Carry) (it) (this product) (anywhere) (everywhere)

EPA Reg. No.: 777-99

<< MARKETING CLAIMS - General >>

Antibacterial

Antibacterial Action

Antibacterial Spray Antimicrobial

Bactericidal Bactericide Disinfectant (Spray)

Disinfecting

Disinfecting Action

Disinfecting Formula Disinfects Fungicidal

Fungicide Fungistat Germicidal Germicide

Mildewcide Mildewcidal

Sanitizer (Sanitizes) Tuberculocidal Tuberculocide Virucidal†

Virucide† Virucidal Action† Daily

Multi-Action Multi-Purpose Multi-Room Multi-Surface

Hard non-porous surface Soft Surface(s)

1962 (Classic) (edition)

(50th) (anniversary) (birthday) (vintage) (retro) (throwback) (limited) (special) (classic) (gold) (edition)

(50 years) (50<sup>th</sup> anniversary) (:) (1962-2012)

Anytime (to-go)

Bleach free (formula) (technology) (disinfection) (disinfectant)

Clean (fresh) (fragrance) (scent)

Cleaner smelling scent

Disinfection control (formula)

Disinfects (hard, non-porous) surfaces Dual (action) (active) (system) (formula)

Dye free (formula) (technology) (disinfection) (disinfectant)

Effective on multiple surfaces (such as) ({insert surface - see pg. 13})

(Everyday) (Daily) Disinfectant Spray

Everyday (formula)

Easy, Effective For the holidays

Hard surface disinfectant (and odor eliminator)

Has a (clean) (scent) (fragrance) (smell)

Holiday scent

Light scent

Lysol® Brand

Modern (Classic)

Multi (action) (active) (system) (formula)

Multi-Surface (Spray) (Disinfectant) (Sanitizer)

Multi use (formula)(product)

(Does not contain) (No) Sodium Nitrite (free)

(Now) Surprisingly Fresh (Scent)

On-the-go

Pleasant (fragrance) (scent)

Ready to use

Smells fresh(er)

Surface disinfectant

Surprisingly Fresh (Fragrances) (Scent)

The power of Lysol<sup>9</sup>

(This product) meets AOAC Germicidal Spray Product Test standard for hospital aerosol disinfectants

To (-) Go (anytime)

Triple action formula (bactericidal\*) (virucidal†) (and) (fungicidal)

Use Lysol Disinfecting Spray after Daily Cleaning

Use Lysol Disinfecting Spray after Daily Cleaning using Clorox Clean-Up Cleaner with Bleach

Versatile formula

NOTE:

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 4 of 19

## << MARKETING CLAIMS - Specific Seasons >>

#### << BACK TO SCHOOL >>

(1) (2) (3) (x#) for Home (/) (1) (2) (3) (x#) for School (1) (1) (2) (3) (x#) for School (/) (1) (2) (3) (x#) for Home (1) (1) (2) (3) (x#) for Mom (/) (1) (2) (3) (x#) for (the) Teacher (1) (1) (2) (3) (x#) for (the) Teacher (/) (1) (2) (3) (x#) for Mom (1) (1) (2) (3) (x#) for Home (/) (1) (2) (3) (x#) for (the) Teacher (1) (1) (2) (3) (x#) for (the) Teacher (/) (1) (2) (3) (x#) for Home (1) (x #) Lysol® Disinfectant Spray(s) (Plus) (+) (x#) Lysol® Disinfecting Wipe(s) Add (Lysol®) to your back to school (shopping list) A school supply (item) to (help) kill germs (1 (An) (Important) school supply checklist (item) (1) Back to school (item) (pack) (supply) (value pack) (1) Back to school doesn't have to mean back to germs (with Lysol®) Be ready for school with Lysol® at home Get ready for back to school (Key) back to school shopping list (item) (1) (Mom!) Be ready for back to school (with Lysol®) (Put Lysol®) On your back to school shopping list (1) Put Lysol® on your school supply list (1) School's In. Keep germs out with Lysol® (Teacher's) School Supply Pack (1) Your teacher(s) love(s) Lysol®

Back To School claim Qualifiers - must appear before Directions For Use:

(1) Confirm school policy allows for use and / or donation of product(s). Adults must deliver donations (directly) to schools.

## << ALLERGENS - see pg. 11 for (††) claim qualifier >>

(1) (2) (3) (x#) for (the) Kitchen (/) (1) (2) (3) (x#) for (the) (Bath) (Bathroom) (/) (1) (2) (3) (x#) for (the) Living Room

Allergen(s) (Control) (Value) (Bonus) (Pack) (Item)††
Control allergens (all around your home) (on surfaces) with Lysol®††

Removes allergens (from) (all around your home) (on) (surfaces) with Lysol®†† Take control over allergens (in your home) with Lysol® ††

## << COLD / FLU - see pg. 11 for (†) claim qualifier >>

Cold & Flu (Value) Pack†
(Get) (Be) (prepared) (ready) for (Cold &) Flu Season†

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013
Page 5 of 19

## << USAGE CLAIMS - General >>

Compatible with {insert surface - see pg. 13}

(Intended) For (use) (only) (in) {insert use site – see pg. 13} (as a disinfectant)

For use on (hard & soft) (multiple) surfaces

For use on {insert surface - see pg. 13}

For use on hard, non-porous surfaces (located in: {insert use site - see pg. 13})

(For) Frequent (Regular) (daily) use formula

For Daily Use

Great for (frequent) (everyday) (daily) use

Great for spot disinfection (- target performance) on hard, non-porous surfaces

Many uses around the (home) (house)

Over (50) (100) use sites (around the) (home) (house)

(Light scent) Suitable for (frequent) (daily) (everyday) use

Simply spray (this product) on surfaces that (you) (and) (your family) come in contact with everyday (including: {insert surface – see pg. 13})

Suitable for use in {insert use site - see pg 13}

Suitable for use on {insert surface - see pg. 13}

(Suitable) (Ideal) (Made) (Perfect) (Great) for {insert use site - see pg 13}

(This product) is approved for use (in) (on) {insert use site / surface - see pg. 13}

(This product) Treats, it does not cover-up

Up to 100 (uses) (applications) per can

Use (on) (changing tables) (toys) (diaper pails) (crib rails) (high chairs) (plastic bathtubs) (strollers) (baby carriages) (baby prams) (all around the baby's room) (daily) (everyday)

Use (this product) (in) (under) (around) (on) {insert use site / surface - see pg. 17}

Amendment-dated September 19, 2013

Page 6 of 19

EPA Reg. No.: 777-99

## << DEODORIZING CLAIMS - General - see pg. 11 for (\*) claim qualifier / see pg. 7 (\*\*\*) claim qualifier >>

Controls odor-causing bacteria (mold and mildew)

Controls odors caused by mold and mildew

Controls (the toughest) (tough) (kitchen) (and) (bathroom) odors caused by bacteria (mold and mildew)

Controls (the toughest) (tough) pet odors caused by bacteria

Deodorizes by killing odor-causing (bacteria) (mold) (mildew) (germs) at their source

Does not (Doesn't) just mask odors, it eliminates them at the source leaving behind a (light) (pleasant) (fresh) scent

Don't just (cover up) (mask) odors, eliminate them!

Eliminates odors in the air caused by odor-causing bacteria

Eliminates odors in the air caused by odor-causing bacteria to leave your home smelling fresh and clean

Eliminates odor-causing bacteria to leave your home smelling fresh and clean, even on (soft surfaces) (fabrics)

Eliminates odor-causing bacteria (even) (on) (soft surfaces) (fabrics)

Eliminates odors (on) (soft surfaces) (fabrics) (at the source)

Eliminates odors and freshens (soft surfaces) (fabrics)

Eliminate odors at the source and in the air.

Eliminates (Removes) (the toughest) (tough) odors (caused by) (bacteria) (mold and mildew)

Gets rid of (the toughest) (tough) odors by killing the (bacteria\*) (mold and mildew) (that cause them) (at the source)

Gets to the heart of (the toughest) (tough) odors

Helps eliminate odor-causing bacteria

Helps prevent the build-up of odors by killing odor-causing bacteria on (soft surfaces) (fabrics)

Helps prevent the build-up of odors by killing odor-causing bacteria

Kills 99.9% of bacteria (in 30 seconds) and eliminates (the toughest) (tough) odors on (soft surfaces) (fabrics) (finsert use site

Kills bacteria that cause odors on (soft surfaces) (fabrics)

Killsodor-causing bacteria

NOTE:

Kills odor-causing bacteria (and eliminates) (the toughest) (tough) odors on (soft surfaces) (fabrics) (finsert use site - see pg.

Kills odor-causing bacteria (eliminating) (the toughest) (tough) odors on (soft surfaces) (fabrics) (finsert use site – see pg. 13))

Kills odor-causing bacteria leaving (soft surfaces) (fabrics) smelling fresh (and clean)

Kills odor-causing bacteria on (cotton) (and) (synthetic) (soft surfaces) (fabrics)

Kills odor-causing bacteria on (soft surfaces) (fabrics) ({insert use site - see pg. 13})

Kills odor-causing bacteria (mold and mildew)

Kills odor-causing bacteria on {insert use site - see pg. 13}

Makes hard to clean fabrics smell fresh

(Now) Freshens (deodorizes) (soft surfaces) (fabrics)(the air)

Ordinary, non-germicidal spray(s) (can't) (don't) do this

Perfect for eliminating your toughest odors (at their source)

Reduces odor-causing bacteria on soft surfaces (such as {insert use site - see pg. 13})

To eliminate odors use (this product) (around) (insert use site - see pg. 13) (on (insert surface - see pg. 13))

Use (this product) every day (throughout your home) (to eliminate odors caused by bacteria)

(This product) (Also) Eliminates odor-causing (bacteria\*) (mold and mildew) (at their source) (to leave your home smelling) (fresh) (pleasant) (clean)

(This product) Controls (the) (bacteria) (mold and mildew) that cause unpleasant odors (at the source)

(This product) deodorizes by killing (many) (bacteria) (mold) (mildew) (germs) that cause odors

(This product) deodorizes by killing (many) bacteria that cause odors

(This product) kills (the) (bacteria) (mold and mildew) that cause (bad) odors

(This product) kills (the) (bacteria) (mold and mildew) that cause unpleasant odors (at the source)

(This product) not only kills odor-causing bacteria, it eliminates odors such as smoke, pet and cooking odors on (soft surfaces) (fabrics) including {insert use site - see pg. 13}

(This product) is specially formulated to eliminate odors from {insert use site - see pg. 13}

(This product) (It) Eliminates (the toughest) (tough) odors at their source

(This product) Prevents odors at their source caused by (bacteria) (mold and mildew)

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 7 of 19

## << DEODORIZING CLAIMS - General for the air >>

Air odor (eliminator) (deodorizer) (fighter)

Controls odors in the air

Controls (the toughest) (tough) (kitchen) (and) (bathroom) (pet) odors (in the air)

Deodorizes (the air) with a (new) (fresh) (pleasant) (clean) fragrance

Eliminates (pet) (food) (bad) odors (in the air)

Eliminates odors (and) (freshens) (the air)

(Fights) (Eliminates) even the (toughest) (strongest) (odors) (malodors)

Fights odors in the air

(For) (Use) (To Deodorize) (To Eliminate odors) (in) the air: (Hold can upright.) (Spray towards center of the room).

(Now) Freshens the air

Freshzone (technology)

Gets rid of odors in the air

It's ok to spray (to deodorize) (eliminate odors) (make your home smell fresh and clean)

Leaves your home smelling clean and fresh

Leaves your home (air) smelling clean (and fresh)

Long lasting freshness

(Now) Freshens (deodorizes) (the air)

(Now) Freshens (deodorizes) (the air) and kills (odor) bacteria on surfaces

Odor (fighter) (eliminator) (elimination) (for the air)

Perfect for eliminating your toughest odors (in the air)

(Pet) odor eliminator (in) (for) (the air)

Spray away (odors) (malodors) (in the air)

Spray everyday (to eliminate odors) (in the air)

Surprisingly Fresh

(This product) eliminates (odors) (smells) (malodors) in the air.

Use (this product) (every day) (throughout your home) (to eliminate odors) (in the air)

Cleans the air for true freshness

Truly freshens your air

For use in (the) air (and) kills (odor) bacteria on surfaces

Cleans your (the) air (from (mal)odors)

Revives your (the) air

(For) Clean & Fresh smelling air

Eliminates (mal)odors for good

Ultimate odor eliminator for air

Eliminates (mal)odor(s) & freshens the air

Lysol your air

Cleans & refreshes your air

EPA Reg. No.: 777-99

Amendment- dated September 19, 2013 Page 8 of 19

#### << SANITIZING CLAIMS >>

#### << HARD, NON-POROUS, NON-FOOD CONTACT / SOFT SURFACES >>

30 Seconds is all it takes to kill 99.9% of bacteria\*\*

(Sanitizer)

Kills (Destroys) (Eliminates) 99.9% of bacteria\*\*\*

(Now) Kills 99.9% of bacteria on soft surfaces (and hard, non-porous surfaces)\*\*\*

#### << HARD, NON-POROUS, NON-FOOD CONTACT SURFACES >>

An effective non-food contact surface sanitizer (for use (in) (on) {insert use site / surface - see pg. 13})

Great for use as a non-food contact surface sanitizer (in) (on) (insert use site / surface - see pg. 13})

Kills 99.9% of (household) bacteria (in 30 seconds)\*\*\*

Kills (Destroys) (Eliminates) 99.9% of bacteria on hard, non-porous (kiţchen) (bathroom) (household) surfaces in (30) seconds\*\*\*

Kills (Destroys) (Eliminates) 99.9% of bacteria on hard, non-porous surfaces in (30) seconds\*\*\*

Leaves (household) surfaces (sanitary) (sanitized) (disinfected)

Sanitizes (kitchen) (household) (bathroom) (restroom) (hard, non-porous) (non-food contact) surfaces in 30 seconds\*\*\*

## << SOFT SURFACES >>

(Also) Kills 99.9% of bacteria on (soft surfaces) (fabrics)\*\*\* as a spot sanitizer

Also use on (soft surfaces) (fabrics) as a spot treatment

An effective (soft surface) sanitizer (for fabrics) as a spot treatment) (for use (in) (on) {insert use site / surface – see pg. 13})

As a spot treatmentSanitizes (soft surfaces) (fabrics) (in the) (kitchen) (and) (household) (bathroom) (restroom) (all around the house) (in 30 seconds)\*\*\*

Can (also) be used on (soft surfaces) (fabrics) as a spot sanitizer

Can be used to (kill) (sanitize) 99.9% of bacteria on (soft surfaces) (fabrics)\*\*\* as a spot sanitizer

Can (be used) (use) for sanitization of (soft surfaces) (fabrics) as a spot treatment

Can (be used) (use) to sanitize (soft surfaces) (fabrics) as a spot treatment

Controls (and reduces) (the growth of) odor-causing bacteria on (soft surfaces) (fabrics)\*\*\* as a spot treatment

For use on (soft surfaces) (fabrics) as a spot sanitizer

Great for (soft surfaces) (fabrics) as a spot sanitizer

Great for use as a (soft surface) (fabric) sanitizer for spot treatment (on {insert use site - see pg. 13})

Ideal (for) (to) use on (soft surfaces) (fabrics) as a spot sanitizer

Kills 99.9% of (household) bacteria on (soft surfaces) (fabrics) (in 30 seconds) as a spot treatment\*\*\*

Kills 99.9% of bacteria on (soft surfaces) (fabrics) (as a spot treatment)\*\*\*

Kills 99.9% of Staphylococcus aureus (and Klebsiella pneumoniae) in 30 seconds for spot treatment (on {insert use site – see pg. 13})

Kills (and reduces) (the growth of) (odor-causing) bacteria on (soft surfaces) (fabrics)\*\*\* as a spot treatment

Kills (Destroys) (Eliminates) 99.9% of bacteria on (soft surfaces) (fabrics) in (30) seconds as a spot treatment\*\*\*

(Now) (for) use on (soft surfaces) (fabrics) as a spot sanitizer

(This product) Sanitizes (soft) (fabric) (surfaces) as a spot treatment

Use for sanitization of (soft surfaces) (fabrics) as a spot treatment

Use on (soft surfaces) (fabrics) (too) as a spot sanitizer

Use on (soft surfaces) (fabrics) as a spot sanitizer where bacteria can (linger) (hide)\*\*\*

Use on hard to (clean) (launder) (soft surface areas)

Use to (kill) (sanitize) 99.9% of bacteria on (soft surfaces) (fabrics)\*\*\* as a spot treatment

Use to sanitize (soft surfaces) (fabrics) as a spot treatment

## << SUPPORTING CLAIM QUALIFIERS – must appear before 'Directions For Use' on Back Panel label >>

## << Sanitization - Bacteria (hard, non-porous, non-food contact / soft surfaces) >>

\*\*\* Kills Staphylococcus aureus on hard, non-porous, non-food contact and soft (fabric) surfaces in 30 seconds.

## << Sanitization - Bacteria (hard, non-porous, non-food contact surfaces) >>

\*\*\* Kills (Enterobacter aerogenes) (and) (Staphylococcus aureus) on hard, non-porous, non-food contact surfaces in 30 seconds.

## << Sanitization - Bacteria (soft surfaces) >>

\*\*\* Kills (Klebsiella pneumoniae) (Pseudomonas aeruginosa) (and) (Staphylococcus aureus) on soft (fabric) surfaces in 30 seconds.

**BRACE** 

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 9 of 19

<< DISINFECTING CLAIMS - Hard, non-porous, non-food contact surface - see pg. 11 for (\*) (\*\*) (†) (††) claim qualifiers >>

#### << ALLERGENS >>

Controls mold allergens†† (for up to 7 days)

Controls the build-up of mold allergens†† (for up to 7 days)

Controls the growth of mold allergens†† (for up to 7 days)

Kills 99.9% of mold†† (, an important source of mold allergens)

Kills 99.9% of mold and mildew†† (an (important) allergen source)

Kills 99.9% of the source of mold allergens††

Kills the source of mold allergens††

Kills and prevents the growth of mold and mildew, a source of mold allergens††

Kills Aspergillus niger, (a) (an) (important) source of mold allergens†† ((and keeps it) (and prevents it) from (coming back) (returning) for up to 7 days)

Kills mold, an important allergen source††

Kills the source of mold allergens and prevents it from coming back for up to 7 days††

Prevents the build-up of mold allergens†† (for up to 7 days)

Reduces mold allergen build-up††

Reduces the build-up of mold allergens†† (for up to 7 days)

#### << COLD / FLU >>

Controls (the) Flu Virus†

Effective against the Cold (and / &) Flu Virus†

Fights the Flu Virus†

Flu (Virus)† Control

Helps stop the spread of Cold & Flu Viruses†

Kills (99.9% of) the Cold (and / &) Flu Viruses†

Kills Cold, Flu (and / &) Strep germs†

Kills (the) Cold (and / &) Flu Viruses†

Kills (the) Cold Virus†

Kills (the) Flu Virus(es)†

Kills (the) Influenza (Flu) Virus

Kills Cold & Flu Viruses†, (Including) (Even) (Rhinovirus)

## << 2009 PANDEMIC H1N1 >>

(Also) Kills Cold & Flu Viruses, (including) (even) H1N1 (on hard non-porous surfaces)

(Also) Kills H1N1 (Influenza A virus)

(Also) Kills H1N1 (Virus) (on hard non-porous surfaces)

Effective against (2009) H1N1 (Flu Virus)

Kills (99.9% of) germs\*\* including (2009) H1N1 (Flu Virus)

Kills (2009) H1N1 (Flu Virus)

Kills Germs\*\* (and) (Flu Viruses) (including (2009) H1N1)

Kills Pandemic 2009 H1N1 Influenza A Virus

Kills Pandemic 2009 H1N1 Influenza A Virus (formerly called Swine Flu)

Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A Virus. This product (product name) is a broad-spectrum, hard surface disinfectant that has been shown to be effective against (Influenza A Virus tested and listed on the label) and is expected to inactivate all Influenza A Viruses including Pandemic 2009 H1N1 (formerly called Swine Flu).

(This product) has demonstrated effectiveness against Influenza A Virus and is expected to inactivate all Influenza A Viruses including Pandemic 2009 H1N1 Influenza A Virus.

(This product) has demonstrated effectiveness against (Influenza A Virus tested and listed on the label) and is expected to inactivate all Influenza A Viruses including Pandemic 2009 H1N1 (formerly called Swine Flu).

#### << GENERAL - HARD, NON-POROUS, NON-FOOD CONTACT SURFACE >>

An effective disinfectant (and sanitizer) (on non-food contact surfaces) (for use in {insert use site - see pg. 13})

Controls (and) (prevents) (inhibits) mold and mildew (on) (in) {insert use site / surface -- see pg. 13}

Controls (and) (prevents) (inhibits) the growth of mold and mildew (on) (in) {insert use site / surface - see pg. 13}

Disinfects (sanitizes) and deodorizes by killing common (household) germs\*\* (and controlling their odors)

Disinfects (insert use site / surface – see pg. 13)

The term "x" is a place holder for a number between 1 to 99.

Disinfects hard, non-porous (food) (non-food) (contact) surfaces in {insert use site - see pg. 13}

E. coli (and Salmonella) control

Effective against (bacteria) (viruses) (and) (fungi): {insert organisms - see pg. 12}

Effective against (bacteria\*) (viruses†) (bacteria and viruses\*\*) (and) (fungi)

EPA Reg. No.: 777-99

Effective against (germs): {insert organisms - see pg. 12}

## << DISINFECTING CLAIMS - continued - see pg. 11 for (\*) (\*\*) (†) claim qualifiers >>

#### << GENERAL - HARD, NON-POROUS, NON-FOOD CONTACT SURFACE >>

Kill(s) (x) (germs\*\*) (bacteria\*) (viruses†) (fungi\*)

4 (four) in 1 (one): Disinfects, Sanitizes (soft surfaces), Deodorizes, Kills the Source of Allergens<sup>††</sup>

4-IN-1: Disinfects Hard Surfaces, Sanitizes Soft Surfaces, Kills Mold & Mildew, Eliminates Odors

4-IN-1: Disinfects Hard Surfaces, Sanitizes Soft Surfaces, Eliminates Odors, Freshens the Air

4-in-1: Disinfects Hard Surfaces, Sanitizes Soft Surfaces, Kills Mold & Mildew, Freshens the Air

5-IN-1: Disinfects Hard Surfaces, Sanitizes Soft Surfaces, Kills Mold & Mildew, Eliminates Odors, Freshens the Air

Kill(s) over 55 (germs\*\*) (bacteria\*) (viruses†) (fungi\*).

Effective against (germs\*\*) (and) (fungi)

Eliminates (germs\*\*) (and odors) on hard, non-porous surfaces that you come into contact with everyday

(Even) Kills (Rhinovirus Type 39) (a leading cause of the common cold)

Fights germs\*\* and odors

Germ\*\* (killer) (destroyer) (eliminator)

Helps prevent mold (and mildew) from growing back

Kills (99.9% of) bacteria\*

Kills (99.9% of) germs\*\*

Kills (99.9% of) (Staph) (MRSA)\*

Kills (99.9% of) viruses and bacteria\*\*

Kills (and) (prevents) (inhibits) mold and mildew (on) (in) {insert use site / surface - see pg. 13}

Kills (and) (prevents) (inhibits) the growth of mold and mildew (on) (in) {insert use site / surface - see pg. 13}

Kills antibiotic resistant bacteria\*

Kills antibiotic resistant bacteria (such as): (Methicillin Resistant Staphylococcus aureus) (MRSA) (Vancomycin Resistant Enterococcus faecalis) (VRE) (Klebsiella pneumoniae - NDM-1 positive) (Klebsiella pneumoniae Carbapenem

Resistant) (Escherichia coli with extended beta-lactamase resistance (ESBL))

Kills Avian, Human (and / &) Swine Flut

Kills Avian Influenza A Virus on pre-cleaned (hard, non-porous) environmental surfaces

Kills bacteria and viruses\*\* (all over your) (home) (house) {insert use site - see pg. 13}

Kills (bacteria\*) (viruses†) (bacteria and viruses\*\*) (fungi) (and) (eliminates odors) (deodorizes)

Kills (bacteria\*) (viruses†) (bacteria and viruses\*\*) (fungi) (mold and mildew)
Kills (bacteria\*) (viruses†) (bacteria and viruses\*\*) (fungi) to help your (house) (home) smell cleaner Kills (bacteria\*) (viruses†) (bacteria and viruses\*\*) (fungi) (whenever) (where ever) you need it Kills (bacteria\*) (viruses†) (bacteria and viruses\*\*) (you can't see) (: {insert organisms – see pg. 12}

Kills Campylobacter (ieiuni) in 30 seconds

Kills (Destroys) (Eliminates) (insert organisms - see pg. 12) (in) (30 seconds) (5 minutes) (10 minutes)

Kills (Destroys) (Eliminates) (in) (30 seconds) (5 minutes) (10 minutes) (insert organisms – see pg. 12)

Kills (Destroys) (Eliminates) (many) bacteria\*

Kills (Destroys) (Eliminates) (more than) (99.9% of) (bacteria\*) (viruses†) (bacteria and viruses\*\*) (fungi) (mold and mildew)

Kills (Destroys) (Eliminates) (more than) (99.9% of) (germs\*\*) (fungi) (mold and mildew)

Kills (Destroys) (Eliminates) Viruses†

Kills (Destroys) (Eliminates) viruses in 30 seconds (insert organisms – see pg. 12)

Kills (Disinfects against) (insert organisms - see pg. 12)

Kills (Eliminates) (99.9% of) (the) (Flu Virus†) (Salmonella) (Staph) (and / &) (E. coli)

Kills germs\*\* (all over your) (all around) (home) (house) (in) (on) (the) ({insert use site / surface - see pg. 13})

Kills germs\*\* (and) (eliminates odors) (deodorizes)

Kills germs\*\* before they spread

Kills germs\*\* (fungi) (mold and mildew)

Kills germs\*\* to help your (home) (house) smell cleaner

Kills germs\*\* (whenever) (where ever) you need it

Kills Hepatitis B Virus (in 25 seconds)

Kills (household) (bacteria\*) (virusest) (bacteria and viruses\*\*) (and) (fundi)

Kills (household) germs\*\*

NOTE:

Kills (household) kitchen (bacteria\*) (and) (fungi)

Kills (more than) (99.9% of) bacteria and viruses\*\*

Kills (most) (kitchen) (and) (bathroom) (household) (bacteria\*) (viruses†) (bacteria and viruses\*\*) (fungi) (mold and mildew)

Kills (most) (kitchen) (and) (bathroom) (household) (germs\*\*) (fungi) (mold and mildew)

Kills (MRSA\*) (and / &) (VRE\*)

Kills Respiratory Syncytial Virus (RSV) (an important cause of ear infections in children)

Amendment-dated September 19, 2013 Page 11 of 19

EPA Reg. No.: 777-99

Kills Respiratory Syncytial Virus (RSV) (a cause of lower respiratory infections in children)

Kills (the following) (household) germs (in 10 minutes) ({insert organisms - see pg. 12})

Kills (the following) (in 30 seconds) (5 minutes) (10 minutes) ({insert organisms - see pg. 12})

Kills (the) germs\*\* (you can't see) ( {insert organisms - see pg. 12})

## << DISINFECTING CLAIMS - continued - see pg. 11 for (\*) (\*\*) (†) claim qualifiers >>

## << GENERAL - HARD, NON-POROUS, NON-FOOD CONTACT SURFACE >>

Kills Trichophyton mentagrophytes (Athlete's Foot Fungus) (in 5 minutes)

Kills Trichophyton mentagrophytes (the fungus that causes Athlete's Foot) (in 5 minutes)

Kills Vancomycin Resistant Enterococcus faecals (VRE) (in 5 minutes)

Kills Viruses† (all over your) (home) (house) ({insert use site / surface -- see pg. 13})

Kills what you can't see: Cold & Flu Viruses†, Salmonella, Staph (and / &) E. coli

Leaves (hard) (hard, non-porous) surfaces (sanitary) (disinfected)

(Lysol) (daily) (everyday) germ control

No precleaning required

On environmental surfaces, (this product) (is tuberculocidal and) kills the following bactera, viruses (and) fungi: (insert organisms - see pg. 12}

On hard, non-porous (non-food contact) surfaces (this product) kills the following (bacteria) (viruses) (and) (fungi): {insert organisms - see pg. 12}

On hard, non-porous (, non-food contact) surfaces (this product) kills the following germs: {insert organisms - see pg. 12}

Prevents mold and mildew from (coming back) (returning) (growing) (re-growing) for up to 7 days

(This product) Disinfects (and sanitizes) in (the following areas) (insert use site - see pg.13)

(This product) Disinfects (and sanitizes) (the following surfaces) {insert surface - see pg. 13}

(This product) (gives) (you) (delivers) (daily) (everyday) germ control

(This product) (Lysol® Brand products) (help(s)) (aid(s)) in the reduction of cross-contamination of (germs\*\*) (and) (antibiotic resistant bacteria\*)

(This product) (Lysol® Brand products) (helps) (fight the spread of) (germs\*\*) (and) (antibiotic resistant bacteria\*) (This product) (Lysol® Brand products) helps reduce cross-contamination of (germs\*\*) (and) (antibiotic resistant bacteria\*)

(This product) is (a) mildewstat(ic) and will effectively inhibit the growth of mildew and the odor caused by it when applied to hard, non-porous surfaces

(This product) is effective in killing and preventing the growth of mold and mildew on surfaces

(This product) kills (in 30 seconds) (in 5 minutes) (in 10 minutes); (insert organisms - see pg. 12

(This product) kills (insert organisms - see pg. 12) (in 30 seconds) (in 5 minutes) (in 10 minutes)

(This product) kills (99.9% of) viruses and bacteria\*\* on commonly touched (environmental) surfaces (in your home) (and) (in public places)

(This product) kills viruses and bacteria\*\* on environmental surfaces (in your home) (and) (in public places)

Use Lysol Disinfectant Spray Everyday to Kill common illness causing germs on hard non porous surfaces:

(Stomach Flu (Norovirus)) (Common) Cold (Rhinovirus)) (Flu (Influenza)) (Ringworms (T.Ment)) (Athletes Foot (T.Ment)) (Food Poisoning (E-Coli and Salmonella)) (Skin Infection (MRSA)) (Impetigo (Staph Aureus)) (Pink Eye (Streptococcus)) (hand, foot and mouth disease (Coxsackie)) (Sore Throat (Rhinovirus)) (Upper Respiratory Infection (Rhinovirus, RSV))

Virus† (killer) (destroyer) (eliminator)

You can also use (this product) to disinfect (and sanitize) (in) places that are difficult to reach (such as nooks and crannies) Your family comes in contact with germs everyday (both in the home and in public places)

Kills the (bacteria\*) (viruses†) (fungi\*) that (may) cause (the) [(insert illness from table on page 12)] Kill (bacteria\*) (viruses†) (fungi\*) that are (a) (common) cause of [(insert illness from table on page 12)] Kills [(insert organism(s))] a (common) cause of [(insert illness from table on page 12)]

## << SUPPORTING CLAIM QUALIFIERS - must appear before 'Directions For Use' on Back Panel label >>

## << Disinfection - Antibiotic Resistant >>

Kills (Methicillin Resistant Staphylococcus aureus (MRSA)) (Vancomycin Resistant Enterococcus faecalis (VRE)) (Klebsiella pneumoniae - NDM-1 positive) (Klebsiella pneumoniae Carbapenem Resistant) (Escherichia coli with extended beta-lactamase resistance (ESBL)) (on hard, non-porous surfaces) (in 10 minutes).

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 12 of 19

\* (Methicillin Resistant Staphylococcus aureus (MRSA)) (Vancomycin Resistant Enterococcus faecalis (VRE)) (Klebsiella pneumoniae – NDM-1 positive) (Klebsiella pneumoniae Carbapenem Resistant) (Escherichia coli with extended beta-lactamase resistance (ESBL))

#### << Disinfection - Cold & Flu >>

- † Kills (Rhinovirus Type 39) and (Influenza A Virus) (Influenza B Virus) on hard, non-porous surfaces in 30 seconds.
- † (Kills) Rhinovirus Type 39 (and) (Influenza A Virus) (Influenza B Virus) (on hard, non-porous surfaces in 30 seconds).

## << Disinfection - Mold Allergens >>

- †† Kills Aspergillus niger and Penicillium chrysogenum (on hard, non-porous surfaces) (in 10 minutes).
- †† Aspergillus niger (mold and mildew) and Penicillium chrysogenum

#### << Disinfection - Bacteria / Fungi >>

- \* Kills (insert 5 minute disinfection bacteria from page 12) (and) (insert 5 minute disinfection fungi from page 12)) (on hard, non-porous surfaces) (in 5 minutes).
- \* ({insert 5 minute disinfection bacteria from page 12} (and) ({insert 5 minute disinfection fungi from page 12}))
- Kills (insert 10 minute disinfection bacteria from page 12) (and) (insert 10 minute disinfection fungi from page 12) (on hard, non-porous surfaces) (in 10 minutes).
- \* {insert 10 minute disinfection bacteria from page 12} (and) {insert 10 minute disinfection fungi from page 12}

#### << Disinfection - Viruses >>

- † Kills (insert 30 second disinfection viruses from page 12) (on hard, non-porous surfaces) (in 30 seconds).
- † {insert 30 second disinfection viruses from page 12}
- † Kills (insert 10 minute disinfection viruses from page 12) (on hard, non-porous surfaces) (in 10 minutes).
- † {insert 10 minute disinfection viruses from page 12}

#### << Disinfection - Germs, bacteria & virus and/or fungi >>

- \*\* Kills ({insert 10 minute disinfection bacteria from page 12}) ({insert 5 minute disinfection bacteria from page 12}) ({insert 30 second disinfection bacteria from page 12}) ({insert 10 minute disinfection viruses from page 12}) ({insert 30 second disinfection viruses from page 12}) ({insert 10 minute disinfection fungi from page 12}) ({insert 5 minute disinfection fungi from page 12}) (on hard, non-porous surfaces) (in 10 minutes).
- \*\* (Disinfects:) ({insert 10 minute disinfection bacteria from page 12}) ({{insert 5 minute disinfection bacteria from page 12}) ({{insert 30 second disinfection bacteria from page 12}) ({{insert 10 minute disinfection viruses from page 12}) ({{insert 30 second disinfection bacteria from page 12}) ({{insert 10 minute disinfection fungi from page 12}) ({{insert 5 minute disinfection fungi from page 12})

Symbol Designation – used on product labels				
Single asterisk (*)	Bacteria * / Fungi	Used for identifying disinfection against specific bacteria or fungi		
Dagger (†)	Viruses †	Used for identifying disinfection against specific viruses		
Double asterisk (**)	Germs **	Used for identifying disinfection against specific bacteria & viruses / fungi	İ	
/ Triple asterisk (***)	Sanitizes ***	Used for identifying sanitization against bacteria		
Double dagger ( †† )	Allergens ††	Used for identifying the removal of living mold allergens		

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 13 of 19

This product has been test and found effective against the following micro-organisms:

<< IMPORTANT: All organisms must be identified by genus & species. Abbreviations may be included but must appear in (parens). >>

<       ATCC No.         Acinetobacter calcoaceticus       (15473)         Burkholderia cepacia       (25416)         Corynebacterium diphtheriae       (11913)         Enterococcus faecalis       (828)         (Vancomycin Resistant) Enterococcus faecalis       (51299)         (VRE)       Escherichia coli (0157:H7) (E.coli) (Food Poisoning)       (43888)         Escherichia coli with extended beta-lactamase resistance (ESBL)       (BAA-196)         Klebsiella pneumoniae – NDM-1 positive       CDC         Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria)       (19115)         Mycobacterium bovis BCG [Quant tuberculosis]       (35743)         Mycobacterium bovis BCG [Quant tuberculosis]       (35743)         Mycobacterium bovis BCG [Quant tuberculosis]       (25933)         Proteus mirabilis       (25933)         Proteus mirabilis       (25933)         Proteus mirabilis       (25933)         Pseudomonas aeruginosa       (15442)         Pseudomonas aeruginosa       (15442)         Pseudomonas aeruginosa       (15442)         Pseudomonale enterica serovar Paratybri B       (10708)         Salmonella enterica serovar Paratybri B       (10708)         Salmonella enterica serovar paratyphi B       (10778)		
Acinetobacter calcoaceticus  Burkholderia cepacia  Corynebacterium diphtheriae  Enterococcus faecalis (Vancomycin Resistant) Enterococcus faecalis (Varcomycin Resistant) Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae — NDM-1 positive  CDC 1000527 Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata (25295) Proteus mirabilis (25933) Proteus vulgaris Pseudomonas aeruginosa 105442 Pseudomonas aeruginosa Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi (8539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  <	<< 10-min Disinfection - Bacteria >>	
Burkholderia cepacia		ATCC No.
Enterococcus faecalis (Vancomycin Resistant) Enterococcus faecalis (Varcomycin Resistant) Enterococcus faecalis (VARE) Escherichia coli (O157:H7) (E.coli) (Food Poisoning) Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae Klebsiella pneumoniae — NDM-1 positive CDC 1000527 Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis Proteus mirabilis Proteus vulgaris Pseudomonas aeruginosa Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica (Food Poisoning) (Skin Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar expartyphi B Salmonella enterica serovar typhi Staphylococcus salivarius (Pink eye) Torononomycoccus salivarius (Pink eye) Torononomycoccu	Acinetobacter calcoaceticus	(15473)
Enterococcus faecalis (Vancomycin Resistant) Enterococcus faecalis (VRE) Escherichia coli (O157:H7) (E.coli) (Food Poisoning)  Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae Klebsiella pneumoniae – NDM-1 positive CDC 1000527 Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Mycobacterium bovis BCG [Quant tuberculosis] Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis (25993) Proteus wulgaris (9920) Pseudomonas aeruginosa (15442) Pseudomonas putida (12633) Salmonella enterica ) (Food Poisoning) (Skin Infections) Salmonella enterica serovar enteritidis (13076) Salmonella enterica serovar enteritidis Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus aureus (Impetigo) (6538) Staphylococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  <  <	Burkholderia cepacia	(25416)
Enterococcus faecalis (Vancomycin Resistant) Enterococcus faecalis (VRE) Escherichia coli (O157:H7) (E.coli) (Food Poisoning) Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae — NDM-1 positive Klebsiella pneumoniae — NDM-1 positive CDC (Septimon — NDM-1 positive Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis Proteus mulgaris Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar typhi Salmonella enterica serovar typhi Serratia marcescens Shigella dysenteriae Staphylococcus aureus (Impetigo) Staphylococcus salivarius (Pink eye) Streptococcus salivarius (Pink eye) (Staph)(MRSA) (Skin Infections)  Staphylococcus aureus Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  Staphylococcus aureus Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  Staphylococcus aureus (Staphylococcus aureus (St		
(Vancomycin Resistant) Enterococcus faecalis (VRE) Escherichia coli (O157:H7) (E.coli) (Food Poisoning) Escherichia coli (O157:H7) (E.coli) (Food Poisoning) Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae Klebsiella pneumoniae — NDM-1 positive CDC 1000527 Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis (25295) Proteus mirabilis (25295) Proteus vulgaris Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar (14756) Shigella dysenteriae Staphylococcus aureus (Impetigo) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis (12228) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  <		` '
(VRE) Escherichia coli (O157:H7) (E.coli) (Food Poisoning) (43888)  Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae (4352) Klebsiella pneumoniae – NDM-1 positive CDC Homostati (19115) Hycobacterium bovis BCG [Quant tuberculosis] (35743) Neisseria elongata (25295) Proteus mirabilis (25933) Proteus vulgaris (9920) Pseudomonas aeruginosa (15442) Pseudomonas putida (12633) Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis (13076) Salmonella enterica serovar Paratyphi B (10719) Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592)  Kaphylococcus aureus (Infections)  <		(828)
(VRE) Escherichia coli (O157:H7) (E.coli) (Food Poisoning) (43888)  Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae (4352) Klebsiella pneumoniae – NDM-1 positive CDC Homostati (19115) Hycobacterium bovis BCG [Quant tuberculosis] (35743) Neisseria elongata (25295) Proteus mirabilis (25933) Proteus vulgaris (9920) Pseudomonas aeruginosa (15442) Pseudomonas putida (12633) Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis (13076) Salmonella enterica serovar Paratyphi B (10719) Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592)  Kaphylococcus aureus (Infections)  <	(Vancomycin Resistant) Enterococcus faecalis	(51299)
Escherichia coli (O157:H7) (E.coli) (Food Poisoning) (43888)  Escherichia coli with extended beta-lactamase resistance (ESBL)  Klebsiella pneumoniae (4352)  Klebsiella pneumoniae – NDM-1 positive CDC 1000527  Klebsiella pneumoniae Carbapenem Resistant BAA-1705  Listeria monocytogenes (Listeria) (19115)  Mycobacterium bovis BCG [Quant tuberculosis] (35743)  Neisseria elongata (25295)  Proteus mirabilis (25933)  Proteus vulgaris (9920)  Pseudomonas aeruginosa (15442)  Pseudomonas putida (12633)  Salmonella enterica ) (Food Poisoning) (Skin (10708)  Infections)  Salmonella enterica serovar enteritidis (13076)  Salmonella enterica serovar typhi (6539)  Serratia marcescens (14756)  Shigella dysenteriae (11835)  Staphylococcus aureus (Impetigo) (6538)  Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384)  Streptococcus pyogenes (Strep) (12384)  Streptococcus salivarius (Pink eye) (7073)  Methicillin Resistant Staphylococcus aureus (33592)  (Staph)(MRSA) (Skin Infections)  <		` ,
Escherichia coli with extended beta-lactamase resistance (ESBL) Klebsiella pneumoniae (4352) Klebsiella pneumoniae – NDM-1 positive CDC 1000527 Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) (19115) Mycobacterium bovis BCG [Quant tuberculosis] (35743) Neisseria elongata (25295) Proteus mirabilis (25933) Proteus vulgaris (9920) Pseudomonas aeruginosa (15442) Pseudomonas putida (12633) Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis (13076) Salmonella enterica serovar Paratyphi B (10719) Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		(43888)
resistance (ESBL) Klebsiella pneumoniae Klebsiella pneumoniae – NDM-1 positive CDC 1000527 Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis Proteus mirabilis Pseudomonas aeruginosa Pseudomonas puttida Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar (14756) Shigella dysenteriae Staphylococcus aureus (Impetigo) Staphylococcus epidermidis Staphylococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (Staph)(MRSA) (Skin Infections)  <		,
Klebsiella pneumoniae Klebsiella pneumoniae – NDM-1 positive CDC 1000527 Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis Proteus vulgaris Pseudomonas aeruginosa Salmonella enterica ) (Food Poisoning) (Skin Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar typhi Salmonella enterica (10738) Staphylococcus aureus (Impetigo) Staphylococcus aureus (Impetigo) Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)	Escherichia coli with extended beta-lactamase	(BAA-196)
Klebsiella pneumoniae – NDM-1 positive  Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar paratyphi B Salmonella enterica serovar typhi Salmonella officialistica (13076) Salmonella dysenteriae (11835) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis (12228) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <	resistance (ESBL)	
Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis Proteus vulgaris Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella denterica serovar typhi Salmonella venteriae Staphylococcus aureus (Impetigo) Staphylococcus epidermidis Staphylococcus epidermidis Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  <	Klebsiella pneumoniae	(4352)
Klebsiella pneumoniae Carbapenem Resistant Listeria monocytogenes (Listeria) Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata Proteus mirabilis Proteus vulgaris Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella enterica serovar typhi Salmonella denterica serovar typhi Salmonella venteriae Staphylococcus aureus (Impetigo) Staphylococcus epidermidis Staphylococcus epidermidis Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  <	Klebsiella pneumoniae – NDM-1 positive	CDC
Listeria monocytogenes (Listeria) (19115) Mycobacterium bovis BCG [Quant tuberculosis] (35743) Neisseria elongata (25295) Proteus mirabilis (25933) Proteus vulgaris (9920) Pseudomonas aeruginosa (15442) Pseudomonas putida (12633) Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis (13076) Salmonella enterica serovar Paratyphi B (10719) Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <	·	1000527
Mycobacterium bovis BCG [Quant tuberculosis] Neisseria elongata (25295) Proteus mirabilis (25933) Proteus vulgaris (9920) Pseudomonas aeruginosa (15442) Pseudomonas putida (12633) Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis (13076) Salmonella enterica serovar Paratyphi B (10719) Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		BAA-1705
Neisseria elongata         (25295)           Proteus mirabilis         (25933)           Proteus vulgaris         (9920)           Pseudomonas aeruginosa         (15442)           Pseudomonas putida         (12633)           Salmonella enterica ) (Food Poisoning) (Skin         (10708)           Infections)         (10708)           Salmonella enterica serovar enteritidis         (13076)           Salmonella enterica serovar Paratyphi B         (10719)           Salmonella enterica serovar typhi         (6539)           Serratia marcescens         (14756)           Shigella dysenteriae         (11835)           Staphylococcus aureus (Impetigo)         (6538)           Staphylococcus epidermidis         (12228)           Streptococcus pyogenes (Strep)         (12384)           Streptococcus pyogenes (Strep)         (12384)           Streptococcus salivarius (Pink eye)         (7073)           Methicillin Resistant Staphylococcus aureus         (33592)           (Staph)(MRSA) (Skin Infections)         ATCC No.           Enterobacter aerogenes         (13048)           Escherichia coli O157:H7         (43888)           Listeria monocytogenes         (19117)           Pseudomonas aeruginosa         (15442)	Listeria monocytogenes (Listeria)	(19115)
Neisseria elongata         (25295)           Proteus mirabilis         (25933)           Proteus vulgaris         (9920)           Pseudomonas aeruginosa         (15442)           Pseudomonas putida         (12633)           Salmonella enterica ) (Food Poisoning) (Skin         (10708)           Infections)         (10708)           Salmonella enterica serovar enteritidis         (13076)           Salmonella enterica serovar Paratyphi B         (10719)           Salmonella enterica serovar typhi         (6539)           Serratia marcescens         (14756)           Shigella dysenteriae         (11835)           Staphylococcus aureus (Impetigo)         (6538)           Staphylococcus epidermidis         (12228)           Streptococcus pyogenes (Strep)         (12384)           Streptococcus pyogenes (Strep)         (12384)           Streptococcus salivarius (Pink eye)         (7073)           Methicillin Resistant Staphylococcus aureus         (33592)           (Staph)(MRSA) (Skin Infections)         ATCC No.           Enterobacter aerogenes         (13048)           Escherichia coli O157:H7         (43888)           Listeria monocytogenes         (19117)           Pseudomonas aeruginosa         (15442)	Mycobacterium bovis BCG [Quant tuberculosis]	(35743)
Proteus vulgaris Pseudomonas aeruginosa Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis (12228) Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		(25295)
Pseudomonas aeruginosa Pseudomonas putida Pseudomonas putida Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B (10719) Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <	Proteus mirabilis	(25933)
Pseudomonas putida (12633) Salmonella enterica ) (Food Poisoning) (Skin (10708) Infections) Salmonella enterica serovar enteritidis (13076) Salmonella enterica serovar Paratyphi B (10719) Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <-> 5-min Disinfection - Bacteria >>  ATCC No. Enterobacter aerogenes (13048) Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  <-> 30-sec Disinfection - Bacteria >>  ATCC No.	Proteus vulgaris	(9920)
Salmonella enterica ) (Food Poisoning) (Skin Infections)  Salmonella enterica serovar enteritidis (13076)  Salmonella enterica serovar Paratyphi B (10719)  Salmonella enterica serovar typhi (6539)  Serratia marcescens (14756)  Shigella dysenteriae (11835)  Staphylococcus aureus (Impetigo) (6538)  Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384)  Streptococcus salivarius (Pink eye) (7073)  Methicillin Resistant Staphylococcus aureus (33592)  (Staph)(MRSA) (Skin Infections)  <-> 5-min Disinfection - Bacteria >> ATCC No.  Enterobacter aerogenes (13048)  Escherichia coli O157:H7 (43888)  Listeria monocytogenes (19117)  Pseudomonas aeruginosa (15442)  Salmonella enterica (10708)  Staphylococcus aureus (6538)  Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  <-> 30-sec Disinfection - Bacteria >> ATCC No.		(15442)
Infections) Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi Serratia marcescens Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis (12228) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (Staph)(MRSA) (Skin Infections)  <-> 5-min Disinfection - Bacteria >>  ATCC No. Enterobacter aerogenes Escherichia coli O157:H7 Listeria monocytogenes Sescherichia coli O157:H7 Listeria monocytogenes Salmonella enterica (10708)  Staphylococcus aureus Vancomycin Resistant Enterococcus faecalis (VRE)	Pseudomonas putida	
Salmonella enterica serovar enteritidis Salmonella enterica serovar Paratyphi B Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis Streptococcus pyogenes (Strep) Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <	Salmonella enterica ) (Food Poisoning) (Skin	(10708)
Salmonella enterica serovar Paratyphi B Salmonella enterica serovar typhi Salmonella enterica serovar typhi (6539) Serratia marcescens (14756) Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		
Salmonella enterica serovar typhi Serratia marcescens Shigella dysenteriae (11835) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		
Serratia marcescens Shigella dysenteriae Shigella dysenteriae Staphylococcus aureus (Impetigo) Staphylococcus epidermidis Streptococcus epidermidis Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		
Shigella dysenteriae Staphylococcus aureus (Impetigo) Staphylococcus aureus (Impetigo) Staphylococcus epidermidis  Streptococcus pyogenes (Strep) Streptococcus salivarius (Pink eye) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)   <		
Staphylococcus aureus (Impetigo) (6538) Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		
Staphylococcus epidermidis (12228)  Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		
Streptococcus pyogenes (Strep) (12384) Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)   <		
Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <	Staphylococcus epidermidis	(12228)
Streptococcus salivarius (Pink eye) (7073) Methicillin Resistant Staphylococcus aureus (33592) (Staph)(MRSA) (Skin Infections)  <		(40004)
Methicillin Resistant Staphylococcus aureus (Staph)(MRSA) (Skin Infections)   <- 5-min Disinfection - Bacteria >>  Enterobacter aerogenes (13048) Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  30-sec Disinfection - Bacteria >>  ATCC No.	Streptococcus pyogenes (Strep)	
(Staph)(MRSA) (Skin Infections)  << 5-min Disinfection - Bacteria >>  Enterobacter aerogenes (13048) Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.	Streptococcus salivarius (Pink eye)	` '
<< 5-min Disinfection - Bacteria >> ATCC No. Enterobacter aerogenes (13048) Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708) Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299) << 30-sec Disinfection - Bacteria >> ATCC No.		(33592)
Enterobacter aerogenes (13048) Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.	(Staph)(MRSA) (Skin Infections)	
Enterobacter aerogenes (13048) Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.		
Enterobacter aerogenes (13048) Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >> ATCC No.	<< 5-min Disinfection - Bacteria >>	
Escherichia coli O157:H7 (43888) Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.		
Listeria monocytogenes (19117) Pseudomonas aeruginosa (15442) Salmonella enterica (10708)  Staphylococcus aureus Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.		
Pseudomonas aeruginosa Salmonella enterica  Staphylococcus aureus Vancomycin Resistant Enterococcus faecalis (VRE)  << 30-sec Disinfection - Bacteria >>  ATCC No.		
Salmonella enterica (10708)  Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >> ATCC No.		
Staphylococcus aureus (6538) Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.		,
Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.	Salmonella enterica	(10708)
Vancomycin Resistant Enterococcus faecalis (VRE) (51299)  << 30-sec Disinfection - Bacteria >>  ATCC No.		(0.500)
<< 30-sec Disinfection - Bacteria >> ATCC No.	Staphylococcus aureus	
ATCC No.	Vancomycin Resistant Enterococcus faecalis (VRE)	(51299)
ATCC No.	20 and Disinfection Bootsuin	
	Su-sec disinfection - Bacteria >>	ATCC No
Camovionacieriellini (33000)	Commidation in items	
- Carrie Joseph Toleran (1997)	Campyiobacter jejuni	(33300)

<< 30-sec Sanitization - Bacteria - Hard	I Surface >>
•	ATCC No.
Enterobacter aerogenes	(13048)
Staphylococcus aureus	(6538)

<< 30-sec Sanitization - Bacteria - Soft	Surface >>
	ATCC No.
Klebsiella pneumoniae	(4352)
Pseudomonas aeruginosa	(15442)
Staphylococcus aureus	(6538)

		(1 )
	<< 10-min Disinfection - Viruses >>	
	Adenovirus Type 2 Echovirus Type 12 Feline calicivirus (Norovirus) (Stomach Flu) (Stomach Virus)	ATCC No. (VR-846) (VR-1563) (VR-782)
	Hepatitis A Virus Influenza A Virus (New Caledonia/20/99) (Flu)	
	Poliovirus Type 1	(VR-192)
	<< 30-sec Disinfection - Viruses >>	
	(Avian) Influenza A Virus (H1N1) (A/Malaya/302/54)	ATCC No. (VR-98)
	(Avian) Influenza A Virus (H3N2) (Avian) Influenza A Virus (H5N1)	(VR-2072)
	Coxsackie Type B3 Virus (Hand, Foot and Mouth Disease) Cytomegalovirus (Duck) Hepatitis B Virus Hantavirus	(VR-30) (VR-538)
	Herpes Simplex Virus Type 1 Herpes Simplex Virus Type 2 Human Immunodeficiency Virus Type 1 [HIV-1[ [AIDS Virus]	(VR-733) (VR-734)
	(tested in the presence of 50% whole human blood) Influenza A Virus (New Caledonia/20/99)	
	Influenza B Virus (Strain B/Hong Kong/5/72) (Pandemic) Influenza A Virus [2009 H1N1]	(VR-823)
	Respiratory Syncytial Virus (RSV) (a cause of lower respiratory infections)	(VR-26)
	Rhinovirus Type 39 (a leading cause of the common cold) (Sore Throat, Upper Respiratory Infection)	(VR-340)
	Rotavirus WA (Swine) Influenza A Virus (H1N1) Vaccinia Virus	(VR-2018) (VR-333) (VR-119)
-1		

<< 10-min Disinfection - Fungi >>	
•	ATCC No.
Aspergillus niger (mold & mildew)	(6275)
Candida albicans	(10231)
Fusarium solani	(36031)
Penicillium chrysogenum	(9178)
Trichophyton mentagrophytes (Athlete's Foot Fungus) (Ringworm)	(9533)
<< 5-min Disinfection - Fungi >>	
•	ATCC No.
Trichophyton mentagrophytes (Athlete's Foot Fungus)	(9533)

<< Hard Surface Mildew Fungistat (3 min) >>		
	ATCC No	
Alternaria alternata	(13963)	
Aspergillus niger (mold & mildew)	(6275)	
Penicillium chrysogenum	(9178)	

NOTE:

**BRACE** 

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013
Page 14 of 19

## << SURFACES / USE SITES - May be listed on product label in the singular or plural form >>

Hard, non-porous surfaces: (Graphic - depicting surface)

Maro, non-porous surfaces: (	Grapine - depicting surface	·/	
Adapter rings	Diaper pails	Linoleum	Resilent (ceramic) floor
Baby carriage(s)	Dish (pails) (racks)	Litter boxes	Salad bar sneeze guards
Baby furniture (non-wood)	Door knob (handle)	Marble (culture) (synthetic)	Sealed granite
Baby prams	Drains	Marlite	Shower (stall) (area) (doors)
Baby stollers	Dressing carts	Metal ^	Shower (curtain) (plastic) (liner)
Bathroom surfaces	Drinking fountains	Metal blinds	Sinks (basin)
Bathtub (Tub)	Enamel	Microwave (oven) exteriors	Sports equipment
Bed frame	Examination tables	Mirror '	Stainless Steel ^
Bed (box) springs	Fixtures	No wax floors	Stretchers
Bidet	Floors	Outdoor (patio) furniture (non-wood)	Table (tabletops)
Booster seats	Faucets	Parquet	Telephones
Brass	Furniture (non-wood)	Patient Chairs	Tin
Cabinets (non-wood)	Garbage (cans) (pails) (bins)	Pens	Toilet (seats) (areas)
Chairs (non-wood)	Glass	Plastic	(Toilet) (Urinal) Exteriors
Changing (table) (counter)	Glass-topped furniture	Plastic bathtub	Vinyl (tile)
Chrome ^	Glazed ceramic (tile)	Plastic (baby) (children) toys 1	Washable Walls
Clean-up carts	Glazed porcelain (tile)	Plastic laundry basket (hamper)	Wheelchairs
Copper	Glazed tile	Plastic mattress covers	Whirlpool interiors
Counter (Countertop) (non-wood)	Highchair (non-wood)	Portable toilet	Windows (windowsills)
Crib (non-wood)	Laminate (surfaces)	Potty (trainer) (seats)	Tools
Crib rails	Lamps	Recycling bins	
Crystal	Light switches	Refrigerator exteriors	
Cuspidors	Linen carts	Remote controls	Hard, non-porous surfaces
Desk (non-wood)			
^ Non-medical or Fixture	1 Follow directions for Toys und	der Directions for Use - rinsing applicati	on required.

Hard, non-porous use sites: (Graphic - depicting site)

All around the (house) (home)	Car (Truck)	Kitchen	Public places
Attic	Closet	Laundry room	Restroom
Automobile	Children's Room	Living room	Storage (area) (room)
Baby's room	Den (Study)	Locker	Studio
Basement	Dining room	Mobile home	Sunroom .
Bathroom	Dorm	Mud room	Supermarket
Bedroom	Family room	Nursery	Tool shed
Boat	Garage	Pet area	Vacation home
Cabin	Grocery Store	Playroom	Vehicles
Camper (Trailer)	Home (House)	Public eating places	Workshop (home)
Toddler's Room			

Soft surface use sites: (Graphic - depicting site)

Baby carriages	Cotton (fabric) Purse	Seat cushion (household)	Suitcase (luggage)
Back (School) pack	Dog (Pet) bed	Seat cushion (kitchen)	(upholstered) Booster Seat
Baby prams	Cushion (Pillow)	Shoes (canvas) (fabric)	(Upholstered) chairs
Bathroom mat	Diaper bag	Shoe interior	(Upholstered) couches
Bedding (Bedspread)	Duvet cover	Shower curtain (fabric)	(Upholstered) furniture
Box spring (cover)	Gym bag (fabric)	Slippers	Upholstery
Car (seat) (upholstery)	Highchair seat	Sneakers (canvas) (fabric)	Window treatments (fabric)
Clothing	Laundry bag (fabric)	Sponges (rags)	
Cots	Mattress (cover)	Stroller (seats)	
Couch (Sofa)	Mop (Broom)	Stuffed animals	Soft (fabric) surfaces
Curtains (Draperies)	Rug (Carpet)	Stuffed (Plush) toys	

## Professional Use Sites:

Ambulance	Gymnasium (Gym)	Medical Clinic	Public places
Bathroom (Institutional)	Health Care Facility	Military Installation	Recreational Center
Blood Bank	Health Club	Nursery	Restaurant
Cafeteria (Kitchen)	Hospital (Infirmary)	Nursing Home	School
Clinic	Hotel / Motel	Office Building	School (Bus) (Vehicle)
College	Institutions (Institutional)	Patient Room	Shelter
Commercial Building	Laundromat	Pharmacy	Sick Room
Day Care Center	Restroom	Physicians Office	Veterinary (Office) (Clinic)
Dental Office	Kennel	Public eating places	Waiting Room
Doctors Office	Laboratory	Public facility	Warehouse Club

NOTE:

**BRACE** 

EPA Reg. No.: 777-99

Amendment- dated September 19, 2013 Page 15 of 19

## << USE DIRECTIONS >>

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product.

(Pre-clean surfaces prior to use.) Hold can (container) upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist. ((Gross) (Heavy) soil must be removed prior to application.)

(To Unlock Cap: Turn counterclockwise (1) (2) (clicks). Lock cap, after use.)

To Deodorize: Spray on surfaces as needed.

To Sanitize: Let stand for 30 seconds then allow to air dry.

To Disinfect: (Let stand for 10 minutes then allow to air dry.) (Let stand for 5 minutes then allow to air dry.)

Rinse toys and food contact surfaces with potable water after use.

For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

To Disinfect Toys: Use only on hard, non-porous surfaces and rinse thoroughly with water after use.

Rinse child/baby plastic toys, child/baby hard non-porous surfaces and all food contact surfaces with potable water or a damp cloth after use.

To Control and Prevent (the Growth of) Mold & Mildew (and their Odors) (on Hard, Non-porous Surfaces): Apply to pre-cleaned surface. Allow to remain wet for 3 minutes. Let air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**Fabric Sanitizer**: For spot treatment (2" x 2" area) only. **To Spot Sanitize Soft Surfaces (Fabrics):** Spray until fabric is wet. DO NOT SATURATE. Fabric must remain wet for 30 seconds. Let air dry. For difficult odors, repeat application.

**To (Control) (Eliminate) odor-causing Bacteria on Soft Surfaces (Fabrics):** Spray until fabric is wet. DO NOT SATURATE. Let air dry. For difficult odors, repeat application. Reapply as necessary.

(For Use in Air: Hold can upright. Spray towards the center of the room.)

## << ADVISORY STATEMENTS >>

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics. For other surfaces, spot test in an inconspicuous area. Do not use on utensils, glasses and dishes. Does not harm most (bathroom) (restroom) surfaces.

(For Soft Surface Spot Application:)
Do not use on silk, rayon acetate or satin fabrics.
Always test on a hidden (section) (area) of fabric.

To assure evacuation of can, avoid tilting more than 45° while spraying. (graphic depicting can being tilted) To assure evacuation of can, avoid tilting more than 60° while spraying. (graphic depicting can being tilted)

**BRACE** 

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 16 of 19

## << Additional USE DIRECTIONS (claim specific) - Specific to Professional Branded products Only >>

For Tuberculocidal Activity: (This product) is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 [HIV-1 AIDS Virus] (and HEPATITIS B VIRUS (HBV)) ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids; and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 [associated with AIDS] (and Hepatitis B Virus).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (and HBV) ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Allow surface / object to remain wet for 30 seconds for HIV-1 (and HBV). (For Mycobacterium bovis BCG surfaces must remain wet for 10 minutes.) (For all other organisms, surfaces must remain wet for 10 minutes.) **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

#### << Terminal Sterilant Statement - qualified metal surfaces >>

This product is not for use on critical & semi-critical medical devices or medical equipment surfaces.

## << Terminal Sterilant Statement - unqualified metal surfaces >>

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body; or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enters normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

## Special Instructions for Cleaning and Disinfecting areas which may be infested with Hantavirus:

Rodent droppings and visible dust may be reservoirs for Hantavirus. If you are cleaning out a building that has been closed up, such as a cabin, shed, or garage:

- 1. Air out the building for at least 30 minutes by opening windows and doors.
- Leave the building while it is airing out.
- 3. Do not vacuum, sweep or dust. This may spread the Virus through the air.
- 4. Thoroughly wet the contaminated areas with the product and allow to stand undisturbed for 30 seconds.
- 5. Carefully remove contaminated material and dispose by burial or burning. Contact your local or state health department for additional disposal methods.
- 6. Treat the surface again following the label directions and allow to stand undisturbed for 30 seconds.

Veterinary Practice / Kennels / Animal Care Facilities: For disinfecting hard, non-porous surfaces including equipment, utensils, cages, kennels, instruments etc. Remove all animals and feeds from the premises, crates, cages, and enclosures. Remove all litter, droppings, and manure from floors, walls, and surfaces occupied or traversed by animals. Empty all troughs, racks and other feeding / watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water. Saturate surfaces and allow to stand 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set, and dried. Thoroughly scrub all treated feed racks, automatic feeders, and watering appliances with soap or detergent, and rinse with potable water before use.

EPA Reg. No.: 777-99

Amendment– dated September 19, 2013 Page 17 of 19

## << PRECAUTIONARY / FIRST AID / STORAGE & DISPOSAL >>

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap

and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

	FIRST AID
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye</li> <li>Call a Poison Control Center or doctor for treatment advice.</li> </ul>
	CONTACT NUMBER
	ments or In case of an emergency, call toll free (1-800-228-4722) (1-800-677-9218). Have alone or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**PHYSICAL HAZARDS:** FLAMMABLE: Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### << STORAGE & DISPOSAL - Residential containers >>

**STORAGE AND DISPOSAL:** Store in original container in areas inaccessible to small children. Do not reuse empty container. Do Not Puncture or Incinerate! (Replace cap and) Discard in trash or offer for recycling if available.

#### << STORAGE & DISPOSAL - Commercial / Institutional / Industrial containers >>

(NOTE: Residue removal statement is not applicable for this container because it is an inherently non-refillable aerosol can.)

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage and disposal.
STORAGE: Store in original container in areas inaccessible to children. Keep securely closed.
DISPOSAL: Do Not Puncture or Incinerate! Non-refillable container. Do not reuse or refill this container.
To avoid waste, use all material in this container according to label directions. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.

## << Optional Graphic Images & Text>>



NOTE:





(DAYTONA, DAYTONA 500, and the DAYTONA 500 logo are registered trademarks and used with expressed permission) (Daytona URL:) (For games, prizes and more visit www.RaceFans.DAYTONA500.com.)

EPA Reg. No.: 777-99

Page 18 of 19

## [Place Holder for Spraying in Air graphic]

## **Place Holders for Graphics**

([Disinfects] - based on hard surfaces) ([Sanitizes] - based on soft surfaces) ([Deodorizes] - based on the air)

## << Optional Fruit Graphic Images >>



## << Optional Example Pictogram Images Depicting Surface/Use Sites>>


































Amendment- dated September 19, 2013 Page 19 of 19

**BRACE** 

EPA Reg. No.: 777-99









