

**Sergeant's SARCOPTIC MANGE MEDICINE**



**Sergeant's SARCOPTIC MANGE MEDICINE FOR DOGS**

**ACCEPTED**  
 APR 18 1985  
 Under Federal Food, Drug, and Cosmetic Act registered under EPA Reg. No. 778-29



**IMPORTANT CONSUMER INFORMATION**  
**PURPOSE:** To aid in the treatment of Sarcoptic mange in dogs.  
**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See enclosed circular for complete instructions.  
**STORAGE AND DISPOSAL:** Store in cool area away from heat and open flames. Do not reuse container. Wrap container and discard in trash collection.  
**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
 Keep out of reach of children. Harmful if swallowed.  
**STATEMENT OF PRACTICAL TREATMENT**  
 If swallowed - Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.  
 If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.  
 If on skin - Remove contaminated clothing and wash affected areas with soap and water.  
 If in eyes - Flush eyes with plenty of water. Call a physician immediately.  
 Note to Physician - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.  
 EPA Reg. No. 778-29 AA      EPA Est. No. 778-VA-1

**SARCOPTIC MANGE MEDICINE FOR DOGS**

**SARCOPTIC MANGE MEDICINE FOR DOGS**

**SARCOPTIC MANGE MEDICINE FOR DOGS**

An Aid In Treating Sarcoptic Mange. Non-Alcoholic.

<b>Active ingredients:</b>	
Paraffin Base Oil	24.94%
Kerosene	22.00%
Petroleum Crude Oil	23.16%
Oil of Pine Tar	26.23%
Sulphur	0.40%
Inert Ingredients	3.27%

Keep out of reach of children  
**CAUTION**  
 Harmful if swallowed  
 See back for directions and cautions

**4 Fl. Oz. (118 milliliters)**

Made in U.S.A. by  
**A-H-ROBINS**  
 Consumer Products Division  
 Richmond, Virginia 23261-1215

184 # 778-29 9:15


► **TREATMENT—SARCOPTIC MANGE**

Remove coat on a long haired dog if the disease appears to be general. Wash affected parts with hot, strong suds made with Sergeant's Skip-Flea Soap, rubbing in well with a scrub brush. Rinse off well and dry thoroughly and apply Sergeant's Sarcoptic Mange Medicine in a well ventilated area. Continue to apply this medicine every day for a week, then wash as before and repeat. Keep a dog warm under this treatment, but not near a stove. The disease is readily cured if properly and thoroughly treated. If improvement is noted by a lessened itching the application may be made less frequently.

► **NOTE**

For a delicate dog or one with raw skin areas, dilute Sergeant's Sarcoptic Mange Medicine with cottonseed or olive oil, one-half or one-third as required.

Failure to cure is generally due to lack of attention and proper application. The mange mite develops its young very fast, hence the need of careful attention. Clean out and disinfect the sleeping place and wash collars, brushes and combs.



FOR FLEAS ON DOGS  
USE  
SERGEANT'S<sup>®</sup> DOG COLLAR

**SARCOPTIC  
MANGE MEDICINE  
FOR DOGS**

**FORMS OF MANGE**

There are two forms of mange, Sarcoptic and Follicular. The skin disease produced by each is highly contagious and both are caused by parasitic mites.

**SARCOPTIC**

Sarcoptic mange of dogs is caused by the mite *Sarcoptes scabiei canis*.

Sarcoptic mange may occur on any part of the body, but usually it appears first in the head. It spreads rapidly. Red spots appear and develop into small blisters. The scratching of the animal causes the reddish area to spread.

The burrowing of the female causes the skin to crust, serum which dries in crusts or scabs. The infected part of the skin becomes dry and covered with crusts. The hair may come out and the skin may thicken and become wrinkled.

itching is intense. The scratching may give rise to secondary bacterial infections and sores. Bacterial action in the scabs and sores causes an unpleasant odor. If the infection is not checked, digestion and other body functions become impaired and death may result.

This species of mite can live for a time on people. Unnecessary handling of infected dogs should be avoided.

**FOLLICULAR**

Follicular demodectic or red mange of dogs is caused by a mite, *Demodex canis*, which lives principally in the hair follicles of the skin.


The first evidence of demodectic mange is usually the appearance of bald areas, from which the hair has been lost. Itching becomes pronounced as the spots spread, and the area becomes reddened. After invasion by the bacteria, the infection becomes pustular, the skin becomes thicker, poisons formed by the bacteria affect the general health of the animal and a disagreeable odor is produced. The infection may last for several years. It usually causes death if it is unchecked.

Follicular mange is difficult to diagnose and treat and may require attention by a veterinarian. This product is not effective for follicular mange.

Made in U.S.A. by  
**A-H-ROBINS**  
Consumer Products Division  
Richmond, Virginia 23220-0235

**Sergeant's**  
**SARCOPTIC MANGE**  
**MEDICINE**  
**FOR DOGS**

**BETTER**  
**PRODUCTS**  
**FOR MAN'S BEST**  
**FRIEND!**



**Sergeant's**  
**SARCOPTIC**  
**MANGE**  
**MEDICINE**  
**FOR DOGS**

477 # 778-21 21 5

**Sergeant's**  
**SARCOPTIC**  
**MANGE MEDICINE**  
FOR DOGS  
An Aid in Treating Sarcoptic Mange  
SHAKE WELL



ACCEPTED  
APR 18 1985  
... Federal ...  
... and ...  
... for the ...  
registered under  
EPA Reg. No. 778-29