

Pm 14

2517-44

01 FEB 1988

Vol 1

Yellow Copy

300
17

206,709
1

A.H. Robins Company
1407 Cummings Drive
P.O. Box 26609
Richmond, VA 23261-6609

Gentlemen:

Subject: Sentry IV Dog Collar
EPA Registration No. 778-34
Sentry IV Cat Collar
EPA Registration No. 778-36
Your Letter Dated October 16, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below.

1. Place Ingredient Statement on front panel.
2. Replace "Keep Out of Reach of Children" with "Do not allow children to play with this collar."
3. Make the first paragraph of the back panel the first paragraph of use directions under the misuse statement.
4. The proper wording for the "Storage and Disposal" statement is:

Storage and Disposal

Storage: Store only in original container, in a cool dry place inaccessible to children and pets.

Disposal: Discard . . . excess collar.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

10736:I:Peacock:M-14:KENCO:1/26/88:2/5/88:CB:dg:vo:rw

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

KILLS FLEAS FOR UP TO 4 MONTHS

Bansect®

Bansect® cat collar



flea & tick collar for cats

Aids in tick control for up to 30 days

- fast acting
- unaffected by water

Bansect® cat collar

Bansect FLEA & TICK COLLAR FOR CATS

THIS COLLAR KILLS ALL TYPES OF FLEAS common to continuously to help reduce flea infestations. THIS COLLAR KILLS TICKS more slowly but ticks will usually be dead. Ticks are only an occasional problem on cats. Collar will continue to kill ticks occasionally remaining in cat's coat are easily detached to-kill ticks inside ears when Collar is put on.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not open inner envelope until ready to use. Collar is an insecticide generator and is not to be taken internally with the Bansect® Collar, some cats may be sensitive and and loss of hair under the Collar if it is worn too tightly. When neck area for irritation every few days. Remove Collar if the and permit area to heal. Do not use on sick or convalescing pesticide while Collar is worn.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product inconsistently. Buckle Collar securely but not tightly around dog's neck. CUT LOOSELY. Cut off and dispose of excess length in trash. Cut collar immediately. New fleas temporarily appearing will be killed. Collar is worn. When bathing cat, remove Collar, until effectiveness diminishes.

STORAGE & DISPOSAL: Store in a cool, dry place. Discard pouch, the expired Collar and any trimmed excess Collar.

ACTIVE INGREDIENT

Naled (1,2-dibromo-2,2-dichloroethyl dimethyl phosphate)	10%
INERT INGREDIENTS	90%

FOR DOGS, USE BANSECT® FLEA & TICK COLLAR FOR DOGS.

Made in U.S.A. by
A. H. Robins
Richmond, Virginia 23230

*Patent No. 3,918,000

Contents: 1 Collar. Net wt. 0.5 oz. (14 grams)

ACCEPTED with COMMENTS
EPA Letter Dated:


01 FEB 1988

Keep out of reach of children.

CAUTION

See back panel for directions and precautions. Under Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No.

778-36



Bansect® cat collar

Bansect® cat collar