

Note:

1. Signal words "Danger - Poison and Skull & Crossbones" to be printed in red. (*)
2. Signal word "Danger - Poison" to be 18 point caps, and "Keep Out of Reach of Children" to be 12 point. (**)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER  **POISON**
CONTAINS SODIUM ARSENITE. MAY BE FATAL IF SWALLOWED.
MAY BE FATAL IF ABSORBED THROUGH SKIN OR INHALED.
Do not breathe spray mist. Do not get in eyes,
on skin, or on clothing.

WARNING SYMPTOMS—Inorganic arsenical poisoning produces prompt or delayed symptoms such as headache, dizziness, muscle spasm, delirium, convulsions, colic, burning abdominal pain, vomiting and watery or bloody diarrhea. A garlic odor to the breath and feces helps to identify the responsible toxicant.

NOTE TO PHYSICIAN

TREATMENT - Give dimercaprol, 3-5 mg/kg q4h intramuscularly until abdominal pain and diarrhea subside and patient is regularly passing administered charcoal in the feces.

CAUTION: Dimercaprol can cause troublesome side effects (hypertension, tachycardia, nausea, headache, paresthesia and pain, lacrimation, sweating, anxiety, and restlessness). Although usually not so severe as to preclude treatment, they may require antihistaminic therapy.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to bees exposed to direct application. Do not apply this product while bees are actively visiting the treatment area. Time applications to coincide with periods of minimum bee activity. Do not allow domestic animals to graze treated areas.

STORAGE AND DISPOSAL

Not for use or storage in or around the home. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

with a...

ACTIVE INGREDIENT
Sodium Arsenite
Total Arsenic
INERT INGREDIENT

THIS

IF SWALLOWED
or 2 glasses
throat with
mouth to

IF INHALED
quiet. If
immediate
Get medical
IN CASE OF
eyes flush
remove and
BAL (DIME)
in all ca
If warning
medical at

MFG. BY FA
Edgewater,
E.P.A. Est
E.P.A. Reg

ENTS

MAY BE FATAL IF SWALLOWED.
APPLIED THROUGH SKIN OR INHALED.
Do not get in eyes.

Organic arsenical poisoning produces
symptoms such as headache, dizziness,
vomiting, convulsions, colic, burning
stomach and watery or bloody diarrhea.
Breath and feces helps to identify
poisoning.

Dimercaprol, 3-5 mg/kg q4h intramuscular
pain and diarrhea subside and
charcoal administered in

It can cause troublesome side
effects, tachycardia, nausea, headache,
sweating, anxiety.
Although usually not so severe
symptoms, they may require antihist-

to fish, birds, and other
animals directly to water. Do not
apply to water. Do not apply
to water. Do not apply
to water. Do not apply
to water. Do not apply

to bees exposed to direct
spray. Do not apply this product while bees
are in the treatment area. Line
up with periods of minimum bee
activity. Do not allow domestic animals to graze treated areas.

Do not use for water, food, or feed by storage
containers or rinsate that cannot be used
for other purposes (federal, State or local procedures
may be equivalent) and offer for
sale or by other approved State and

with comment from



WEED KILLER

779-2 SODIUM ARSENITE SOLUTION
SELECTIVE---KILLS OFF MOST GROWTH
---KILLS TREE STUMPS

ACTIVE INGREDIENTS:

Sodium Arsenite..... 42.5%
Total Arsenic (all water soluble) expressed as metallic, not less than 24.5%

INERT INGREDIENTS:..... 57.5%

THIS PRODUCT CONTAINS 4 POUNDS ARSENIC TRIOXIDE PER GALLON

KEEP OUT OF REACH OF CHILDREN **
DANGER---POISON **

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or Poison Control Center. Drink 1
or 2 glasses of water and induce vomiting by touching back of
throat with finger. Do not induce vomiting or give anything by
mouth to an unconscious person.

IF INHALED, remove from exposure and have patient lie down and keep
quiet. If patient is not breathing, start artificial respiration
immediately. Never give anything by mouth to an unconscious person.
Get medical attention.

IN CASE OF CONTACT, wash skin with plenty of soap and water, for
eyes flush with water for 15 minutes and get medical attention;
remove and wash contaminated clothing before re-use.

DIMERCAPROL (DIMERCAPROL) IS AN ANTIMONY ANTIMONY-Seek medical attention at once
in all cases of suspected poisoning.

If warning symptoms appear (see Warning symptoms on side panel, get
medical attention.

MFG. BY FAESY & BESTHOFF, INC.
Edgewater, NJ
E.P.A. Est. No. 779-VJ-1
E.P.A. Reg. No. 779-2

NET CONTENTS 5 GALLONS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ON AREAS TO BE COVERED BY PAVEMENT (BLACKTOP, GRAVEL, ETC.)

ANNUAL WEEDS AND GRASSES: Use 1 gal. mixed with 10 gals water, apply with a sprayer to vegetation on 1000 to 1200 sq. ft., wetting all leaves, stems and root crowns. If applied with a sprinkling can, dilute 1 gal. with approximately 40 gals. water. Do not use on lawns or on or near desirable plants.

PERENNIAL WEEDS AND GRASSES that do not spread by underground rhizomes: Use 1 gal. mixed with sufficient water (3 or more gals.) to give coverage on 300 to 500 sq. ft., depending on amount of vegetation. Wet all leaves, stems and root crowns.

SOIL TREATMENT: Use 1 gal. in 2 gals. water per 150 to 200 sq. ft. May be used without water if desired. Do not use on or around desirable vegetation.

TREE KILLING: Cut deep gashes into the bark and wood with an axe or squared end of a mattock or pick. Pour concentrated F&B Weed Killer (or a solution of 1 to 1 with water) into the gashes. Pour over stumps when freshly cut to prevent resprouting.

NOT FOR USE ON LAWNS OR IN GARDENS

Do not apply to areas underlaid by roots of desirable trees and shrubs. Small, enclosed, industrial areas, such as tank farms, utility sub stations, enclosed parking areas, bare ground where no plant growth is desired, may also be treated as follows:

Mix 1 gallon F&B Weed Killer with sufficient water (20 to 40 gals.) to adequately cover 3500 sq. ft. Wet all leaves, stems and root crowns thoroughly. Best results will be obtained if application is made when unwanted vegetation is young and tender. Do not use around desirable vegetation

IMPORTANT

When mixing spray, loading, applying, or otherwise handling, wear protective clothing, goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. wear clean clothes daily. Wash thoroughly after handling, and before eating or smoking. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

ER

ROWTH

..... 42.5%
..... 24.5%
..... 57.5%

OXIDE PER GALLON

EN**



MENT

ol Center. Drink 1
ouching back of
give anything by

nt lie down and keep
fficial respiration
n unconscious person

ap and water, for
dical attention;
e-use.

al attention at once

s on side panel, get

Anthony W. Besthoff
Faesy & Besthoff, Inc.
143 River Road
Edgewater, NJ 07020

Dear Mr. Besthoff:

Subject: Amendment - Label Revision
F&B Weed Killer (Sodium Arsenite Solution)
EPA Registration No. 779-2
Your Submission of March 2, 1983

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Delete "May be" before "fatal" in the Hazards to Humans Section.
 - b. Move to the Directions for Use section the following statements:

Do not allow domestic animals to graze treated areas.
Do not use or store in or around the home.
 - c. Add to the front panel the following referral statement:

See side panel for additional precautionary statements.
 - d. Only one Signal Word - DANGER - is allowed on ^{this} pesticide labeling. Modify "WARNING SYMPTOMS" and "CAUTION" to delete these signal words.
 - e. We noted that the "Clinical Toxicology of Commercial Products Fourth Edition" recommends that the maximum dosage of dimercaprol for severe poisoning - Arsenic or gold is 3.0 mg./kg. q4h (6 inj.).
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

CORRESPONDENCE							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

EPA Form 1320 (4-81) OFFICIAL FILE COPY

-2-

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

TS:MOUN_FORT:DCR-25253:WANG-3015C:hmw:Raven:479-2013:3/11/83