



CHLORDANE 5% DUST

ACTIVE INGREDIENTS:

Technical Chlordane*

5.00%

INERT INGREDIENTS

95.00%

*Equivalent to 3% Octachloro-4, 7-Methanotetrahydroindane and 2% related compounds

100.00%

**CAUTION: Keep out of reach of Children.
Read Directions and Cautions before using.**

CAUTION

HARMFUL IF SWALLOWED

Chlordane is toxic and may be absorbed through the skin in dry form or from solutions. Avoid inhaling dust or getting in the eyes. Use respirator and goggles if necessary for protection. Avoid skin contact. Keep clothing free from residues. Use this product only in accordance with the directions.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty container. Destroy by burying with waste or burning. Stay away from smoke or fumes.

DIRECTIONS FOR USE

CRABGRASS SEEDLINGS: MUST BE APPLIED before crabgrass seed germinates — in most areas should be applied before April 1st. WATER IN WELL down onto the soil surface. A temporary browning sometimes occurs. Do not apply to newly seeded lawns.

30 lbs per 1000 sq. ft. lawn area — 22½ lbs. per 750 sq. ft. lawn area
15 lbs. per 500 sq. ft. lawn area — 7½ lbs. per 250 sq. ft. lawn area
3 lbs. per 100 sq. ft. lawn area

July 24, 1974
779-8

FOR LAWNS

To control cutworms, earwigs, mole crickets, sow at rate of 1 pound to 500-600 square feet. For white grubs, Japanese Beetle grubs and sod webworm (lawnmoth) apply at rate of 1 pound to 250 to 300 square feet. Water well with hose to get material into nests and living places.

CAUTION: Keep children and pets off treated lawn until insecticide has been washed into the soil.

FOR FOLIAGE DUST

To control grasshoppers, thrips and plant bugs on flowers, shrubs, and other ornamentals dust directly on the plant and insect. Repeat as necessary to prevent damage.

IN THE GARDEN

To control cutworms, earwigs, mole crickets, sow bugs, millipedes, slugs, snails and leaf cutting ants on flowers, shrubs and other ornamentals, dust liberally on the ground, around the plants. Remains effective at least 10 days. Re-Treat as necessary. 1 pound treats 2-300 square feet.