

RESTRICTIONS

Do not use on plants used for food or forage. Use only according to label directions. Do not handle treated plants until spray deposit is dried.

WARNING

F & B Systemic Insecticide Spray is poisonous. Poisoning may occur as a result of exposure. May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash contaminated clothing before re-use. Do not breathe spray mist. Do not contaminate feed or food. Do not contaminate drinking water or fish ponds. Keep out of the reach of children. Wash hands thoroughly after handling. ANTIDOTE: Atropine Sulfate and/or 2-PAM.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water.

WARNING - FLAMMABLE: KEEP AWAY FROM HEAT OR OPEN FLAME
Do not reuse container. Destroy when empty.

F & B Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Meta-Systox-R is a registered trademark of Farbenfabriken
Bayer AG, Chemagro Corporation Licensee

U S D A Reg. No. 779 70



**Kills Leafminers, Aphids, Thrips, Mites,
White Fly, Leafhoppers**

**On
Roses, Flowers, Trees, Ornamental Shrubs**

ACTIVE INGREDIENTS:

S-[2-(Ethylsulfinyl) ethyl] 0,0-dimethyl phosphorothioate	13.5%
Aromatic Petroleum Distillate	14.5%
INERT INGREDIENTS:	72.0%

Total 100.0%

* U.S. Patent No. 2,791,599. This ingredient used under license from Chemagro Corporation Canadian Patent No. 534,370

WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for additional warnings

DIRECTIONS FOR USE

F & B Systemic Insecticide Spray is an effective insecticide for the control of aphids, mites, thrips, whiteflies, leafhoppers, birch leaf miners and holly leaf miners on ornamental flowers, shrubs and trees. It kills these pests by contact and systemic action. F & B Systemic Insecticide Spray is absorbed into the foliage and travels in the sap stream to protect the plant from sucking insects and mites, even in new growth. Weather does not reduce the effectiveness after the spray has been absorbed into the foliage. The chemical is inside the plant where it cannot wash off or blow away. F & B Systemic Insecticide Spray mixes with water and may be used in all types of sprayers. Application should be made before insects appear or shortly after they are seen feeding on plant foliage.

HOW TO USE

IN COMPRESSED AIR SPRAYERS: For use in hand or knapsack-type sprayers, add (1) Tablespoonful of F & B Systemic Insecticide Spray per gallon of water (1 to 250 dilution) and spray plants until they are thoroughly wet. Repeat as necessary to maintain insect control.

IN GARDEN HOSE SPRAYER: For use in hose-end type garden sprayers, add one (1) Tablespoonful of F & B Systemic Insecticide Spray for each gal. of final spray. For example: To prepare six (6) gallons of final spray, pour three (3) fluid ounces (6 tablespoons) of F & B Systemic Insecticide Spray into sprayer jar and fill with water to the six gallon mark. Spray plants until they are thoroughly wet. Repeat applications as necessary to maintain insect control. Follow the recommendations of the manufacturer of your particular hose-end sprayer.

No

3

EDGEMATER, N. J. 07020

RESTRICTIONS

Do not use on plants used for food or forage. Use only according to label directions. Do not handle treated plants until spray deposit is dried.

WARNING

F & B Systemic Insecticide Spray is poisonous. Poisoning may occur as a result of exposure. May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash contaminated clothing before re-use. Do not breathe spray mist. Do not contaminate feed or food. Do not contaminate drinking water or fish ponds. Keep out of the reach of children. Wash hands thoroughly after handling. ANTIDOTE: Atropine Sulfate and/or 2-PAM.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water.

WARNING - FLAMMABLE - KEEP AWAY FROM HEAT OR OPEN FLAME.
Do not reuse container. Destroy when empty.

F & B Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Metolich, Inc., Dept. 100, 1000 E. 10th St., Fargo, N.D. 58102
F&B Ag. Chem. Co., Dept. 100, 1000 E. 10th St., Fargo, N.D. 58102

F & B SYSTEMIC INSECTICIDE SPRAY



Contains META-SYSTOX-R*

**Kills Leafminers, Aphids, Thrips, Mites,
White Fly, Leafhoppers**

On

Roses, Flowers, Trees, Ornamental Shrubs

ACTIVE INGREDIENTS:

S-[2-(Ethylsulfinyl) ethyl] 0,0-dimethyl phosphorothioate	13.5%
Aromatic Petroleum Distillate	14.5%
INERT INGREDIENTS:	72.0%

Total 100.0%

*U.S. Patent No. 2,731,844. This ingredient used under license from Chemagro Corporation. Canadian Patent No. 534,373.

**1
FLUID
PINT**

WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for additional warnings

FAESY & BESTHOFF, INC.

EDGEWATER, N. J. 07020

DIRECTIONS FOR USE

F & B Systemic Insecticide Spray is an effective insecticide for the control of aphids, mites, thrips, whiteflies, leafhoppers, birch leaf miners and holly leaf miners on ornamental flowers, shrubs and trees. It kills these pests by contact and systemic action. F & B Systemic Insecticide Spray is absorbed into the foliage and travels in the sap stream to protect the plant from sucking insects and mites, even in new growth. Weather does not reduce the effectiveness after the spray has been absorbed into the foliage. The chemical is inside the plant where it cannot wash off or blow away. F & B Systemic Insecticide Spray mixes with water and may be used in all types of sprayers. Application should be made before insects appear or shortly after they are seen feeding on plant foliage.

HOW TO USE

IN COMPRESSED AIR SPRAYERS: For use in hand or knap sack-type sprayers, add (1) Tablespoonful of F & B Systemic Insecticide Spray per gallon of water (1 to 250 dilution) and spray plants until they are thoroughly wet. Repeat as necessary to maintain insect control.

IN GARDEN HOSE SPRAYER: For use in hose end type garden sprayers, add one (1) Tablespoonful of F & B Systemic Insecticide Spray for each gallon of fine spray. For example: To prepare six (6) gallons of fine spray, pour three (3) fluid ounces (6 fluid ounces of F & B Systemic Insecticide Spray) into sprayer and fill with water to the six gallon mark. Spray plants until they are thoroughly wet. Repeat applications as necessary to maintain insect control. Follow the recommendations of the manufacturer on your particular hose end sprayer.

No

3