

TREATMENT: In case of poisoning Call a Physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a table-spoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

NOTE TO PHYSICIAN: ANTIDOTE: Administer atropine sulfate in large therapeutic doses. repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

RESTRICTIONS: Do not use in or near human dwellings. Do not use on plants other than those recommended. Use only according to label directions. Application of rates above those shown may result in illegal crop residues.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE. FOR USE ONLY BY COMMERCIAL APPLICATOR

The use of F&B ONION TREATER GRANULES NO. 2, a combination insecticide-fungicide, is limited to use on onions in the North Central and Northeastern States only. F&B ONION TREATER GRANULES NO. 2 will give effective control of onion maggots including those resistant to certain chlorinated hydrocarbon insecticides and onion smut.

ONION (DRY BULB ONLY): To control onion maggot and onion smut, apply F&B ONION TREATER GRANULES NO. 2 at the rate of 20 pounds per acre with 18 inch row spacing or at the rate of 10 ounces per 1,000 linear feet of row regardless of row spacing. In the event of extremely narrow row spacing, do not exceed the rate of 20 pounds per acre. Distribute the granules evenly in the seed furrow at planting time. Do not apply to green-bunch onions.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY FAESY & BESTHOFF, INC., EDGEWATER, NEW JERSEY 07020

E.P.A. Reg. No. 779-86

E.P.A. Est. No. 779-NJ-1

7/74

ACCEPTED WITH COMMENTS

hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

SYMPTOMS OF POISONING: A sense of tightness in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a table-spoonful of salt in a glass of warm water. Administer warm water freely and again induce vomiting until vomit fluid is clear. If possible, remove contaminated clothing and wash skin immediately with copious amounts of water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

NOTE: ANTIDOTE: Atropine. Administer atropine in liberal therapeutic doses. Repeat as necessary to the point of tolerance. Atropine is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the peripheral nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

RESTRICTIONS: Do not use in or near human dwellings. Do not use on plants other than those recommended. Use only according to label directions. Application of rates above those shown may result in illegal crop residues.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE. FOR USE ONLY BY COMMERCIAL APPLICATORS

The use of F&B ONION TREATER GRANULES NO. 2, a combination insecticide-fungicide, is limited to use on onions in the North Central and Northeastern States only. F&B ONION TREATER GRANULES NO. 2 will give effective control of onion maggots including those resistant to certain chlorinated hydrocarbon insecticides and onion smut.

ONION (DRY BULB ONLY): To control onion maggot and onion smut, apply F&B ONION TREATER GRANULES NO. 2 at the rate of 20 pounds per acre with 18 inch row spacing or at the rate of 10 ounces per 1,000 linear feet of row regardless of row spacing. In the event of extremely narrow row spacing, do not exceed the rate of 20 pounds per acre. Distribute the granules evenly in the seed furrow at planting time. Do not apply to green-bunch onions.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY FAESY & BESTER, INC., FINEWATER, IOWA 50120

E.P.A. Reg. No. 779-80

E.P.A. Est. No. 779-NJ-1

74