DIAZO GRAN 5% FOR PROFESSIONAL USE

779-91

BEFORE USING ANY PESTICIDE **STOP** READ THE LABEL

The contents of this package treats up to10,000 square feet

CAUTION - KEEP OUT OF REACH OF CHILDREN

See additional caution statements

Ready-to-use. Contains **5%** Diazinon* Insecticide, for overall or spot Broad Spectrum Lawn Insect Control

[illegible] Ingredient:
[illegible]-isopropyl-6-methyl-4-pyrimidinyl phosphorothioate* **5%**

[illegible] 95%
[illegible] 100%

[illegible] Bug, Sod Webworm, Lawn Moth, Earwigs
[illegible] Grub:
Japanese beetle
European chafer
Southern chafer
Billbugs
[illegible] See complete list on side and
[illegible] Spreader Setting No.
(per 1[illegible] sq. ft.)

[illegible]	Insects listed below** Weevil or Dichondra Lawn 2 lbs.	St. Augustine Lawn 3 lbs.	Water Grass, Billbugs, Hyperodes Weevil 2½ lbs.
[illegible]	5 1/8	[illegible] 1/8	[illegible] 1/8
[illegible]	5	5 3/4	5½
[illegible]	6 1/4	6 3/4	6½
[illegible]	9½	8 5/8	8 [illegible]/8

Cyclone

[illegible]verall Lawn Application
Granule: [illegible] following lawn [illegible]
Dichondra Lawns:
Chinch Bugs--Earwigs--Ticks--Ants--Lawn Moth[illegible] S[illegible]
Crickets--Grasshoppers--Sod Webworm--Dog Tick[illegible]
Leafhoppers--Fleabeetles--Millipedes--Springtails[illegible]

Apply Granules to your lawn with a [illegible] shown on the side panel [illegible] water lawn lightly after application. Repeat [illegible]
For application with [illegible] of **2** lbs. per 1,000 sq. ft. [illegible] **3** [illegible] application, boil [illegible] **3** lbs. per [illegible] 5 oz. per 1,000 sq. ft.

[illegible] Weevil [illegible] Apply 2½ lbs. per [illegible] 1,000 sq. ft. [illegible]

[illegible] Apply 2 [illegible]

[illegible] Water [illegible]

Dilution Water [illegible] Dilution [illegible] divided [illegible] the water [illegible] active.

[illegible] Billbugs [illegible]

[illegible] Sod Webworm [illegible] Millipede [illegible]

Inert Ingredients: [illegible]%
Total: 100%

CONTROLS: Chinch Bugs, Sod Webworms, Lawn Moths, Earwigs
White grubs of
Japanese beetles
European chafers
Southern chafers
Billbugs (See complete list on side and back of bag)

Spreader Setting No. (per 1000 sq. ft.)	Insects listed below** Regular or St. Augustine Dichondra Lawn 2 lbs.	St. Augustine Lawn	White Grubs, Billbugs or Hyperodes Weevil 2½ lbs.
[illegible]	5 1/8	6 1/8	5 5/8
[illegible]	5	[illegible]	5½
[illegible]	6 1/4	6 3/4	6½
[illegible]	9½	8 5/8	8 7/8
[illegible]	3½	4	3 3/4
Lawn Moths	6	6 7/8	6½

** Chinch Bugs, Earwigs, [illegible]
Bermuda Mites, Crickets, Armyworms, Brown Dog Ticks, Chiggers, Clover Mites, Cutworms, Fleas, Leafhoppers, Sowbugs, Millipedes, Springtails (Collembola)

NOTE:

[illegible] settings are approximate. Accurately weigh a few pounds of product and apply to a measured area. Then adjust the spreader setting if necessary in order to assure correct rate of application.

10 MAY 1974
REGISTRATION DIVISION
EPA

Chinch Bugs-Earwigs-Ticks-Ants-Lawn Moths (Sod Webworms)-Bermuda Mites
Crickets-Armyworms-Brown Dog Ticks-Chiggers-Clover Mites-Cutworms-Fleas
Leafhoppers-Sowbugs-Millipedes-Springtails (Collembola)

Apply Granules to your lawn with a fertilizer spreader at the [illegible] shown on the side panel chart. Application should be made when [illegible]. Water lawn lightly after application. Repeat as necessary.

For application with other types of equipment, [illegible] by hand, apply [illegible] of 2 lbs. per 1000 sq. ft. (an area 20' by [illegible] or 3 oz. per [illegible] sq. ft. (an area 10' x 10'). For heavy lawn, such as St. Augustine lawn, application should be increased to 3 lbs. per 1000 sq. ft. (or 5 oz. per 100 sq. ft.)

Billbugs or White Grubs of Japanese beetle: For best [illegible] Apply 2½ lbs. per 1000 sq. ft. of lawn. Water in [illegible] application. [illegible] For billbugs [illegible]

Hyperodes Weevil: New Jersey [illegible] Apply 2 lbs. per [illegible] sq. ft. [illegible] application. [illegible]

Spot Treatment
NOTE: Apply by [illegible] hill.

Digger Wasps: Apply by [illegible] individual ground nest [illegible] the wasps are not active.

Band Treatment Around Foundations: [illegible]
The following insects are [illegible] found around foundations of houses as well as on the lawn. [illegible] the lawn.

[illegible]	Cricket	Millipede
Brown Dog Tick	Earwig	Sowbug
Clover Mite	Flea	Springtail (Collembola)

For control of the above insects, apply a [illegible] band of [illegible] the foundation of the house. Distribute the granules uniformly using a rate of 3 oz. for each 10' by 10' area to be treated.

CAUTION: Keep out of reach of children. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Avoid contamination of food and feed. Wash thoroughly after handling. Do not [illegible]. Keep children and pets off treated area until the following dry [illegible].

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water [illegible] of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse this container. Do not [illegible]. Avoid [illegible]

WARRANTY

[illegible] warrants that [illegible] purpose stated [illegible] warranty [illegible] expressed or implied, extend [illegible] product [illegible]

20 [illegible] 91

5 [illegible]