





CONTENTS OF THIS BAG WILL
TREAT 2,500 SQUARE FEET
(50' x 50')



ASPON* CHLORDANE GRANULAR

EM-T-AID

ASPON*—CHLORDANE GRANULAR

LAWN AND ORNAMENTAL TURF:

RECOMMENDATIONS AND DIRECTIONS FOR USE

Wet lawn thoroughly before applying. Apply 20 lbs. of this formulation on 2500 sq. ft. (8 lbs./1000 sq. ft.). Immediately after application, drench with water or sprinkle thoroughly. Be certain to treat lawn edges adequately.

Do not allow persons or pets on treated lawn until completely dry.

WHEN TO USE

ASPON*—CHLORDANE GRANULAR may be used in accordance with the directions given above during the active growing season to control the following insects:

CHINCH BUGS, SOD WEBWORMS, ANTS, FIRE ANTS, HARVESTER ANTS, LEAF CUTTING ANTS, ASIATIC GARDEN BEETLE LARVAE, BOXELDER BUGS, CHIGGERS, EARWIGS, EUROPEAN CHAFER LARVAE, JAPANESE BEETLE LARVAE, GREEN JUNE BEETLE LARVAE, LAWN MOTHS, MOSQUITOES ADULT, TICKS, WHITE-FRINGED BEETLE LARVAE, WHITE GRUBS, WIREWORMS, MOLE CRICKETS, SPIDERS, CENTIPEDES.

In cooler Mid Atlantic state areas a single application in June or when insects first appear should give protection for an entire season. Due to the very long growing season in warmer Southern areas, 3 or 4 applications may be necessary at 6 week intervals beginning in April or May to protect a lawn for the entire season.

Spreader setting for "small grass seed" on most spreaders will give proper coverage (20 lbs. per 2500 sq. ft.). Please refer to the chart below:

MIXER AND MODEL

APPROXIMATE SPREADER SETTINGS

Lawn Beauty.....	6
Cyclone	7
Scott	6½

NOTICE: Variables inherent in equipment and materials, as well as accuracy of machine adjustment, may cause actual application rates to deviate slightly. Therefore, Facey & Besthoff, Inc. makes

GRANULAR

WARNING

**KEEP OUT OF THE REACH OF CHILDREN
READ ALL DIRECTIONS BEFORE USING**

May be fatal if swallowed. Avoid breathing dust. Do not get in eyes, on skin, on clothing. In case of contact, immediately flush eyes with plenty of water; for skin, wash with soap and water. Do not contaminate food and feed, drinking water, fish ponds.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on the label.

ACTIVE INGREDIENTS:

O, O, O, O - tetrapropyl dithiopyrophosphate .. 2.2%
Chlordane Technical (1)..... 1.4%

INERT INGREDIENTS..... 96.4%

(1) Equivalent to .84% octachloro-4, 7-methanotetrahydroindane and .56% related compounds.

20 LBS. NET WT.

*Regd. T.M. of Stauffer Chemical Co.

Apply to the very long growing season in warmer Southern areas. 2-3 applications may be necessary at 6 week intervals beginning in April or May to protect a lawn for the entire season. Spreader setting for "small grass seed" on most spreaders will give proper coverage (20 lbs. per 2500 sq. ft.). Please refer to the chart below:

	APPROXIMATE SPREADER SETTINGS
Lawn Beauty.....	6
Cypress.....	7
Grass.....	6 1/2

Uniformity of application inherent in equipment and materials, as well as accuracy of dosing adjustment, may cause actual application rates to deviate slightly. Therefore, Faisy & Besthoff, Inc. makes no warranty as to the uniformity of coverage obtained from the setting listed above.

GENERAL USE PRECAUTIONS

Avoid drift to adjoining food and forage crops. Clean spills on walks and patios. ASPON® - CHLORDANE GRANULAR should be used only for recommended purposes at the recommended rates. Do not reuse empty container. Destroy it by burning. Stay away from smoke or fumes.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Seller neither warrants nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA Reg. No. 779-71

20 LBS. NET WT.

FAISY & BESTHOFF, INC.

Edgewater, N.J. 07020

STACK AIDE

FREIGHT SHIPPING BAG
MEETING REQUIREMENTS OF
APPLICABLE FREIGHT CLASSIFICATION
Guaranteed by AMKELL SAFETY BAG CO

C-0