
[784-42]



DIRECTIONS FOR USE

FOR HOUSEFLIES, MOSQUITOES AND GNATS: Close all

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, sowbugs and

TANTS: Spray trails, nests and points of entry. Spray on this where possible. Repeat as necessary.

CAUTION **KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Do not use on edible crops. When treating edible products areas of food processing plants, restaurants or other areas where food is prepared or processed, foods should be removed or covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

WARNING

Contents under pressure. Do not use or store near heat or open flame. Do not puncture. Do not expose container above 120°F. Never throw container into fire or incinerator.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

spiders. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings and around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Insectrol **AEROSOL**

FOR USE IN Nursing Homes, Motels, Hotels, Institutions, Restaurants, and Food Processing Plants.

KILLS: HOUSEFLIES, MOSQUITOES, GNATS, WASPS, ROACHES, EARWIGS, SOWBUGS, SPIDERS, AND ANTS.

ACTIVE INGREDIENTS: * + (5-Benzyl-3-furyl)methyl 2,2-dimethyl- ろかい いっと -3-(2-methylpropenyl)cyclopropane-Related Compounds 0.027% d-trans Allethrin(allyl homolog of Cinerin I) 0.125% Related compounds 0.011% Aromatic petroleum hydrocarbons 0.267% INERT INGREDIENTS80.016% *Cis/trans isomers ratio:max.30%(±)cis and

+U.S. Patent No. 3,465,007.

CAUTION

 $min.70\%(\pm)$ trans.

KEEP OUT OF REACH OF CHILDREN Contents under pressure. See additional cautionary statements on back panel.

CONTENTS: 15 OZ.

EPA Reg. No. 784-92

