

[784-97]

For Use in Hospitals, Nursing Homes, Schools, Hotels, Motels, Bakeries, Food Handling Plants, Restaurants and Office Buildings.

Directions for Use:

For most effective results use in a good sprayer adjusted to deliver a fine mist.

For Houseflies, mosquitoes and gnats:

Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist. Keep the room closed for at least 15 minutes. Do not remain in treated areas. Ventilate the area after treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Killem

INSECTICIDE SPRAY

A new synthetic pyrethroid for controlling flying insects

ACTIVE INGREDIENTS
* + (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate
Related compounds
Aromatic petroleum hydrocarbons
Petroleum distillate

INERT INGREDIENTS:
*Cis/trans isomers ratio: max.30% (+)cis and min. 70% (+) trans. 0.006%
+U.S. Patent No. 3,465,007 100.000%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not use, pour, spill or store near heat or open flame. Read complete directions and cautions on right panel before using.

NET CONTENTS ONE GALLON



Consolidated Chemical, Inc.
St. Louis, Missouri 63110

ACCEPTED
JAN 14 1975
UNDER THE FEDERAL
Pesticide Act
FOR RECORD AND
ED UNDER THE
TO ATTACHED
SUBJECT

E.P.A. Est. No. 5784-MO-1

E.P.A. Reg. No. 784-97

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Use as a space spray in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals and nursing homes, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. This formulation is combustible. Do not use, pour, spill or store near heat or open flame.

Remove pets, birds and cover fish aquariums before spraying.

CONTAINER DISPOSAL—Crush used container and bury in non-cropland soil away from water. This formulation is toxic to fish. Avoid contamination of water. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.