

DIRECTIONS FOR USE

FOR USE IN THE WHEEL (final bath)

Original charge:

1. Determine accurately total gallons in system.
2. Add 1/4 gallon (32 fluid ounces) PRO-TEC DS to the system for each 100 gallons.
3. Circulate 10 minutes before adding clothes.
4. Run normal cleaning cycle.
5. Extract lightly* - dry and finish.

Make up:

Add 1/2 cup (4 ounces) of PRO-TEC DS for each 12 gallons of solvent added to the system from any source - make up, recovery tumbler, still, reclaimer, etc. to maintain 1/4% by volume PRO-TEC DS.

FOR USE IN DIP TANKS

Mix 1 cup (8 ounces) PRO-TEC DS with each 25 gallons of solvent. Saturate clothes, extract lightly* - dry and finish.

*For full mothproofing protection, extracted woollens should contain at least:

Synthetic system - 50 pounds solvent
Petroleum system - 25 pounds solvent

for each 100 pounds dry weight of clothes.

STORAGE AND DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state or local procedures.

Seller guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of the use or handling and accepts the product on these conditions.

DOCUMENT AVAILABLE



"Mr.
Adas Chemist
Since 1908"

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (33-767)

Enclosures

BEST DOCUMENT AVAILABLE



CONCENTRATED MOTHPROOFING SOLUTION

FORMULATED FOR USE IN SYNTHETIC SOLVENTS AS WELL AS PETROLEUM SYSTEMS
-BY PROFESSIONAL DRYCLEANERS-

CONTAINS NO PETROLEUM SOLVENTS
(Will not interfere with "sniffer" operation)

For use "CHARGED IN THE WHEEL" or in "DIP TANKS"
See back panel for use directions.

Woolens treated as directed with this product are protected against moth damage for 6 months in storage or normal use--unless recleaned. Treatment must be repeated at each drycleaning for continued protection.

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause eye irritation. Do not get in eyes. Avoid contact with skin. Wash hands after use.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Active ingredients

Methoxychlor, technical* 48.2%

Inert ingredients 51.8%

42.4% 2,2-bis (p-methoxyphenyl) -1,1,1 trichloroethane
and 5.8% other isomers and reaction products

FOR INDUSTRIAL USE ONLY
EPA Registration No. 787

Manufactured only by

NET CONTENTS

1
U. S. GALLON



ST. LOUIS, MISSOURI, U. S. A.

EPA 1st. No. 787-MO-1