

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 722-20	DATE OF ISSUANCE 5/16/83
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Diazinon (Insecticide)	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Victory Chemical Company
740 N. Second Street
Philadelphia, PA 19123

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The product is conditionally registered in accordance with FIFRA sec. 3(c)(1) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase "EPA Registration No. 722-20" to your label before you release the product for shipment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the 2-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Gene E. Hilsenrath
Project Manager (12)
Insecticide-Plant Growth Regulator
Registration Division (WH-567)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

[Signature]

5/16/83

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if inhaled. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of expected prolonged exposure, wear natural rubber gloves, protective clothing and goggles. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not apply to animals or humans. Do not use on food crops. Do not use in animal barns or poultry houses for fly control. In food handling areas, application is limited to crack and crevice treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
If in eyes: Flush with plenty of water. Get medical attention if irritation persists.
If on skin: Wash with soap and water. Get medical attention if irritation persists.
Note to Physician: Atropine sulfate is antidotal only if symptoms of cholinesterase inhibition are present.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store this water-based formulation at temperatures below 32°F (0°C).
PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.
CONTAINER DISPOSAL: For containers one gallon and under. Do not reuse empty container. Wrap container and place in trash collection.
For containers over one gallon. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.
RESTRICTIONS: Since this is a water suspension material, do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained or watermarked.

Aqua-Cide

An Insecticide Offering Good Flushing Activity, Quick Knockdown and Residual Kill of Cockroaches for 2 to 3 weeks.
For Residual Control of Ants, Cockroaches (Waterbugs), Clover Mites, Crickets, Earwigs, Fleas (Outdoors), Mosquitoes (Outdoors), House Flies, Hornets, Spiders, Saw-Toothed Grain Beetles (Exposed Stages), Scorpions, Silverfish Lice, Sowbugs (Pillbugs), Spiders, Brown Dog Ticks, Wasps.

ACTIVE INGREDIENTS:

o-Isopropoxyphenyl methylcarbamate	0.50%
Pyrethrins	0.05%
Piperonyl Butoxide, Technical	0.50%
INERT INGREDIENTS:	98.95%

* Equivalent to 0.4% (butylcarbityl) (6-propyl piperonyl) ether and 0.1% related compounds.
** U.S. Patent No. 3,683,078

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

CAUTION — KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

Can be used in non-food areas of food handling establishments and in food areas for crack and crevice treatment only.

E.P.A. REG. No. 788

E.P.A. EST. 788

CONTENTS: 1 GALLON

Distributed by Victory Chemical Co. Philadelphia, PA

BEST AVAILABLE COPY

DIRECTIONS FOR USE (Continued)

INDOORS: Pest control in and around homes, apartment buildings, stores and warehouses. For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs and to aid in control of saw-toothed grain beetles (exposed stage) Apply as a residual spray, hitting as many insects as possible, to baseboards, window frames, the undersides of shelves and drawers, under sinks and stoves and to other places where insects may hide. Also spray cracks, crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where ants enter premises. Repeat as necessary.

Do not spray foodstuffs or house plants. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated surfaces until surfaces are completely dry.

Pest control in meat packing and food processing plants, food storage areas, restaurants, and other food handling establishments (places other than private residences in which exposed food is held, processed, prepared or served) For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of saw-toothed grain beetles (exposed stage)

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains, (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after cleaning or bottling) Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FOOD AREAS: Limited to crack and crevice treatment only. Apply a small amount of material as a pin thin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs where the insects noted above hide. Do not use this product in conduits, meter housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Spraying unloading docks and outside areas where insects are present is essential in preventing reinfestations. Good sanitation and proper housekeeping are essential in any effective insect control program.

Pest control in animal research facilities, the use of this product in research animal quarters for pest control will not inhibit microsomal enzyme activity in these animals.

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, GREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

OUTDOORS: For residual control of insects around homes, garbage areas, dumps.

RESIDUAL SPRAY for Ants, Cockroaches, Earwigs, Millipedes, Mosquitoes, Spiders, Crickets, Clover Mites, Sowbugs, Brown Dog Ticks, Wasps and Waterbugs. Apply by spraying, hitting as many insects as possible or with a paintbrush on buildings, porches, screens, window frames, patios, and other places where insects congregate. For control of wasps and hornets, repeat when all of the insects have returned to the nest. Repeat as necessary on plants (lawns, flowering plants, shrubs, trees, etc.) with insects present.

WARRANTY

Our recommendations for use of this product are based on field tests and are believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the results to be obtained if not used in accordance with the established safe practice. The buyer must assume all responsibility for injury or damage resulting from its misuse as such, or from its use on other materials.