

*Lovinger*

LOVINGER'S  
**NOBAC**  
GLASS RINSE

ACTIVE INGREDIENTS

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>10</sub>)  
dimethyl benzyl ammonium chloride ..... 10.0%  
Ethanol ..... 2.5%

INERT INGREDIENTS

Water ..... 87.5%  
Phenol Coefficients (A.O.A.C. Method, 20° C.):  
Staphylococcus Aureus — 75  
S. Typhosa — 50

E.P.A. Reg. No. 789-4

CRITERIA STATEMENT

This product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 550 p.p.m. of hardness calculated as CaCO<sub>3</sub> when tested by the A.O.A.C. Germicidal and Detergent Sanitizers — Official Method."

**DANGER**

**KEEP OUT OF REACH OF CHILDREN.** (See other side of label for additional precautionary statements.)

L  
O  
D  
I  
S  
C  
O

EST. 1914

P  
R  
O  
D  
U  
C  
T  
S

A

**DIRECTIONS**

Rinsing: First, clean the glassware and other eating utensils by washing in a suitable detergent solution; second, rinse in a tank of clear water and third, rinse in a solution of NOBAC containing 1 ounce of NOBAC to 4 gallons of water. This solution will contain 200 parts per million of active germicidal ingredients in water containing up to 550 parts per million hardness. Check with local health regulations for time of third rinse.

**AIR DRY - - DO NOT TOWEL**

The air-drying period allows the germicide a longer active period.

**GENERAL DISINFECTION**

For general disinfection of walls, floors, fixtures, and inanimate surfaces, in homes, restaurants, public buildings, schools, etc., use 1 oz. NOBAC to 2 gals. water, wash surface with this solution after thoroughly cleaning with suitable detergent.

**DANGER**

NOBAC Disinfectant causes skin irritation. May cause eye damage. Harmful if swallowed. Avoid contact with skin and eyes. Do not take internally. In case of contact, flush immediately with plenty of water. For eyes get medical attention. Avoid contamination of food. Protect eyes when handling concentrate.

**FIRST AID:** If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water.

Do not reuse container. Rinse with clear water, then destroy.

**NET CONTENTS: ONE GALLON.**

3-6-51 1912  
789-4